



/// FSA

vision

DEALER CATALOG 2026

FSA WORLD

There are many Headset manufacturers in the industry, but FSA has a long history of Headset manufacturing dating back to 1970 — 54 years and counting. However, FSA's market leadership is not just due to its long history;

FSA continues to develop innovative products for a wide range of bike categories; from road, gravel, mountain to e-bike, FSA prides itself on providing bicycle solutions for every segment in the market. Since 1993, we've crafted premier bicycle components for road and mountain biking, driven by our passion for cycling and commitment to quality.

Our journey from humble beginnings to supporting top-tier road and mountain bike teams reflects our evolution into a pioneering force. In 1995, we expanded our product range to include cranks and chainrings. A turning point in 2004 came with the Compact crank, setting an industry trend and transforming the cycling experience. In 2017, we continued pushing boundaries with the Wireless Electronic groupset: K-FORCE WE, marking a new era in cycling technology.

At FSA, we take pride in constant investment to provide top-notch components for professionals and enthusiasts alike. Join us in redefining the cycling experience — where history, innovation, and performance converge at Full Speed Ahead.

HISTORICAL MILESTONES

1992 Douglas Chiang founds the Full Speed Ahead brand

2002 **FSA EUROPE** is founded

2003 **FSA USA** is founded

2006 The first revolution by **FSA**:
introducing the very first Carbon Compact Crankset

2009 Innovator in **COCKPIT** design
with a complete range of shapes and sizes

2014 Established leader in the **HEADSET** category,
partner of the most important manufacturers

2017 The first electronic wireless unit is launched on the market:
K-FORCE WE


2019 The first motor hub is introduced: **SYSTEM HM1**.

FSA EUROPE
MILANO

FSA CHINA
KUNSHAN

FSA USA
SEATTLE

FSA ASIA
TAICHUNG CITY



VISION WORLD


-  **1993** VisionTechUsa is founded
-  **2003** The very first brand to design and produce integrated carbon handlebars for Triathlon / TT
-  **2007** Dedicated new R&D dept. fully dedicated and fully focused wheels
-  **2009** Official media-market launch of Metron wheel range
-  **2013** VISION Carbon Factory new-opening
-  **2019** Metron TFW: the fastest wheel ever
-  **2021** The very first Metron wheel model with PRS (Power Ratchet) hub system
-  **2023** Metron TFE: the most winning carbon TT extensions in history
-  **2024** The new era of Road integrated handlebar: Metron 5D ACR EVO.

MISSION: Setting the highest standard of excellence in the cycling industry and designing the fastest and most aerodynamic components

Since our birth in Kona in the '90s, Vision has been synonymous with a no-expense spared assault on wind resistance. Recent years have seen the innovative application of carbon fiber and the creation of dreamlike shapes to enhance performance.

We are the brand to beat, leading the way in time trials and triathlon by creating slippery-fast aero products with proper fit and adjustability that allows riders to push their limits in race conditions.

We continually refine, test and innovate in the quest for speed—with the end result being industry leading products throughout the range. Expert use of wind tunnel testing is a regular part of our research and development, and Computational Fluid Dynamics – CFD – is used to interpret data and refine product design for ultimate aerodynamic performance.






FSA continues to develop innovative products for a wide range of bike categories; from road, gravel, mountain to e-bike, FSA prides itself on providing bicycle solutions for every segment in the market. At FSA, we take pride in constant investment to provide top-notch components for professionals and enthusiasts alike. Join us in redefining the cycling experience – where history, innovation, and performance converge at Full Speed Ahead.

Currently at FSA, we simulate real-world riding conditions to assess the performance of all product categories, more specifically about Spare Parts (Headsets, Bearings, BB, Crankset and Chainring, Wheels and hubs). The following outline describes a selection of our testing procedures:

- Corrosion - Rotation - Torque data for Damping cockpit system - Fatigue test
- ISO test - Impact test.





Since our birth in Kona in the '90s, Vision has been synonymous with a no-expense spared assault on wind resistance. Recent years have seen the innovative application of carbon fiber and the creation of dreamlike shapes to enhance performance.

We are the brand to beat, leading the way in time trials and triathlon by creating slippery-fast aero products with proper fit and adjustability that allows riders to push their limits in race conditions.


We continually refine, test and innovate in the quest for speed – with the end result being industry leading products throughout the range. Expert use of wind tunnel technology is a regular part of our research and development, and Computational Fluid Dynamics – CFD – is used to interpret data and refine product design for ultimate aerodynamic performance.

PARTNERS

Several important international and renowned brands, leaders in their field of competence, have chosen us as partners for the 2025 season. These partnerships validate the perceived and the value of FSA in the world, while the partner brands travel with us in all the international events we take part in.



FSA WORLD



OFF - ROAD TEAMS

TEAM 2025

DISCIPLINE

BIKE

CANNONDALE FACTORY TEAM	XC	CANNONDALE
ATHERTON RACING	DH	ATHERTON
TEAM CALOI-AVANCINI	XC	CALOI
TORPADO KENDA FSA FACTORY	XC	TORPADO
KTM PROTEK ELETTROSYSTEM	XC	KTM
D2 MONT MERIDA CYCLING TEAM	XC	MERIDA
TOM PIDCOCK	XC	PINARELLO



ATHERTON
RACING



TEAM CANNONDALE
FACTORY



KTM PROTEK
ELETTROSYSTEM



TORPADO KENDA
FSA FACTORY



TEAM CALOI
AVANCINI

vision WORLD



TEAM 2025

DISCIPLINE

BIKE

MEN TEAM

BAHRAIN VICTORIOUS	UCI WORLD TEAMS	MERIDA
EF PRO CYCLING	UCI WORLD TEAMS	CANNONDALE
VISMA – LEASE A BIKE	UCI WORLD TEAMS	CERVELO
XDS ASTANA TEAM	UCI WORLD TEAMS	XDS
ARKEA SAMSIC PRO CYCLING TEAM	UCI WORLD TEAMS	BIANCHI
UNIBET TIETEMA ROCKETS	UCI PRO TEAMS	CANNONDALE
VF GROUP-BARDIANI CSF-FAIZANE'	UCI PRO TEAMS	DE ROSA
LOTTO CYCLING TEAM	UCI PRO TEAMS	ORBEA
UNO-X	UCI PRO TEAMS	RIDLEY
ISRAEL PREMIER TECH	UCI PRO TEAMS	FACTOR
CAJA RURAL	UCI PRO TEAMS	MMR

WOMEN TEAM

EF EDUCATION-OATLY	WTW TEAM	CANNONDALE
VISMA – LEASE A BIKE	WTW TEAM	CERVELO
ARKEA SAMSIC PRO CYCLING TEAM	WTW TEAM	BIANCHI

TRIATHLON

FREDERIC FUNK	CUBE
JENNA & MIGUEL	QUINTANA ROO
STEVE MCKENNA	ELILEE
SAM BETTEN	CERVELO
NATALIE VAN COEDORVAN	CERVELO



VISMA LEAS
-A-BIKE



EF PROCYCLING
MEN



BAHRAIN
VICTORIOUS



XDS
ASTANA



ARKEA
B&B HOTELS



LOTTO
CYCLING TEAM



UNO
X



ISRAEL PREMIER
TECH



UNIBET
ROCKETS




CAJA RURAL
SEGUROS



BURGOS
BH

FSA

WORLDWIDE NETWORK SERVICE CENTERS



NORTH AMERICA

FSA	VISION	COUNTRY	COMPANY NAME	E-MAIL	TEL	COMPANY WEBSITE
x	x	USA	BICYCLE TECHNOLOGIES INTERNATIONAL	Info@bti-usa.com	*+1 800 558 8324	bti-usa.com
x	x	USA	QUALITY BICYCLE PRODUCTS (QBP)	customerservice@qbp.com	*+1 952 941 9391	qbp.com
x	x	USA	HAWLEY, LLC	info-us@hlc.bike	*+1 910 425 3145	hlc.bike/us/
x	x	USA	J&B IMPORTERS, INC.	Info@jbiimporters.com	*+1 800 666 5000	jbi.bike/site/
x	x	USA	OLYMPIC SUPPLY COMPANY	sales@osco.bike	*+1 414 461 8380	osco.bike/
x	x	USA	KHS, INC.	Info@khsbicycles.com	*+1 310 632 7173	khsbicycles.com/
x	x	CANADA	ORANGE SPORT SUPPLY, INC.	Info@orangesportsupply.com	*+1 877 990 5554	orangesportsupply.com
x	x	CANADA	CYCLES LAMBERT	Info@cycleslambert.com	*+1 888 522 2453	hlc.bike/ca

SOUTH AMERICA

FSA	VISION	COUNTRY	COMPANY NAME	E-MAIL	TEL	COMPANY WEBSITE
	x	BRASIL	CERVELO BRASIL	sac@cervelobr.com	*+55 9 9337 5434	cervelobr.com
x	x	ARGENTINA	Lira Sport	e-commerce@lirasport.com.ar	*+54 3413061922	lirasport.com.ar
x	x	CHILE	INTERBIKES	info@interbikes.cl	*+56 9 3436 0304	interbikes.cl
x	x	COLOMBIA	IMPORTACIONES GRAFAM S.A.S	comercial@grafamsports.com	*+57 321 616 13 26	grafamsports.com/
x	x	COSTA RICA	EL SPRINTER	rigobertozuniga@elsprinter.com	*+506 2241 4818	elsprinter.com/
x	x	ECUADOR	BASE EXTREME	info@baseextreme.com.ec	*+593 7 281 4686	instagram.com/base_extreme
x	x	EL SALVADOR	IMPORNET / PROBIKESV	info@probikesv.com	*+503 2266 0759	probikesv.com
x	x	GUATEMALA	IMPORNET / PROBIKES BY JOSE	Info@Probikes.Net	*+502 521 6360	probikes.net/es/
x	x	MEXICO	MERCURIO	contactanos@grupomercurio.mx	*+52 800 2288 242	grupomercurio.mx/
x	x	PANAMA	DESARROLLO DEPORTIVO LOS 40, S.A.	desarrollodeportivo40@gmail.com	*+507 6050 4513	instagram.com/murosportivo/
x	x	TRINIDAD	MOTORCYCLES ETC	larry.ali@motorcycleetc.com	*+1 868 693 2754	motorcycleetc.com/motorcycleetc/
x	x	VENEZUELA	SU BICICLETA	contactanos@subicicleta.com	*+58 4143312912	subicicleta.com/G26

EUROPE


FSA	VISION	COUNTRY	COMPANY NAME	E-MAIL	TEL	
x	x	BENELUX	CODAGEX	Info@codagex.be	*+32 14 34 74 74	codagex.be/
*	x	BULGARIA	VELOMANIA	info@velomania-bg.com	*+359 (0)884 073 916	velomania-bg.com
x	x	CZECH REP.	ZOOKEE	info@zookee.cz	*+420 461 530 983	zookee.cz/
x	x	CYPRUS	A & P ANDREOU BROTHERS LTD	Mariap@andreou.com	*+357 24 631020	andreou.com/en/group/divisions/andreou-bikes/
x		DENMARK	KONGGAARD	Service@konggaard.dk	*+45 8722 3306	konggaard.dk/
	x	DENMARK	BJARNE, EGEDESØ A/S	salg@egedesoe.dk	*+45 63 16 80 01	bikersbest.dk/
x	x	ESTONIA	VELOPLUS OÜ	info@veloplus.ee	*+372 507 0860	veloplus.ee/et
x	FRANCE	SPORTPULSION	Info@esm-sport.com	*+33 4 50 46 50 50	sportpulsion.com/	
x		FRANCE	SAVOYE	Info@savoie.fr	*+34 4 74 36 13 77	savoie.fr/
x	x	SPAIN	COMET DISTRIBUCIONES COMERCIAL S.A.	fsa@comet.es	*+34 943 33 13 93	cometbikeparts.com/es/inicio
x	x	GERMANY	MERIDA & CENTURION GERMANY GMBH	fsagermany@fullspeedahead.com	*+49 7159 94 59 - 700	mcg.gmbh/
x	x	GREECE	BIKEFORMANCE	info@bikeformance.gr	*+30 21 8218 9414	www.facebook.com/bikeformance.gr/
x	x	HUNGARY	VELOSSIMO KFT.	velossimo.hu@gmail.com	*+36 30 221 2929	velossimo.hu/
x	x	ITALY	RMS S.P.A.	Info@rms.it	*+39 0362 27 301	rms.it/
x	x	ITALY	CICLO PROMO COMPONENTS S.P.A.	Info@ciclopromo.com	*+39 0423 1996363	ciclopromo.com/
x	x	MALTA	MAGRI CYCLES & SPARES	Magricyc@nextgen.net.mt	*+356 2741 4399	magricycles.com/
x	x	POLAND	FHU POREBA	info@porebarowery.pl	*+ 48 12 264 90 24	porebarowery.pl/
x	x	PORTUGAL	CICLO COIMBROES	Geral@ciclocimbros.com	*+351 22 379 44 61	ciclocimbros.com/
x	x	ROMANIA	CROSSBIKE	Office@crossbike.ro	*+40 735 151 260	crossbike.ro/
x	x	SLOVAKIA	SLOGER	info@sloger.sk	*+421 346 945111	sloger.sk/
x	x	SLOVAKIA	ZOOKEE	info@zookee.cz	*+420 461 530 983	zookee.cz/
x	x	RUSSIA	VELOMARKET CSKA	sergey@velomarket-cska.ru	*+7 495 1977820	velomarket-cska.ru/
x	x	SLOVENIA	VEB COMPANY	Veb-company@siol.net	*+386 1 430 39 11	veb-company.si/
x	x	SOUTH AFRICA	FW DISTRIBUTION	info@freewheel.co.za	*+27 83 254 8305	fwdistribution.co.za/
x	x	SWEDEN	BOOVE AB	info@boove.se	*+46 8 761 02 66	boove.se/
x	x	SWISS	BELIMPORT	info@belimport.ch	*+41 91 260 35 35	belimport.ch/
x	x	TURKEY	ACCELL BISIKLET SAN VE TIC AS	aftermarket@accellbisiklet.com.tr	*+90 236 213 0045	accellbisiklet.com.tr/
x	x	UKRAINE	BIKESPORT LLC	shop@veloplaneta.com.ua	*+380-991002909	
x	x	U.K. & IRELAND	SOLENT	fsa.uk@fullspeedahead.com	*+44 23 9255 4125	solent-cycles.co.uk/

ASIA PACIFIC

FSA	VISION	COUNTRY	COMPANY NAME	E-MAIL	TEL	COMPANY WEBSITE
x	x	TAIWAN	FSA ASIA	support@fullspeedahead.com.tw	*+886 42331 9134	fullspeedahead.com/it/company
	x	AUSTRALIA	MCH IMPORTS	info@mchimports.com	*+61 1300 783 556	mchsports.com.au/
X	X	BAHRAIN	ENDURA SPORTS	endurasc@gmail.com	*+973 3317 7777	instagram.com/endura_sc/?hl=en
x	x	CHINA	FSA CHINA	daniel@fullspeedahead.com.cn	*+86 512 5702 2458	fullspeedahead.com/it/company
x	x	HONG KONG	LOCATION CYCLES LIMITED	info@locationcycles.com	*+852 9961 8628	facebook.com/locationcycles
x	x	INDONESIA	PT. WAHANA INTI UTAMA	customerservice@bab-indonesia.co	+62 21 30052621	
x	x	IRAN	ORCHID MEHR SPORTING GOODS GROUP	info@orchid.ir	*+98 21 2302 7000	orchid-co.com/eng/
x	x	ISRAEL	D. Z. SYSTEMS LTD	tzahi@dzsystems.co.il	+97 289188983	
x	x	JAPAN	FUTABA	Zac_r@e-ftb.co.jp	*+1 052 504 8345	e-ftb.co.jp/
x	x	JAPAN	PODIUM CO LTD	fsa_vision@podium.co.jp	*+81 742 64 3555	podium.co.jp/
x		MALAYSIA	SLM	info@slmbicycle.com	*+60 4 688 2011	slmbicycle.com/
x	x	NEW ZEALAND	WIDE OPEN DISTRIBUTORS	sales@wideopen.co.nz	*+64 7 345 3280	wideopen.co.nz/
x	x	PHILIPPINES	NANOTECH TRADING INC	inquiry@nanotechtradinginc.com	*+63 322 544912	nanotechtradinginc.biz/
x	x	SINGAPORE	TRILAB	trilabs@trilab.com	*+65 6459 2919	trilabs.com/
x	x	SINGAPORE	YAP BICYCLE COMPANIA	chris@yapbicycle.co	*+65 6993 7566	yapbicycle.com.sg/
x	x	SINGAPORE	CHZ Cycling.	info@czinc.cc	*+65 8714 1322	chzcycling.cc/
x	x	SOUTH KOREA	WATTS	daniel@watts-sports.com	*+82 02 7978279	watts-sports.com
x	x	VIETNAM	BIKE LIFE	info@bikelife.com.vn	*+84 090 2123 900	bikelife.com.vn/
x	x	UAE	REVOLUTION CYCLES DUBAI	info@rcdxb.com	*+971 04 369 7441	rcdxb.com/
x	x	UAE	AL BOOM MARINE	contact@beyondthebeach.com	*+971 4 289 4858	alboommarine.com/retail/beyond-the-bike/
x	x	INDIA	WE SNAP	admin@wesnapindia.in	*+91 9112299660	instagram.com/wesnapindia/?hl=en
x	x	THAILAND	PELETON	saknanon.wat@peloton.co.th	*+66 2 095 3560	facebook.com/PelotonThailand

FSA - VISION

B2B PLATFORM



PRODUCT LIST

REAL-TIME **STOCK AVAILABILITY, ETDs & SPECS**



CATALOGUES

QUICK ACCESS TO FSA & VISION **CATALOGUES**



CONFIGURATORS

QUICK ACCESS TO **EASY** CONFIGURATORS



MEDIA-MARKETING ASSET

ACCESS TO **MEDIA & MARKETING ASSETS**



WEB-SITE

QUICK ACCESS TO FSA & VISION **WEBSITES**



SERVICE

ACCESS TO **WARRANTY LOG & POLICY**



NEED HELP? PLEASE CONTACT


MARKETING2@FULLSPEEDAHEAD.COM

F52**NEW PRODUCTS**

Pag	NEW PRODUCT	MODEL NAME	NEW PRODUCT	MODEL NAME	Pag
p.32		GRADIENT MODULAR 1X		GRADIENT CARBON RISER 20-30 (Ø31.8)	p.29
p.29		GRADIENT CARBON RISER 20-30 (Ø35)		GRADIENT ALLOY RISER 25-40 (Ø31.8)	p.30
p.30		GRADIENT ALLOY RISER 25-40 (Ø35)		GRADIENT STEM (Ø35 - Ø31.8)	p.31
p.31		GRADIENT STEM DIRECT MOUNT (Ø35 - Ø31.8)		GRADIENT i30 (29" - 27.5" rear)	p.28

Vision**NEW PRODUCTS**

Pag	NEW PRODUCT	MODEL NAME	NEW PRODUCT	MODEL NAME	Pag
p.192		METRON 45 RS		METRON 60 RS	p.191
p.193		METRON 37 RS		SC 48 i25	p.215
p.212		SC 45 SL		SC 60 SL	p.211
p.205		METRON TFE EVO		METRON TFA EVO	p.208



1/ OFF-ROAD

KFX

///GRADIENT

AFTERBURNER

COMET

NS SERIES

1 - OFF-ROAD

2 - GRAVEL

3 - ROAD

4 - OUTLET

5 - WORKSHOP

6 - ACCESSORIES



KFX



SPECS

- Variable height rim for the ultimate combination of strength and vertical compliance
- Hookless bead tubeless compatible rims
- Asymmetric carbon rim
- 22mm depth x 33mm width x 28mm ID
- Alloy hubs with direct pull spokes
- 15 x 110mm TA front hub and 12 x 148mm TA rear hub
- 7 sealed cartridge bearings (2F+5R)
- 2-cross double butted with brass nipples
- Artisan built, entirely by hand

FREEHUB


- PRS Alloy hubs
- freehub: SMN 12sp (MS) Sram XD 12sp
- Available in 29"
- ISO 6-Bolt Rotor Mount

FINISH

- Color graphics - gray

WEIGHT FROM

- 1,566 grams / pair (29")



WHEELSETS

CODE	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
720-0094181030	29"	22 mm	28 mm	33 mm	SH 12s	6 Bolts	365,640円 (税込)
720-0094186030	29"	22 mm	28 mm	33 mm	SRAM XD	6 Bolts	365,640円 (税込)



FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
75201133000010	SRAM XD	EL467	
75201028000011	SHIMANO MICROSPLINE 12S	EL433	18,370円 (税込)





SPECS

- Integrated Cable Routing (ICR)
- Carbon composite construction
- Integrated handlebar and stem design
- Stable Integrated Cockpit (SIC)
- Fixed geometry to maximize stiffness and light weight
- Headtube Angle 69
- Includes top cap with integrated quarter turn computer mount

SIZES

- Width: 780mm
- Effective Stem Length: 65, 85, 105mm
- Effective Stem Angle: -12°

FINISH

- UD carbon finish
- Color graphics - black and silver

WEIGHT

- 265 grams (65mm),
- 305 grams (85mm)
- 315 grams (105mm)



HANDLEBAR

CODE	STEM	WIDTH	BACKSWEEP	UP-SWEEP	RISE	金額
180-0064019030	65 mm	780 mm	9°	5°	5 mm	74,910円 (税込)
180-0064024030	85 mm	780 mm	9°	5°	5 mm	74,910円 (税込)
180-0064025030	105 mm	780 mm	9°	5°	5 mm	74,910円 (税込)



KFX FLAT ICR

HANDLEBAR

SPECS



- Integrated Cable Routing (ICR)
- Carbon composite construction
- Full-width flat-top design (patent pending)
- Reinforced brake-lever and bar-end zones
- Reinforced and textured stem clamp zone
- Compatible with Di2 systems

FINISH

- UD carbon finish
- Color graphics - black and silver

WEIGHT

- 170 grams (700mm)
- 175 grams (760mm)



HANDLEBAR

CODE	WIDTH	BACKSWEEP	UP-SWEEP	RISE	STEM	金額
180-0046081030	700 mm	9°	4°	0 mm	31.8 mm	40,260円 (税込)
180-0046088030	760 mm	9°	4°	0 mm	31.8 mm	40,260円 (税込)



Di2 Compatible

KFX LOW RISER ICR

HANDLEBAR

SPECS

- Integrated Cable Routing (ICR)
- Carbon composite construction
- Full-width flat-top design (patent pending)
- Reinforced brake-lever and bar-end zones
- Reinforced and textured stem clamp zone
- Compatible with Di2 systems

FINISH

- UD carbon finish
- Color graphics - black and silver

WEIGHT

- 174 grams (700mm)
- 178 grams (760mm)



HANDLEBAR

CODE	WIDTH	BACKSWEEP	UP-SWEEP	RISE	STEM	金額
180-0047066030	700 mm	9°	4°	18 mm	31.8 mm	
180-0047087030	760 mm	9°	4°	18 mm	31.8 mm	40,260円 (税込)



Di2 Compatible

KFX 2-BOLT STEM

SPECS

- 3D forged and CNC machined from AL6061
- Flat bar only

SIZE

- 34mm fork clamp stack height

FINISH

- Bead blasted anodized black
- Color graphics

WEIGHT

- 108 grams (L90mm)



STEMS

CODE	LENGTH	ANGLE	CLAMP	HEADSET	金額
175-0106091870	70 mm	-20°	31.8 mm	1.1/8	19,140円 (税込)
175-0106106870	80 mm	-20°	31.8 mm	1.1/8	19,140円 (税込)
175-0106092870	90 mm	-20°	31.8 mm	1.1/8	19,140円 (税込)



KFX -12° STEM

SPECS

- 3D forged and CNC machined AL2014
- Stem and Face Plate - Carbon structural Integration (CSI)
- Titanium hardware

SIZES

- 34mm fork clamp stack height

FINISH

- UD carbon finish
- Color graphics - black and silver

WEIGHT

- 123 grams (80mm)



STEMS

CODE	LENGTH	ANGLE	CLAMP	HEADSET	金額
175-0042063030	60 mm	-12°	31.8 mm	1.1/8	38,390円 (税込)
175-0042064030	70 mm	-12°	31.8 mm	1.1/8	38,390円 (税込)
175-0042065030	80 mm	-12°	31.8 mm	1.1/8	38,390円 (税込)
175-0042066030	90 mm	-12°	31.8 mm	1.1/8	38,390円 (税込)
175-0042067030	100 mm	-12°	31.8 mm	1.1/8	38,390円 (税込)
175-0042068030	110 mm	-12°	31.8 mm	1.1/8	38,390円 (税込)
175-0042069030	120 mm	-12°	31.8 mm	1.1/8	38,390円 (税込)
175-0042082030	130 mm	-12°	31.8 mm	1.1/8	38,390円 (税込)
175-0042093030	140 mm	-12°	31.8 mm	1.1/8	38,390円 (税込)

KFX DROP STEM

SPECS

- Flat head stem with aggressive drop for 27.5" and 29"
- 2D forged and CNC machined AL2014
- 4-bolt cold-forged alloy faceplate
- Chromoly hardware

FINISH

- Bead blasted anodized black
- Color graphics

WEIGHT

- 162 grams (L80mm)



STEMS

CODE	LENGTH	ANGLE	CLAMP	HEADSET	金額
175-0099075050	60 mm	-20°	31.8 mm	1.1/8	26,840円 (税込)
175-0099076050	70 mm	-20°	31.8 mm	1.1/8	26,840円 (税込)
175-0099077050	80 mm	-20°	31.8 mm	1.1/8	
175-0099078050	90 mm	-20°	31.8 mm	1.1/8	
175-0099079050	100 mm	-20°	31.8 mm	1.1/8	26,840円 (税込)



KFX MODULAR 1x

BB392EVO CRANKSET

SPECS

- Modular super light weight aluminium crank
- Foreged and precision CNC machining with advanced bonding technology
- Forged AL7050 BB392EVO spindle
- AL7075 100% CNC chainrings
- Fits Shimano and SRAM 11-12 speed system

SIZES

- Length - 160mm, 165mm, 170mm, 175mm
- Chainrings - 38T, 36T, 34T, 32T, 30T, 28T
- QF / C.L. - 172mm / 50-52mm

FINISH

- Anodized black

WEIGHT

- 520 grams (30T)



QR-21



CRANKSETS

CODE	TEETH	LENGTH	CHAINLINE	SPINDLE		DRIVETRAIN	金額
313-0362421012	30 T	160 mm	50-52* mm	30 mm	(BB392EVO)	SH 12S	86,240円 (税込)
313-0362423012	30 T	170 mm	50-52* mm	30 mm	(BB392EVO)	SH 12S	86,240円 (税込)
313-0362425012	30 T	175 mm	50-52* mm	30 mm	(BB392EVO)	SH 12S	86,240円 (税込)
313-0362431012	32 T	160 mm	50-52* mm	30 mm	(BB392EVO)	SH 12S	86,240円 (税込)
313-0362433012	32 T	170 mm	50-52* mm	30 mm	(BB392EVO)	SH 12S	86,240円 (税込)
313-0362435012	32 T	175 mm	50-52* mm	30 mm	(BB392EVO)	SH 12S	86,240円 (税込)
313-0362421011	30 T	160 mm	50-52* mm	30 mm	(BB392EVO)	SH 11S/SRAM 12S	86,240円 (税込)
313-0362422011	30 T	165 mm	50-52* mm	30 mm	(BB392EVO)	SH 11S/SRAM 12S	86,240円 (税込)
313-0362423011	30 T	170 mm	50-52* mm	30 mm	(BB392EVO)	SH 11S/SRAM 12S	86,240円 (税込)
313-0362431011	32 T	160 mm	50-52* mm	30 mm	(BB392EVO)	SH 11S/SRAM 12S	86,240円 (税込)
313-0362425011	30 T	175 mm	50-52* mm	30 mm	(BB392EVO)	SH 11S/SRAM 12S	86,240円 (税込)
313-0362432011	32 T	165 mm	50-52* mm	30 mm	(BB392EVO)	SH 11S/SRAM 12S	86,240円 (税込)
313-0362433011	32 T	170 mm	50-52* mm	30 mm	(BB392EVO)	SH 11S/SRAM 12S	86,240円 (税込)
313-0362435011	32 T	175 mm	50-52* mm	30 mm	(BB392EVO)	SH 11S/SRAM 12S	86,240円 (税込)
313-0362471011	34 T	160 mm	50-52* mm	30 mm	(BB392EVO)	SH 11S/SRAM 12S	86,240円 (税込)
313-0362472011	34 T	165 mm	50-52* mm	30 mm	(BB392EVO)	SH 11S/SRAM 12S	86,240円 (税込)
313-0362473011	34 T	170 mm	50-52* mm	30 mm	(BB392EVO)	SH 11S/SRAM 12S	86,240円 (税込)
313-0362471012	34 T	160 mm	50-52* mm	30 mm	(BB392EVO)	SH 12S	86,240円 (税込)
313-0362472012	34 T	165 mm	50-52* mm	30 mm	(BB392EVO)	SH 12S	86,240円 (税込)
313-0362473012	34 T	170 mm	50-52* mm	30 mm	(BB392EVO)	SH 12S	86,240円 (税込)
313-0362475012	34 T	175 mm	50-52* mm	30 mm	(BB392EVO)	SH 12S	86,240円 (税込)



CHAINRINGS

*MODULAR Crank System features a built-in adjustable chainline

CODE	TEETH	BCD	DRIVETRAIN	金額
380-0510025050	28	DM	SH12	25,520円 (税込)
380-0511026050	30	DM	SH12	25,520円 (税込)
380-0512027050	30	DM	SH12	25,520円 (税込)
380-0513023050	32	DM	SH12	25,520円 (税込)
380-0514024050	36	DM	SH12	25,520円 (税込)
380-0515017050	38	DM	SH12	25,520円 (税込)
380-0513023050	34	DM	SH12S	25,520円 (税込)
380-0450026050	30	DM	SH11, SRAM11, SRAM12	25,520円 (税込)
380-0451027050	32	DM	SH11, SRAM11, SRAM12	25,520円 (税込)
380-0452023050	34	DM	SH11, SRAM11, SRAM12	25,520円 (税込)
380-0453024050	36	DM	SH11, SRAM11, SRAM12	25,520円 (税込)
380-0454017050	38	DM	SH11, SRAM11, SRAM12	25,520円 (税込)
380-0458025050	28	DM	SH11, SRAM11, SRAM12	25,520円 (税込)



KFX

SB0

SEATPOST

SPECS

- Forged alloy Minimal Top Clamp (MTC)
- Zero setback for forward saddle placement
- One piece continuous carbon fiber construction
- M5 chromoly hardware

SIZES

- Fits Ø7mm standard rails and 7x9mm oval rails

FINISH

- UD carbon finish
- Color graphics - black and silver

WEIGHT

- 181 grams (Ø27.2 x 350mm)



w/ drive train battery adapter
Removable plastic sleeve

SEATPOSTS

CODE	LENGTH	DIAMETER	SETBACK	金額
192-0075029030	400 mm	31.6 mm	0 mm	47,410円 (税込)
192-0075033030	400 mm	27.2 mm	0 mm	47,410円 (税込)

KFX

SB25

SEATPOST

SPECS

- Forged alloy Minimal Top Clamp (MTC)
- One piece continuous carbon fiber construction
- M5 chromoly hardware

SIZES

- Fits Ø7mm standard rails and 7x9mm oval rails

FINISH

- UD carbon finish
- Color graphics - black and silver

WEIGHT

- 193 grams (Ø27.2 x 350mm)



w/ drive train battery adapter
Removable plastic sleeve

SEATPOSTS

CODE	LENGTH	DIAMETER	SETBACK	金額
192-0078029030	400 mm	31.6 mm	25 mm	47,410円 (税込)
192-0078033030	400 mm	27.2 mm	25 mm	47,410円 (税込)



NON-SERIES



SPECS


- Full carbon 22mm depth clincher rim
- 6 sealed cartridge bearings (2F + 4R)
- 1:1 direct pull spokes: 28F / 28R
- Artisan built, entirely by hand
- 6-pawl aluminum for 12sp (Micro Spline)
- Available in 29"
- ISO 6-Bolt Rotor Mount

FINISH

- Color graphics

WEIGHT FROM

- 1,495 grams / pair (w/ Alloy Freehub)



WHEELSETS

CODE	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
720-0095221030	29"	22 mm	30 mm	36 mm	MS (Alloy)	6 Bolts	221,210円 (税込)
720-0095226030	29"	22 mm	30 mm	36 mm	XD	6 Bolts	221,210円 (税込)
720-0094221030	29"	22 mm	30 mm	36 mm	MS (Steel)	6 Bolts	221,210円 (税込)



FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
752-0958000AGO	SRAM XD	EL399	13,860円 (税込)
752-1024000011	SHIMANO MICROSPLINE 12S	EL432	

E-MTB**CARBON i29**
WHEELSET**SPECS**

- Claim a 150kg system weight
- Asymmetric carbon rim
- 22mm depth rim
- 60mm wide rim (inner)
- 34mm wide rim (outer)
- Tubeless compatible
- Available in 650B (27.5") and 700C (29")
- ISO 6-Bolts rotor mount
- Front hub with TA-15 x 110mm axle
- Rear hub with TA-12 X 148mm axle
- Cartridge bearings
- 2-cross straight gauge spokes
- Artisan built, entirely by hand

FREEHUB


- 6-pawl steel
- HG 9-11speed and SRAM 9-10speed
- XD MicroSpline 12speed
- MS XD 11-12 speed freehub

FINISH

- Color graphics - gray

WEIGHT FROM

- 1,050 gr / front - 29"
- 1,112 gr / rear 29"

 **FRONT**

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	TA	FREEHUB	ROTORS	金額
720-0090223030	CLINCHER/TLR	29"	22 mm	30 mm	34 mm	15x110		6 Bolt	130,900円 (税込)

REAR

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	TA	FREEHUB	ROTORS	金額
720-0090224030	CLINCHER/TLR	27.5"	22 mm	30 mm	34 mm	12x148	SRAM XD	6 Bolt	196,350 円 (税込)
720-0091218030	CLINCHER/TLR	27,,"	22 mm	30 mm	34 mm	12x148	SRAM XD	6 Bolt	196,350 円 (税込)

WHEELSET

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
720-0053211030	CLINCHER/TLR	27.5"	30 mm	29 mm	35 mm	SH 11s	6 Bolt	323,290円 (税込)
720-0090221030	CLINCHER/TLR	29"	30 mm	29 mm	35 mm	SH 11s	6 Bolt	323,290円 (税込)

FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
752-0958000AG0	XD	EL399	13,860円 (税込)
752-1024000011	SHIMANO MICROSPLINE 12S	EL432	

E-MTB

ALLOY i30
WHEELSET



SPECS

- Claim a 150kg system weight
- Asymmetric carbon rim
- 22mm depth rim
- 30mm wide rim (inner)
- 34mm wide rim (outer)
- Tubeless compatible
- Available in 650B (27.5") and 700C (29")
- ISO 6-Bolts rotor mount
- Front hub with TA-15 x 110mm axle
- Rear hub with TA-12 X 148mm axle
- Cartridge bearings
- 2-cross straight gauge spokes
- Artisan built, entirely by hand

FREEHUB

- 6-pawl steel
- HG 9-11speed and SRAM 9-10speed
- XD MicroSpline 12speed
- MX XD 11-12 speed freehub

FINISH

- Color graphics - gray

WEIGHT FROM

- 1,050 gr / front - 29"
- 1,112 gr / rear 29"



FRONT

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
720-0050185050	CLINCHER/TLR	29"	22 mm	30 mm	34 mm		6 Bolt	44,110円 (税込)
720-0055223050	CLINCHER/TLR	29"	22 mm	30 mm	34 mm		6 Bolt	66,110円 (税込)



REAR

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
720-0055224051	CLINCHER/TLR	29"	22 mm	30 mm	34 mm	MS	6 Bolt	77,660円 (税込)
720-0050185052	CLINCHER/TLR	29"	22 mm	30 mm	34 mm	MS	6 Bolt	58,960円 (税込)



FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
752-0958000AG0	SRAM XD	EL399	13,860円 (税込)
752-1024000011	SHIMANO MICROSPLINE 12S	EL432	

1 - OFF-ROAD

2 - GRAVEL

3 - ROAD

4 - OUTLET

5 - WORKSHOP

6 - ACCESSORIES

NS SIC

INTEGRATED HANDLEBAR

SPECS

- Stable Integrated Cockpit (SIC)
- Integrated Cable Routing (ICR)
- Lightweight integrated carbon fiber handlebar and stem design with internal routing
- Fixed geometry to maximize stiffness and light weight

FINISH

- Carbon finish
- Color graphics

WEIGHT

- 285 grams (60mm)
- 300 grams (80mm)



HANDLEBAR

CODE	STEM	WIDTH	BACKSWEEP	UP-SWEEP	RISE	金額
180-0071033030	60 mm	780 mm	9°	5°	5 mm	56,980 円 (税込)
180-0071034030	80 mm	780 mm	9°	5°	5 mm	56,980 円 (税込)



COMPUTER MOUNT

CODE	DESCRIPTION	金額
670-0512000110	HBSP Light/GoPro Mount Bracket NS SIC EL472	5,170 円 (税込)

NS STEM

-20°
STEM

SPECS

- Flat head stem with aggressive drop for 27.5" and 29" wheels
- 2D forged then CNC machined from AL6061
- 4-bolt cold-forged alloy faceplate
- Chromoly hardware
- 34mm fork clamp stack height

FINISH

- Bead blasted anodized black
- Printed graphics

WEIGHT

- 190 grams (80mm)



STEMS

CODE	LENGTH	ANGLE	CLAMP	HEADSET	金額
175-0016075050	60 mm	-20°	31.8 mm	1.1/8	14,520 円 (税込)
175-0016076050	70 mm	-20°	31.8 mm	1.1/8	14,520 円 (税込)
175-0016077050	80 mm	-20°	31.8 mm	1.1/8	14,520 円 (税込)
175-0016078050	90 mm	-20°	31.8 mm	1.1/8	14,520 円 (税込)
175-0016079050	100 mm	-20°	31.8 mm	1.1/8	14,520 円 (税込)
175-0016080050	110 mm	-20°	31.8 mm	1.1/8	14,520 円 (税込)
175-0016081050	120 mm	-20°	31.8 mm	1.1/8	14,520 円 (税込)



///GRADIENT

GRADIENT

i30
WHEELSET



SPECS

- New i30 variable height hookless carbon rim
- Asymmetric carbon rim, 24mm depth x 37mm width x 30mm ID
- 22-24mm height rim for increased ride quality
- 4mm asymmetric spoke bed for equal spoke tension and increased strength
- 28h direct pull double butted spokes with brass nipples
- Available in 29" and 27.5" mullet
- Artisan built, entirely by hand

FREEHUB


- PRS X-900 hubs with 72pt engagement
- freehub: SMN 12s
Sram XD 12s
HG
- 15x110 Boost and 12x148 Boost spacing
- ISO 6-Bolt Rotor Mount

FINISH

- Color graphics - gray
- Color graphics options - Blue, Green, Red, Oil slick (available separately)

WEIGHT FROM

- 1,869 grams / pair (29")



WHEELSETS

CODE	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
720-0092061030	29"	24 mm	30 mm	37 mm	SH 12s	6 Bolts	288,420円 (税込)
720-0092066030	29"	24 mm	30 mm	37 mm	SRAM XD	6 Bolts	288,420円 (税込)
720-0093214030	27,5"	24 mm	30 mm	37 mm	MS	6 Bolts	169,290円 (税込)
720-0093218030	27,5"	24 mm	30 mm	37 mm	SRAM XD	6 Bolts	169,290円 (税込)
720-0093214031	27,5"	24 mm	30 mm	37 mm	HG	6 Bolts	169,290円 (税込)



FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
75201133000010	SRAM XD	EL467	
75201028000011	SH MICROSPLINE 12S	EL433	18,370円 (税込)

GRADIENT

CARBON Ø35 RISER 20-30

HANDLEBAR

SPECS

- Carbon composite construction
- Reinforced and textured clamping areas

FINISH

- UD carbon finish
- Grey and Black UV decal

WEIGHT

- 240 grams (rise 20)
- 250 grams (rise 30)



HANDLEBAR

CODE	WIDTH	BACKSWEEP	UP-SWEEP	RISE	STEM	金額
180-0073086030	800 mm	8°	5°	20 mm	35 mm	38,390円 (税込)
180-0074096030	800 mm	8°	5°	30 mm	35 mm	38,390円 (税込)

GRADIENT

CARBON Ø31.8 RISER 20-30

HANDLEBAR

SPECS

- Light enough for XC, but strong enough for Freeride
- Carbon composite construction
- Reinforced and texture clamping areas

FINISH

- UD carbon finish
- Grey and Black UV decal

WEIGHT

- 220 grams (rise 20)
- 228 grams (rise 30)



HANDLEBAR

CODE	WIDTH	BACKSWEEP	UP-SWEEP	RISE	STEM	金額
180-0078095030	800 mm	8°	5°	20 mm	31.8 mm	34,540円 (税込)
180-0077094030	800 mm	8°	5°	30 mm	31.8 mm	34,540円 (税込)

1 - OFF-ROAD

2 - GRAVEL

3 - ROAD

4 - OUTLET

5 - WORKSHOP

6 - ACCESSORIES

GRADIENT

ALLOY Ø35 RISER 25-40

HANDLEBAR

SPECS

- Flattened bends using butting and stamping for increase ride quality and compliance
- Unique and bold design not seen in aluminum handlebars

FINISH

- Polished black
- Grey and Black UV decal

WEIGHT

- 330 grams (rise 25)
- 335 grams (rise 40)



HANDLEBAR

CODE	WIDTH	BACKSWEEP	UP-SWEEP	RISE	STEM	金額
180-0075098050	800 mm	8°	5°	25 mm	35 mm	20,240円 (税込)
180-00760AF050	800 mm	8°	5°	40 mm	35 mm	20,240円 (税込)

GRADIENT

ALLOY Ø31.8 RISER 25-40

HANDLEBAR

SPECS

- Shot-peened to increase surface hardness
- Triple butted and tapered AL7050/T6
- New internal design for increased ride quality and compliance

FINISH

- Bead blasted anodized black with polished center
- Grey and Black UV decal

WEIGHT

- 322 grams (rise 25)
- 322 grams (rise 40)



HANDLEBAR

CODE	WIDTH	BACKSWEEP	UP-SWEEP	RISE	STEM	金額
180-0070040050	800 mm	8°	5°	25 mm	31.8 mm	19,250円 (税込)
180-0072077050	800 mm	8°	5°	40 mm	31.8 mm	19,250円 (税込)

GRADIENT

DIRECT MOUNT
STEM

SPECS

- 2D forged and CNC AL6061
- 4 bolt AL6061 faceplate

SIZES

- Boxer mount standard
- Includes 5mm stack spacer
- Cromoly bolts

FINISH

- Bead blasted anodized black
- CNC surfaces
- Black and Grey UV decals

WEIGHT

- 154 grams (Ø35mm)



STEMS

CODE	LENGTH	ANGLE	CLAMP	HEADSET	金額
170-0013097871	45-50 mm	6°	35 mm	DIRECT MOUNT	21,560円 (税込)
170-0013116870	45-50 mm	6°	31.8 mm	DIRECT MOUNT	21,560円 (税込)

GRADIENT

STEM

SPECS

- 2D forged then CNC machined
- 4 bolt AL6061 CNC machined faceplate
- No gap design
- Chromoly bolts

SIZES

- 35mm fork clamp stack height
- 31.8 and 35mm handlebar clamp
- 33, 40, 50mm length

FINISH

- Bead blasted anodized black
- CNC surfaces
- Color graphics

WEIGHT

- 135 grams (Ø35 x L33mm)
- 180 grams (Ø31.8 x L50mm)



STEMS

CODE	LENGTH	ANGLE	CLAMP	HEADSET	金額
175-0105117870	33 mm	+6°	35 mm	1.1/8	22,990円 (税込)
175-0105104870	40 mm	+6°	35 mm	1.1/8	22,990円 (税込)
175-0105097870	50 mm	+6°	35 mm	1.1/8	22,990円 (税込)
175-0104117870	33 mm	+6°	31.8 mm	1.1/8	22,990円 (税込)
175-0104104870	40 mm	+6°	31.8 mm	1.1/8	22,990円 (税込)
175-0104097870	50 mm	+6°	31.8 mm	1.1/8	22,990円 (税込)

GRADIENT MODULAR 1x

BB392EVO CRANKSET

SPECS

- Modular Lightweight aluminum DH and Enduro crankset
- Forged and precision machining with advanced bonding technology
- Forged AL7050 BB392EVO spindle
- AL7075 100% CNC chainrings
- Fits Shimano and SRAM 11-12 speed system

SIZES:

- QF / C.L. - 177mm / 52-55mm

FINISH

- Hard anodized black
- Grey and Black UV decal

WEIGHT

- 620g (175mm/34T)



ARMSET + SPINDLE

CODE	LENGTH	CHAINLINE	SPINDLE	金額
342-0042001ALO	160 mm	52-55* mm	30 mm (BB392EVO)	73,040円 (税込)
342-0040002ALO	165 mm	52-55* mm	30 mm (BB392EVO)	73,040円 (税込)
342-0040003ALO	170 mm	52-55* mm	30 mm (BB392EVO)	73,040円 (税込)
342-0040005ALO	175 mm	52-55* mm	30 mm (BB392EVO)	73,040円 (税込)

*MODULAR Crank System features a built-in adjustable chainline



CHAINRINGS

CODE	TEETH	BCD	DRIVETRAIN	金額
380-0531025050	28	DM	SH12	25,850円 (税込)
380-0532026050	30	DM	SH12	25,850円 (税込)
380-0533027050	32	DM	SH12	25,850円 (税込)
380-0534023050	34	DM	SH12	25,850円 (税込)
380-0535024050	36	DM	SH12	25,850円 (税込)
380-0536017050	38	DM	SH12	25,850円 (税込)
380-0213026050	30	DM	SH11, SRAM11, SRAM12	
380-0212027050	32	DM	SH11, SRAM11, SRAM12	
380-0211023050	34	DM	SH11, SRAM11, SRAM12	25,850円 (税込)
380-0210024050	36	DM	SH11, SRAM11, SRAM12	25,850円 (税込)
380-0209017050	38	DM	SH11, SRAM11, SRAM12	25,850円 (税込)





COMET

COMET

i30
WHEELSET



SPECS

- Alloy 23mm depth clincher rim
- 6 sealed cartridge bearings (2F + 4R)
- 1:1 direct pull spokes: 28F / 28R
- 4-pawl aluminum hub
- ISO 6-Bolt / Centerlock Rotor Mount
- Artisan built, entirely by hand

FREEHUB


- Freehub compatibility:
SMN HG 9-12s
MS 12s
SRAM XD 11-12s

FINISH

- Color graphics - gray

WEIGHT FROM

- 2,250 gr (wheelset)



WHEELSETS

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
72000098224010	CLINCHER/TLR	29"	23 mm	30 mm	34 mm	MS 12s	6 Bolt	43,780円 (税込)
72000098228010	CLINCHER/TLR	29"	23 mm	30 mm	34 mm	XD	6 Bolt	43,780円 (税込)



FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
75201019000AG1	SH 12s (Steel) w/o DSCap&Spn	EL431	
75201068000AG1	XD (Steel) w/o DSCap&Spn	EL451	6,820円 (税込)
752-0958000AG0	XD (Alloy) w/o Spindle, w/End cap	EL399	13,860円 (税込)
752-0969000010	SH 12s MS w/o Spindle, w/End cap	EL315	32,340円 (税込)

COMET

Ø35 LOW RISER 15 / RISER 25

HANDLEBAR

SPECS

- Light enough for XC, but strong enough for Freeride
- Aluminum construction
- Strength and stiffness

FINISH

- Shot peened anodized black
- Grey lasered graphic

WEIGHT

- 310 gr. riser 15
- 315 gr. riser 25



HANDLEBAR

CODE	WIDTH	BACKSWEEP	UP-SWEEP	RISE	STEM	金額
180-0048099050	800 mm	8°	5°	15 mm	35 mm	7,590円 (税込)
180-0049098050	800 mm	8°	5°	25 mm	35 mm	7,590円 (税込)

COMET

Ø31.8 FLAT / LOW RISER 15

HANDLEBAR

SPECS

- Plain gauge, tapered and shot peened AL6061/T6
- Shot peened for surface hardness

FINISH

- Bead blasted anodized black
- Grey lasered graphic

WEIGHT

- 317 gr. - rise 0
- 385 gr. - rise 15



HANDLEBAR

CODE	WIDTH	BACKSWEEP	UP-SWEEP	RISE	STEM	金額
180-0068064050	740 mm	9°	0°	0 mm	31.8 mm	6,820円 (税込)
180-0065068050	740 mm	9°	4°	15 mm	31.8 mm	9,460円 (税込)

1 - OFF-ROAD

2 - GRAVEL

3 - ROAD

4 - OUTLET

5 - WORKSHOP

6 - ACCESSORIES

COMET Ø35 STEM

SPECS

- 3D forged then CNC machined
- 4 bolt AL2014 faceplate
- Chromoly bolts
- No Gap design

SIZES

- 40mm fork clamp stack height

FINISH

- Bead blasted anodized black

WEIGHT

- 120 grams (L35mm)
- 137 grams (L50mm)



CODE	LENGTH	ANGLE	CLAMP	HEADSET	金額
175-0044096050	35 mm	6°	35 mm	1.1/8	12,210円 (税込)
175-0044097050	50 mm	6°	35 mm	1.1/8	12,210円 (税込)

COMET ±6 STEM

SPECS

- 3D forged then CNC machined from AL6061/T6
- 4-bolt cold-forged alloy faceplate
- Chromoly hardware

SIZES

- 40mm fork clamp stack height

FINISH

- Bead blasted anodized black
- Color graphics

WEIGHT

- 139 grams (L100mm)



CODE	LENGTH	ANGLE	CLAMP	HEADSET	金額
175-0097014970	60 mm	±6°	31.8 mm	1.1/8	8,910円 (税込)
175-0097015970	70 mm	±6°	31.8 mm	1.1/8	8,910円 (税込)
175-0097016970	80 mm	±6°	31.8 mm	1.1/8	8,910円 (税込)
175-0097017970	90 mm	±6°	31.8 mm	1.1/8	8,910円 (税込)
175-0097018970	100 mm	±6°	31.8 mm	1.1/8	8,910円 (税込)
175-0097019970	110 mm	±6°	31.8 mm	1.1/8	8,910円 (税込)
175-0097020970	120 mm	±6°	31.8 mm	1.1/8	8,910円 (税込)
175-0097021970	130 mm	±6°	31.8 mm	1.1/8	8,910円 (税込)

COMET ± 17

STEM

SPECS

- 3D forged then CNC machined from AL6061/T6
- 4-bolt cold-forged alloy faceplate
- Chromoly hardware

SIZES

- 40mm fork clamp stack height

FINISH

- Bead blasted anodized black
- Color graphics

WEIGHT

- 122 grams (L70mm)



CODE	LENGTH	ANGLE	CLAMP	HEADSET	金額
175-0097111970	60 mm	$\pm 17^\circ$	31.8 mm	1.1/8	8,910 円 (税込)
175-00971110970	70 mm	$\pm 17^\circ$	31.8 mm	1.1/8	8,910 円 (税込)
175-0097090970	80 mm	$\pm 17^\circ$	31.8 mm	1.1/8	8,910 円 (税込)
175-0097112970	90 mm	$\pm 17^\circ$	31.8 mm	1.1/8	8,910 円 (税込)

COMET SB0

SEATPOST

SPECS

- UD carbon shaft with bonded alloy head
- Forged alloy MTC (Minimal Top Clamp)
- Chromoly hardware

SIZES

- Fits $\varnothing 7$ mm standard rails and 7x9mm oval rails

FINISH

- UD carbon finish
- Color graphics options - black

WEIGHT

- 263 grams ($\varnothing 27.2 \times 350$ mm)



w/ drive train battery adapter
Removable plastic sleeve



CODE	LENGTH	DIAMETER	SETBACK	金額
192-0107029050	400 mm	31.6 mm	0 mm	9,900円 (税込)
192-0107034050	400 mm	30.9 mm	0 mm	9,900円 (税込)
192-0107033050	400 mm	27.2 mm	0 mm	9,900円 (税込)



2/ GRAVEL

KFORCE
RGX
GOSSAMER
RGX

K-FORCE

AGX
HANDLEBAR

SPECS

- Carbon handlebar designed for Adventure and Gravel
- Sculpted contact points for the “hoods”, “tops” and “drops” riding positions for better ergonomics
- Flared drops for better control and clearance when descending
- 100mm wide center clamp for easy aerobar and accessory mounting
- Shorter reach and drop for improved control and ergonomics

SIZES

- Ø31.8 x W420, 440, 460mm (c-c)
- 100mm drop, 70mm reach
- Drop flare at 25° with an offset of 50mm

FINISH

- UD carbon finish
- Black and grey glossy graphics

WEIGHT

- 230 grams (W420mm)



HANDLEBAR

CODE	WIDTH	DROP	REACH	OUT-BEND	FLARE	RISE	STEM	金額
185-0026013030	420 mm	100 mm	70 mm	0°	50 mm	5 mm	31.8 mm	88,440 円 (税込)
185-0026014030	440 mm	100 mm	70 mm	0°	50 mm	5 mm	31.8 mm	88,440 円 (税込)
185-0026046030	460 mm	100 mm	70 mm	0°	50 mm	5 mm	31.8 mm	88,440 円 (税込)

K-FORCE

AGX LOOP
EXTENSIONS

SPECS

- Carbon clip-on handlebar designed for Adventure and Gravel
- Ergonomic contact points and minimal armrest pads allow for multiple riding positions
- Extension has round center clamp for light and accessory mounting
- Sculpted armrest shapes follow contour of drop bar to allow for knee clearance

SIZES

- Ø31.8 bracket clamp
- size with 70mm length adjustment
- Includes stack risers

FINISH

- UD carbon finish
- Black and grey glossy graphics

WEIGHT

- 320 grams



HANDLEBAR

CODE	Length	WIDTH	ANGLE	SECTION	金額
185-0027000030	220-196 mm	80 mm	35°	22.2 mm	67,210 円 (税込)

K-WING AGX ACR HANDLEBAR

SPECS

- Aerodynamic integrated Cable Routing (ACR)
- Full carbon handlebar is designed for Adventure, Gravel and Cyclocross
- Sculpted contact points for the “hoods” and “drops” riding positions for better ergonomics
- Flared drops for better control and clearance when descending

SIZES


- 10° forward angle

FINISH

- UD Carbon Finish

WEIGHT

- 205 grams (420mm)



HANDLEBAR

CODE	WIDTH	DROP	REACH	OUT-BEND	FLARE	RISE	STEM	金額
185-0021012030	400 mm	115 mm	76 mm	12°	25 mm	5 mm	31.8 mm	64,680円 (税込)
185-0021013030	420 mm	115 mm	76 mm	12°	25 mm	5 mm	31.8 mm	64,680円 (税込)
185-0021014030	440 mm	115 mm	76 mm	12°	25 mm	5 mm	31.8 mm	64,680円 (税込)
185-0021046030	460 mm	115 mm	76 mm	12°	25 mm	5 mm	31.8 mm	64,680円 (税込)
185-0021097030	480 mm	115 mm	76 mm	12°	25 mm	5 mm	31.8 mm	64,680円 (税込)

A-WING PRO AGX ACR HANDLEBAR

SPECS

- Aerodynamic integrated Cable Routing (ACR)
- Alloy handlebar is designed for Adventure, Gravel and Cyclocross
- Sculpted contact points for the “hoods” and “drops” riding positions for better ergonomics
- Flared drops for better control and clearance when descending

FINISH

- Bead blasted anodized black

WEIGHT

- 296 grams (420mm)



HANDLEBAR

CODE	WIDTH	DROP	REACH	OUT-BEND	FLARE	RISE	STEM	金額
185-0022013870	420 mm	120 mm	88 mm	15°	25 mm	2.5 mm	31.8 mm	21,450円 (税込)
185-0022014870	440 mm	120 mm	88 mm	15°	25 mm	2.5 mm	31.8 mm	21,450円 (税込)
185-0022046870	460 mm	120 mm	88 mm	15°	25 mm	2.5 mm	31.8 mm	21,450円 (税込)
185-0022097870	480 mm	120 mm	88 mm	15°	25 mm	2.5 mm	31.8 mm	21,450円 (税込)

PRO-WING

AGX
HANDLEBAR

SPECS

- Alloy handlebar is designed for Adventure, Gravel and Cyclocross
- Integrated aero extension for additional riding position and accessory mounts
- Sculpted contact points for the “hoods” and “drops” riding positions for better ergonomics
- Flared drops for better control and clearance when descending

SIZES

- Flare to 25° and adjust the drop to 100mm and offset 50mm

FINISH

- Bead blasted anodized black

WEIGHT

- 460 grams (W420mm)
- 469 grams (W440mm)
- 476 grams (W460mm)

HANDLEBAR

CODE	WIDTH	DROP	REACH	OUT-BEND	FLARE	RISE	STEM	金額
185-0028013870	420 mm	108 mm	88 mm	12°	50 mm	5 mm	31.8 mm	34,540円 (税込)
185-0028014870	440 mm	108 mm	88 mm	12°	50 mm	5 mm	31.8 mm	34,540円 (税込)
185-0028046870	460 mm	108 mm	88 mm	12°	50 mm	5 mm	31.8 mm	34,540円 (税込)



VAS

AGX
STEM

SPECS

- Vibration Absorbing Stem for dirt applications, modular mounts.
- Polyurethane bushing, 360°HB isolation with keyed clamp interface
- Made with vibration damping material. Up to 47% vibration absorbed compared to standard stem.

BUSHING

- 3 Color bushing options (included)
- Light Grey (70A) Comfort
- Dark Grey (80A) Sport
- Dark Black (90A) Race

FINISH

- Bead blasted anodized black
- Dark grey lasered graphics

WEIGHT

- 293 grams (100mm)



Race (90A)



Sport (80A)



Comfort (70A)

STEMS

CODE	Length	ANGLE	CLAMP	HEADSET	金額
175-0075016870	80 mm	-6°	31.8 mm	1.1/8	32,780円 (税込)
175-0075017870	90 mm	-6°	31.8 mm	1.1/8	32,780円 (税込)
175-0075018870	100 mm	-6°	31.8 mm	1.1/8	32,780円 (税込)

WARNING

- Do not install VAS Stem on handlebars with holes for cable routing in the central clamping region, handlebar damage or breakage can result.
- Check VAS Stem elastomer and bushing regularly, if there is damage or significant wear replace with new parts.

GOSSAMER PRO AGX+ 1x

MEGAEXO CRANKSET

SPECS

- Cold forged AL6061 crank arms
- Forged AL7050 MEGAEXO (24mm) spindle
- AL7075 100% CNC chainrings
- MEGATOOTH teeth design
- Chromoly chainring bolts

SIZES

- QF / C.L. - 154.7mm / 50mm

FINISH

- Bead blasted black with polished anodized black

WEIGHT

- 735.9 grams (42T)



CRANKSETS

CODE	TEETH	Length	CHAINLINE	SPINDLE	TEETH DESIGN	DRIVETRAIN	金額
33000419043871	40 T	170 mm	50 mm	24 mm (MEGAEXO)	MEGATOOTH 2.8	SH 12S	32,560円 (税込)
33000419044871	40 T	172.5 mm	50 mm	24 mm (MEGAEXO)	MEGATOOTH 2.8	SH 12S	32,560円 (税込)
33000419045871	40 T	175 mm	50 mm	24 mm (MEGAEXO)	MEGATOOTH 2.8	SH 12S	32,560円 (税込)
330-0422042871	40 T	165 mm	50 mm	24 mm (MEGAEXO)	MEGATOOTH 3.5	SH11S, SRAM 12S	36,410円 (税込)
330-0422043871	40 T	170 mm	50 mm	24 mm (MEGAEXO)	MEGATOOTH 3.5	SH11S, SRAM 12S	36,410円 (税込)
330-0422044871	40 T	172.5 mm	50 mm	24 mm (MEGAEXO)	MEGATOOTH 3.5	SH11S, SRAM 12S	36,410円 (税込)
330-0422045871	40 T	175 mm	50 mm	24 mm (MEGAEXO)	MEGATOOTH 3.5	SH11S, SRAM 12S	36,410円 (税込)

CHAINRINGS

CODE	TEETH	BCD	DRIVETRAIN	金額
370-0218012050	40 T	DM	SH 12S	9,570円 (税込)



GOSSAMER PRO AGX+ 2x

MEGAEXO CRANKSET

SPECS

- Cold forged AL6061 crank arms
- Forged AL7050 MEGAEXO (24mm) spindle
- AL7075 100% CNC chainrings
- Chromoly chainring bolts

SIZES

- QF / C.L. - 151mm / 47mm
- BCD : DM/90mm

FINISH

- Painted bead blasted black

WEIGHT

- 869.3 grams (46/30T)



CRANKSETS

CODE	TEETH	Length	CHAINLINE	SPINDLE		DRIVETRAIN	金額
330-0420BJ3871	46/30T	170 mm	47 mm	24 mm	(MEGAEXO)	SH 12S	36,410円 (税込)
330-0420BJ4871	46/30T	172.5 mm	47 mm	24 mm	(MEGAEXO)	SH 12S	36,410円 (税込)
330-0420BJ5871	46/30T	175 mm	47 mm	24 mm	(MEGAEXO)	SH 12S	36,410円 (税込)
330-0429BJ2090	46/30T	165 mm	47 mm	24 mm	(MEGAEXO)	SH11S, SRAM 12S	36,410円 (税込)
330-0429BJ3090	46/30T	170 mm	47 mm	24 mm	(MEGAEXO)	SH11S, SRAM 12S	36,410円 (税込)
330-0429BJ4090	46/30T	172.5 mm	47 mm	24 mm	(MEGAEXO)	SH11S, SRAM 12S	36,410円 (税込)
330-0429BJ5090	46/30T	175 mm	47 mm	24 mm	(MEGAEXO)	SH11S, SRAM 12S	36,410円 (税込)



CHAINRINGS

CODE	TEETH	BCD	DRIVETRAIN	金額
370-0228003050	46 T	DM	SH 12S	10,230円 (税込)
370-0229021050	30 T	90 mm	SH/SRAM 12S	5,830円 (税込)
370-0142003051	46 T	DM	SH 11S	11,880円 (税込)







3/ ROAD

KFORCE

SL-K

GOSSAMER

OMEGA

VERO

TEMPO

BENCHMARK

SHIMANO TM	SRAM TM	FSA	CAMPAGNOLO TM
DURACE	ED	<i>KFORCE</i>	SUPER-RECORD EKAR
ULTEGRA GRX	FORCE	<i>SL-K</i>	RECORD
105	RIVAL	<i>GOSSAMER PRO</i>	CHORUS
TIAGRA	APEX	<i>OMEGA</i>	POTENZA
SORA		<i>TEMPO</i>	CENTAUR
CLARIS		<i>VERO PRO</i>	



LAB71

cannondale

KFORCE

POWERBOX TEAM EDITION

POWERMETER

SPECS

- Hollow 3K carbon fiber arms
- Carbon composite arms
- AL7075 100% CNC chainrings
- 30mm CNC machined AL7050 BB386EVO spindle
- BCD - Direct Mount
- Including - R/L Balance and Bluetooth
- Long life battery

SIZES

- QF / C.L. - 145mm / 45mm

FINISH

- 3K carbon fiber finish
- Bead blasted anodized black

WEIGHT

- 690 grams (53/39T)



CRANKSET

	CODE	TEETH	LENGTH	CHAINLINE	SPINDLE	DRIVETRAIN	金額
NEW	328-00KFT42030	50x34 T	165 mm	45 mm	30 mm	(BB386EVO) SHIMANO/FSA 12S	259,710円 (税込)
	328-00KFT43030	50x34 T	170 mm	45 mm	30 mm	(BB386EVO) SHIMANO/FSA 12S	259,710円 (税込)
	328-00KFT44030	50x34 T	172.5 mm	45 mm	30 mm	(BB386EVO) SHIMANO/FSA 12S	259,710円 (税込)
NEW	328-00KFT30030	52x36 T	155 mm	45 mm	30 mm	(BB386EVO) SHIMANO/FSA 12S	
NEW	328-00KFT31030	52x36 T	160 mm	45 mm	30 mm	(BB386EVO) SHIMANO/FSA 12S	
	328-00KFT32030	52x36 T	165 mm	45 mm	30 mm	(BB386EVO) SHIMANO/FSA 12S	259,710円 (税込)
	328-00KFT33030	52x36 T	170 mm	45 mm	30 mm	(BB386EVO) SHIMANO/FSA 12S	259,710円 (税込)
	328-00KFT34030	52x36 T	172.5 mm	45 mm	30 mm	(BB386EVO) SHIMANO/FSA 12S	259,710円 (税込)
NEW	328-00KFT12020	54x40 T	155 mm	45 mm	30 mm	(BB386EVO) SHIMANO/FSA 12S	259,710円 (税込)
NEW	328-00KFT12025	54x40 T	160 mm	45 mm	30 mm	(BB386EVO) SHIMANO/FSA 12S	259,710円 (税込)
NEW	328-00KFT12030	54x40 T	165 mm	45 mm	30 mm	(BB386EVO) SHIMANO/FSA 12S	259,710円 (税込)
NEW	328-00KFT12035	54x40 T	167.5 mm	45 mm	30 mm	(BB386EVO) SHIMANO/FSA 12S	259,710円 (税込)
	328-00KFT13030	54x40 T	170 mm	45 mm	30 mm	(BB386EVO) SHIMANO/FSA 12S	259,710円 (税込)
	328-00KFT14030	54x40 T	172.5 mm	45 mm	30 mm	(BB386EVO) SHIMANO/FSA 12S	259,710円 (税込)
NEW	328-00KFT12036	52X36 T	167,5 mm	45 mm	30 mm	(BB386EVO) SHIMANO/FSA 12S	259,710円 (税込)
NEW	328-00KFT62030	52X36 T	160 mm	45 mm	30 mm	(BB386EVO) SHIMANO/FSA 12S	259,710円 (税込)
NEW	328-00KFT72030	52X36 T	155 mm	45 mm	30 mm	(BB386EVO) SHIMANO/FSA 12S	259,710円 (税込)



CHAINRINGS

CODE	TEETH	BCD	DRIVETRAIN	金額
37000226006050	52x36 T	110 mm	SHIMANO/FSA 12S	59,950円 (税込)
37100095011010	54x40 T	110 mm	SHIMANO/FSA 12S	
37100102008010	55x40 T	110 mm	SHIMANO/FSA 12S	59,950円 (税込)
37100101018010	58x42 T	110 mm	SHIMANO/FSA 12S	59,950円 (税込)



K-FORCE

CARBON / ALLOY
CHAINRINGS

CHAINRINGS

CODE	DESCRIPTION	金額
37100107005030	FSA CR ROAD ONE PIECE CARBON ABS 110x50T SH12 1X WA189	69,190円 (税込)
37100109009030	FSA CR ROAD ONE PIECE CARBON ABS 110x56T MT-SH12 1X WA261	86,460円 (税込)
37100110018030	FSA CR ROAD ONE PIECE CARBON ABS 110x58T MT-SH12 1X WA265	86,460円 (税込)
37100111047030	FSA CR ROAD ONE PIECE CARBON ABS 110x60T MT-SH12 1X WA267	86,460円 (税込)
37100112010030	FSA CR ROAD ONE PIECE CARBON ABS 110x62T MT-SH12 1X WA284	86,460円 (税込)
37100113051030	FSA CR ROAD ONE PIECE CARBON ABS 110x64T MT-SH12 1X WA306	86,460円 (税込)



CHAINRINGS

CODE	DESCRIPTION	金額
37100101018010	FSA CR ROAD ABS 110 58x42T SH12 WA968+WB705	59,950円 (税込)
37100102008010	FSA CR ROAD ABS 110 55x40T SH12 WA971+WB489	59,950円 (税込)
37100106011010	FSA CR ROAD PBOX ALLOY 110x54T SMN/FSA WA843	17,930円 (税込)
37100116011010	FSA CR ROAD PBOX ALLOY ABS 110 54x40T 12s WA843+WB489 vers2	46,090円 (税込)
37100103008010	CR ROAD ALLOY ABS 110x55T SH12 SMN/FSA WA971	65,340円 (税込)
37100103008MKT	CR ROAD ALLOY ABS 110x55T SH12 SMN/FSA WA971 MKT EVENTS	



CHAINRINGS

CODE	DESCRIPTION	金額
37100114009050	VISION CR ROAD Alloy ABS 110x56T MT-12s 1X WA179	55,330円 (税込)
37100115018050	CR ROAD Alloy ABS 110x58T MT-12s 1X WA188	55,330円 (税込)
37100117011050	FSA CR ROAD BCD 110/90 54x40T 12s WA909A+WB677	16,500円 (税込)
37100171000010	CR ROAD KIT 4h ABS110 53+40T AXS 12s WA789+WB489	29,920円 (税込)
37100099009010	CR ROAD ABS 110 56x40T 12s WA961+WB489	59,950円 (税込)
67000477047050	FSA CR ROAD ABS 110 60x44T 12s WA981+WB706	36,630円 (税込)



CHAINRINGS

CODE	DESCRIPTION	金額
37100102008010	FSA CR ROAD ABS 110 55x40T SH12 WA971+WB489	59,950円 (税込)
67000477047050	FSA CR ROAD ABS 110 60x44T 12s WA981+WB706	36,630円 (税込)



K-FORCE TEAM EDITION 12S

BB386EVO CRANKSET

SPECS

- Hollow 3K carbon fiber arms
- Carbon composite arms
- AL7075 100% CNC chainrings
- 30mm CNC machined AL7050 BB386EVO spindle
- BCD - Direct Mount

SIZES

- QF / C.L. - 145mm / 45mm

FINISH

- 3K carbon fiber finish
- Bead blasted anodized black

WEIGHT

- 544 grams (53/39T)



CRANKSET

CODE	TEETH	LENGTH	CHAINLINE	SPINDLE	DRIVETRAIN	金額
336-0409BJ3030	46x30 T	170 mm	45 mm	30 mm (BB386EVO)	SHIMANO/FSA 12S	155,760円 (税込)
336-0409BJ4030	46x30 T	172.5 mm	45 mm	30 mm (BB386EVO)	SHIMANO/FSA 12S	155,760円 (税込)
NEW 3360040974C030	52x36 T	167.5 mm	45 mm	30 mm (BB386EVO)	SHIMANO/FSA 12S	155,760円 (税込)
336-0409553030	50x34 T	170 mm	45 mm	30 mm (BB386EVO)	SHIMANO/FSA 12S	155,760円 (税込)
336-0409554030	50x34 T	172.5 mm	45 mm	30 mm (BB386EVO)	SHIMANO/FSA 12S	155,760円 (税込)
336-0409BV3030	54x40 T	170 mm	45 mm	30 mm (BB386EVO)	SHIMANO/FSA 12S	155,760円 (税込)
336-0409BV4030	54x40 T	172.5 mm	45 mm	30 mm (BB386EVO)	SHIMANO/FSA 12S	155,760円 (税込)
NEW 336-0367272030	52x39 T	165 mm	45 mm	30 mm (BB386EVO)	SRAM XDR 12S	155,760円 (税込)
336-036727C030	52x39 T	167.5 mm	45 mm	30 mm (BB386EVO)	SRAM XDR 12S	155,760円 (税込)
336-0367273030	52x39 T	170 mm	45 mm	30 mm (BB386EVO)	SRAM XDR 12S	155,760円 (税込)
336-0367274030	52x39 T	172.5 mm	45 mm	30 mm (BB386EVO)	SRAM XDR 12S	155,760円 (税込)
336-0367BQ3030	53x40 T	170 mm	45 mm	30 mm (BB386EVO)	SRAM XDR 12S	155,760円 (税込)
336-0367BQ4030	53x40 T	172.5 mm	45 mm	30 mm (BB386EVO)	SRAM XDR 12S	155,760円 (税込)

K-FORCE TEAM EDITION 11S

BB386EVO CRANKSET

SPECS

- Hollow 3K carbon fiber arms
- Carbon composite arms
- AL7075 100% CNC chainrings
- 30mm CNC machined AL7050 BB386EVO spindle
- BCD - Direct Mount

SIZES

- QF / C.L. - 147mm / 44mm

FINISH

- 3K carbon fiber finish
- Bead blasted anodized black

WEIGHT

- 544 grams (53/39T)



CRANKSET

	CODE	TEETH	LENGTH	CHAINLINE	SPINDLE	DRIVETRAIN	金額
	336-0368552030	50x34 T	165 mm	44 mm	30 mm	(BB386EVO) SH/SRAM 11S	155,760円 (税込)
NEW	336-036855C030	50x34 T	167.5 mm	44 mm	30 mm	(BB386EVO) SH/SRAM 11S	155,760円 (税込)
	336-0368553030	50x34 T	170 mm	44 mm	30 mm	(BB386EVO) SH/SRAM 11S	155,760円 (税込)
	336-0368554030	50x34 T	172.5 mm	44 mm	30 mm	(BB386EVO) SH/SRAM 11S	155,760円 (税込)
NEW	336-0368742030	52x36 T	165 mm	44 mm	30 mm	(BB386EVO) SH/SRAM 11S	155,760円 (税込)
	336-0368743030	52x36 T	170 mm	44 mm	30 mm	(BB386EVO) SH/SRAM 11S	155,760円 (税込)
	336-0368744030	52x36 T	172.5 mm	44 mm	30 mm	(BB386EVO) SH/SRAM 11S	155,760円 (税込)
NEW	336-0368292030	53x39 T	165 mm	44 mm	30 mm	(BB386EVO) SH/SRAM 11S	155,760円 (税込)
	336-0368293030	53x39 T	170 mm	44 mm	30 mm	(BB386EVO) SH/SRAM 11S	155,760円 (税込)
	336-0368294030	53x39 T	172.5 mm	44 mm	30 mm	(BB386EVO) SH/SRAM 11S	155,760円 (税込)
	336-0368295030	53x39 T	175 mm	44 mm	30 mm	(BB386EVO) SH/SRAM 11S	155,760円 (税込)



CHAINRINGS

CODE	TEETH	BCD	DRIVETRAIN	金額
370-0204046050	46x30 T	DM	SHIMANO/FSA 12S	76,670円 (税込)
370-0205022050	50x34 T	DM	SHIMANO/FSA 12S	95,810円 (税込)
370-0203063050	54x40 T	DM	SHIMANO/FSA 12S	95,810円 (税込)
370-0181057050	46x33 T	DM	SRAM XDR 12S	95,810円 (税込)
370-0180058050	50x37 T	DM	SRAM XDR 12S	95,810円 (税込)
370-0179056050	52x39 T	DM	SRAM XDR 12S	95,810円 (税込)
370-0178007050	53x40 T	DM	SRAM XDR 12S	95,810円 (税込)
370-0177046050	46x30 T	DM	SH/SRAM 11S	95,810円 (税込)
370-0176059050	48x32 T	DM	SH/SRAM 11S	95,810円 (税込)
370-0175022050	50x34 T	DM	SH/SRAM 11S	95,810円 (税込)
370-0174042050	52x36 T	DM	SH/SRAM 11S	95,810円 (税込)
370-0173021050	53x39 T	DM	SH/SRAM 11S	95,810円 (税込)



390-0120000010	CKSP K-FORCE T.Edit Right Self Extr bolt ML683+659	2,530円 (税込)
390-0119000010	CKSP K-FORCE T.Edit Left crank bolt ML679	2,310円 (税込)

K-FORCE COMPACT *ACR*

HANDLEBAR

SPECS

- Aerodynamic integrated Cable Routing (ACR) compatible
- Semi-integrated Cable Routing (SCR) compatible
- Continuous UD carbon composite construction
- Wider 110mm center section for clip-ons and accessories
- New internal cable routing options for Di2 improves stiffness and decreased fatigue while allowing for cleaner cable routing
- Reinforced and textured clamping areas
- Weight reduction

FINISH

- UD carbon finish
- Color graphics - gray

WEIGHT

- 185 grams (400mm)
- 190 grams (420mm)
- 195 grams (440mm)

HANDLEBAR

CODE	WIDTH	DROP	REACH	OUT-BEND	FLARE	RISE	STEM	金額
185-0055BKG	400 mm	125 mm	80 mm	4°	0 mm	0 mm	31.8 mm	66,440円 (税込)
185-0056BKG	420 mm	125 mm	80 mm	4°	0 mm	0 mm	31.8 mm	66,440円 (税込)
185-0057BKG	440 mm	125 mm	80 mm	4°	0 mm	0 mm	31.8 mm	66,440円 (税込)

Complete measure and comparison charts at page 109



K-FORCE TRACK

CRANKSET

SPECS

- 30mm CNC machined spindle
- AL7050 BB386EVO spindle
- BCD: 144mm
- Carbon chainring

FINISH

- 3K Carbon Finish - Color graphic

WEIGHT

- 544 gr.

ARMSET

CODE	BCD	LENGTH	SPINDLE	DRIVETRAIN	金額
342-0047002050	144 mm	165 mm	30 mm	1X	0円 (税込)
342-0047002050	144 mm	167,5 mm	30 mm	1X	0円 (税込)
342-0047002050	144 mm	172,5 mm	30 mm	1X	
342-0047002050	144 mm	175 mm	30 mm	1X	
342-0047002050	144 mm	170 mm	30 mm	1X	



CHAINRINGS

CODE	TEETH	BCD	WA CODE	MATERIAL	金額	CODE	TEETH	BCD	WA CODE	MATERIAL	金額
371-0118014030	49	144	WA395	Carbon	54,340円 (税込)	371-0125009030	56	144	WA454	Carbon	54,340円 (税込)
371-0119005030	50	144	WA413	Carbon	54,340円 (税込)	371-0126065030	57	144	WA456	Carbon	54,340円 (税込)
371-0120013030	51	144	WA414	Carbon	54,340円 (税込)	371-0127018030	58	144	WA457	Carbon	54,340円 (税込)
371-0121006030	52	144	WA417	Carbon	54,340円 (税込)	371-0128066030	59	144	WA460	Carbon	70,070円 (税込)
371-0122007030	53	144	WA420	Carbon	54,340円 (税込)	371-0129047030	60	144	WA466	Carbon	70,070円 (税込)
371-0123011030	54	144	WA427	Carbon	54,340円 (税込)	371-0130067030	61	144	WA467	Carbon	70,070円 (税込)
371-0124008030	55	144	WA428	Carbon	54,340円 (税込)	371-0131010030	62	144	WA478	Carbon	70,070円 (税込)



K-FORCE LIGHT 2.0

STEM

SPECS

- Alloy 6061/T6 body and faceplate
- Titanium hardware

FINISH

- Final bladed anodized with polished 2 tone black
- Color graphics - black

WEIGHT

- 130 grams (100mm)



STEMS

CODE	LENGTH	ANGLE	CLAMP	HEADSET	金額
175-0041015870	70 mm	-6°	31.8 mm	1.1/8	30,030円 (税込)
175-0041016870	80 mm	-6°	31.8 mm	1.1/8	30,030円 (税込)
175-0041017870	90 mm	-6°	31.8 mm	1.1/8	30,030円 (税込)
175-0041018870	100 mm	-6°	31.8 mm	1.1/8	30,030円 (税込)
175-0041019870	110 mm	-6°	31.8 mm	1.1/8	30,030円 (税込)
175-0041020870	120 mm	-6°	31.8 mm	1.1/8	30,030円 (税込)

OS-99

±6°
STEM

SPECS

- 3D forged and CNC machined from AL2014
- UD carbon wrap applied through CSI process
- 4 bolt sculpted AL2014 alloy/CSI faceplate
- Titanium hardware

SIZES

- 41mm fork clamp stack height

FINISH

- UD carbon finish
- Color graphics - black

WEIGHT

- 126 grams (100mm)



STEMS

CODE	LENGTH	ANGLE	CLAMP	HEADSET	金額
175-0322BKG	60 mm	±6°	31.8 mm	1.1/8	38,390円 (税込)
175-0323BKG	70 mm	±6°	31.8 mm	1.1/8	38,390円 (税込)
175-0320BKG	80 mm	±6°	31.8 mm	1.1/8	38,390円 (税込)
175-0316BKG	90 mm	±6°	31.8 mm	1.1/8	38,390円 (税込)
175-0317BKG	100 mm	±6°	31.8 mm	1.1/8	38,390円 (税込)
175-0318BKG	110 mm	±6°	31.8 mm	1.1/8	38,390円 (税込)
175-0319BKG	120 mm	±6°	31.8 mm	1.1/8	38,390円 (税込)
175-0321BKG	130 mm	±6°	31.8 mm	1.1/8	38,390円 (税込)

K-FORCE LIGHT SB0

SEATPOST

SPECS

- Forged alloy Minimal Top Clamp (MTC)
- One piece continuous carbon fiber construction
- M5 chromoly and stainless steel hardware design

SIZES

- Fits Ø7mm standard rails and 7x9mm oval rails

FINISH

- UD carbon finish
- Color graphics

WEIGHT

- 196 grams (Ø27.2x350mm)



SEATPOSTS

CODE	LENGTH	DIAMETER	SETBACK	金額
192-0072001030	350 mm	27.2 mm	0 mm	45,320円 (税込)
192-0072005030	350 mm	31.6 mm	0 mm	45,320円 (税込)
192-0072033030	400 mm	27.2 mm	0 mm	45,320円 (税込)

K-FORCE LIGHT SB25

SEATPOST

SPECS

- Forged alloy Minimal Top Clamp (MTC)
- Increased setback for correct fit and saddle support
- One piece continuous carbon fiber construction
- M5 chromoly and stainless steel hardware design

SIZES

- Fits Ø7mm standard rails and 7x9mm oval rails

FINISH

- UD carbon finish
- Color graphics

WEIGHT

- 196 grams (Ø27.2x350mm)



SEATPOSTS

CODE	LENGTH	DIAMETER	SETBACK	金額
192-0073001030	350 mm	27.2 mm	25 mm	45,320円 (税込)
192-0073005030	350 mm	31.6 mm	25 mm	45,320円 (税込)
192-0073033030	400 mm	27.2 mm	25 mm	45,320円 (税込)
192-0073029030	400 mm	31.6 mm	25 mm	45,320円 (税込)



SLK

SL-K LIGHT DIRECT MOUNT

BB386EVO CRANKSET

SPECS

- Hollow carbon arms with UD carbon finish
- Carbon composite arms
- Cold forged AL7075 CNC chainrings
- 30mm forged AL7050 BB386EVO spindle
- BCD - Direct Mount

SIZES

- QF / C.L. - 147mm / 44mm

FINISH

- UD carbon finish
- CNC detailed, bead blasted anodized black DM chainring

WEIGHT

- 507 grams (46/30T)



CRANKSETS

CODE	TEETH	LENGTH	CHAINLINE	SPINDLE	DRIVETRAIN	金額
336-0415552030	50X34T	165 mm	45 mm	30 mm (BB386EVO)	SHIMANO 12S	126,940円 (税込)
336-0415553030	50X34T	170 mm	45 mm	30 mm (BB386EVO)	SHIMANO 12S	126,940円 (税込)
336-0415554030	50X34T	172.5 mm	45 mm	30 mm (BB386EVO)	SHIMANO 12S	126,940円 (税込)
336-0415555030	50X34T	175 mm	45 mm	30 mm (BB386EVO)	SHIMANO 12S	126,940円 (税込)
336-0415742030	52x36T	165 mm	45 mm	30 mm (BB386EVO)	SHIMANO 12S	126,940円 (税込)
336-0415743030	52x36T	170 mm	45 mm	30 mm (BB386EVO)	SHIMANO 12S	126,940円 (税込)
336-0415744030	52x36T	172.5 mm	45 mm	30 mm (BB386EVO)	SHIMANO 12S	126,940円 (税込)
336-0415745030	52x36T	175 mm	45 mm	30 mm (BB386EVO)	SHIMANO 12S	126,940円 (税込)
336-0415293030	53x39T	170 mm	45 mm	30 mm (BB386EVO)	SHIMANO 12S	126,940円 (税込)
336-0415294030	53x39T	172.5 mm	45 mm	30 mm (BB386EVO)	SHIMANO 12S	126,940円 (税込)
336-0415295030	53x39T	175 mm	45 mm	30 mm (BB386EVO)	SHIMANO 12S	126,940円 (税込)
336-04158V2030	54x40T	165 mm	45 mm	30 mm (BB386EVO)	SHIMANO 12S	126,940円 (税込)
336-04158V3030	54x40T	170 mm	45 mm	30 mm (BB386EVO)	SHIMANO 12S	126,940円 (税込)
336-04158V4030	54x40T	172.5 mm	45 mm	30 mm (BB386EVO)	SHIMANO 12S	126,940円 (税込)
336-04158V5030	54x40T	175 mm	45 mm	30 mm (BB386EVO)	SHIMANO 12S	126,940円 (税込)

CHAINRINGS

CODE	TEETH	BCD	DRIVETRAIN	金額
370-0223011050	54 T (40 T)	DM	SHIMANO/FSA 12S	39,270円 (税込)
370-0200006050	40 T (54 T)	90 mm	SHIMANO/FSA 12S	7,150円 (税込)
370-0224007050	53 T (39 T)	DM	SHIMANO/FSA 12S	39,270円 (税込)
370-0096005050	39 T (53 T)	90 mm	SHIMANO/FSA 12S	5,830円 (税込)



SL-K COMPACT ACR HANDLEBAR

SPECS


- Aerodynamic integrated Cable Routing (ACR) compatible
- Semi-integrated Cable Routing (SCR) compatible
- Continuous UD carbon monocoque construction
- Reinforced and textured clamping areas
- Di2 internal cable routing
- Wide 120mm center section for clip-ons and accessories

FINISH

- UD carbon finish
- Black and light grey glossy graphics

WEIGHT

- 200 grams (360mm)
- 220 grams (440mm)



HANDLEBAR

CODE	WIDTH	DROP	REACH	OUT-BEND	FLARE	RISE	STEM	金額
185-0038055030	360 mm	125 mm	80 mm	4°	0 mm	0 mm	31.8 mm	57,640円 (税込)
185-0038035030	380 mm	125 mm	80 mm	4°	0 mm	0 mm	31.8 mm	57,640円 (税込)
185-0038012030	400 mm	125 mm	80 mm	4°	0 mm	0 mm	31.8 mm	57,640円 (税込)
185-0038013030	420 mm	125 mm	80 mm	4°	0 mm	0 mm	31.8 mm	57,640円 (税込)
185-0038014030	440 mm	125 mm	80 mm	4°	0 mm	0 mm	31.8 mm	57,640円 (税込)

Complete measure and comparison charts at page 109



SL-K ^{-6°} *SCR* STEM

SPECS

- Semi integrated Cable Routing (SCR)
- 3D Forged and CNC machine AL2014
- Chromoly hardware

SIZES

- 40mm fork clamp stack height
- Shim to adapt 1-1/4" stem to 1-1/8" steer tube (included)
- Includes matching top cap

FINISH

- Anodized black
- Color graphics - black

WEIGHT

- 159 grams (100mm)



STEMS

CODE	LENGTH	ANGLE	CLAMP	HEADSET	金額
175-0032005010	70 mm	-6°	31.8 mm	1.1/4 (1.1/8)*	25,850円 (税込)
175-0032007010	80 mm	-6°	31.8 mm	1.1/4 (1.1/8)*	25,850円 (税込)
175-0032008010	90 mm	-6°	31.8 mm	1.1/4 (1.1/8)*	25,850円 (税込)
175-0032009010	100 mm	-6°	31.8 mm	1.1/4 (1.1/8)*	25,850円 (税込)
175-0032010010	110 mm	-6°	31.8 mm	1.1/4 (1.1/8)*	25,850円 (税込)
175-0032011010	120 mm	-6°	31.8 mm	1.1/4 (1.1/8)*	25,850円 (税込)
175-0032012010	130 mm	-6°	31.8 mm	1.1/4 (1.1/8)*	25,850円 (税込)
175-0032013010	140 mm	-6°	31.8 mm	1.1/4 (1.1/8)*	25,850円 (税込)

*1-1/4" stem to 1-1/8" adapter included



Shim to adapt 1-1/4" stem to 1-1/8" steer tube

SL-K ^{-17°} *SCR* STEM

SPECS

- Semi integrated Cable Routing (SCR)
- 3D Forged and CNC machine AL2014
- Chromoly hardware

SIZES

- 40mm fork clamp stack height
- Shim to adapt 1-1/4" stem to 1-1/8" steer tube (included)
- Includes matching top cap

FINISH

- Anodized black
- Color graphics - black

WEIGHT

- 164 grams (100mm)



STEMS

CODE	LENGTH	ANGLE	CLAMP	HEADSET	金額
175-0032038010	70 mm	-17°	31.8 mm	1.1/4 (1.1/8)*	25,850円 (税込)
175-0032039010	80 mm	-17°	31.8 mm	1.1/4 (1.1/8)*	25,850円 (税込)
175-0032040010	90 mm	-17°	31.8 mm	1.1/4 (1.1/8)*	25,850円 (税込)
175-0032041010	100 mm	-17°	31.8 mm	1.1/4 (1.1/8)*	25,850円 (税込)
175-0032042010	110 mm	-17°	31.8 mm	1.1/4 (1.1/8)*	25,850円 (税込)
175-0032043010	120 mm	-17°	31.8 mm	1.1/4 (1.1/8)*	25,850円 (税込)
175-0032087010	130 mm	-17°	31.8 mm	1.1/4 (1.1/8)*	25,850円 (税込)

*1-1/4" stem to 1-1/8" adapter included



Shim to adapt 1-1/4" stem to 1-1/8" steer tube

SL-K

ITC SB20/10
SEATPOST

SPECS

- UD carbon shaft with bonded alloy head
- Forged alloy ITC (Independent Top Clamp)
- Chromoly hardware

SIZES

- Fits Ø7mm standard rails and 7x9mm oval rails


FINISH

- UD carbon finish
- Color graphics - black

WEIGHT

- 220 grams (Ø27.2 x 350mm)

ADJUSTABLE SETBACK SYSTEM



To obtain the different SETBACK rotate 180° the seatpost and swap the top clamp



SEATPOSTS

CODE	LENGTH	DIAMETER	SETBACK	金額
192-0068001030	350 mm	27.2 mm	10-20 mm	21,010円 (税込)

SL-K

SB20
SEATPOST

SPECS

- UD carbon shaft with bonded alloy head
- Forged alloy "SBS" 2-bolt head
- Chromoly hardware

SIZES

- Fits Ø7mm standard rails and 7x9mm oval rails

FINISH

- UD carbon finish
- Color graphics - black

WEIGHT

- 221 grams (Ø27.2x350mm)



SEATPOSTS

CODE	LENGTH	DIAMETER	SETBACK	金額
192-0058001030	350 mm	27.2 mm	20 mm	21,010円 (税込)
192-0058033030	400 mm	27.2 mm	20 mm	21,010円 (税込)
192-0058005030	350 mm	31.6 mm	20 mm	21,010円 (税込)





GOSSAMER

GOSSAMER PRO DIRECT MOUNT

MEGAEXO CRANKSET

SPECS

- Cold forged AL6061 crank arms
- AL7075 stamped chainrings
- 24mm forged chromoly spindle
- BCD - Direct Mount

SIZES

- QF / C.L. - 149.7mm / 45mm

FINISH

- Bead blasted black with polished anodized black

WEIGHT

- 807.5 grams (50/34T)




CRANKSETS

CODE	TEETH	LENGTH	CHAINLINE	SPINDLE		DRIVETRAIN	金額
330-0413742872	52x36 T	165 mm	45 mm	24 mm	(MEGAEXO)	SHIMANO/FSA 12S	36,410円 (税込)
330-0413553872	50x34 T	170 mm	45 mm	24 mm	(MEGAEXO)	SHIMANO/FSA 12S	36,410円 (税込)
330-0413554872	50x34 T	172.5 mm	45 mm	24 mm	(MEGAEXO)	SHIMANO/FSA 12S	36,410円 (税込)
330-0413552872	50x34 T	165 mm	45 mm	24 mm	(MEGAEXO)	SHIMANO/FSA 12S	36,410円 (税込)
330-0413555872	50x34 T	175 mm	45 mm	24 mm	(MEGAEXO)	SHIMANO/FSA 12S	36,410円 (税込)
330-0413743872	52x36 T	170 mm	45 mm	24 mm	(MEGAEXO)	SHIMANO/FSA 12S	36,410円 (税込)
330-0413744872	52x36 T	172.5 mm	45 mm	24 mm	(MEGAEXO)	SHIMANO/FSA 12S	36,410円 (税込)
330-0413745872	52x36 T	175 mm	45 mm	24 mm	(MEGAEXO)	SHIMANO/FSA 12S	36,410円 (税込)



CHAINRINGS

CODE	TEETH	BCD	DRIVETRAIN	金額
370-0232006050	52 T	DM	SHIMANO/FSA 12S	9,900円 (税込)
370-0233005050	50 T	DM	SHIMANO/FSA 12S	8,250円 (税込)
370-0234003050	36 T	90 mm	SHIMANO/FSA 12S	3,300円 (税込)
370-0235002050	34 T	90 mm	SHIMANO/FSA 12S	2,640円 (税込)
390-0125000150	CRSP ML163x4+ML080x4+MW058Kx4			1,430円 (税込)



GOSSAMER PRO

MEGAEXO CRANKSET

SPECS

- Cold forged AL6061/T6 aluminum crank arms
- Forged AL7050 MEGAEXO spindle
- Optimized for 11 Speed, 12S SRAM, Shimano, FSA

SIZES

- Q-Factor - 145mm
- BCD - 120/90mm
- QF / C.L. - 145mm / 45mm

FINISH

- High polished anodized black
- 2 tone black w/laser graphics

WEIGHT

- 751 grams (50/34T x 170mm)



CRANKSETS

CODE	TEETH	LENGTH	CHAINLINE	SPINDLE	DRIVETRAIN	金額
336-0382292090	53x39 T	165 mm	45 mm	24 mm (MEGAEXO)	SH/FSA/SRAM 11S	36,410円 (税込)
336-0382293090	53x39 T	170 mm	45 mm	24 mm (MEGAEXO)	SH/FSA/SRAM 11S	36,410円 (税込)
336-0382294090	53x39 T	172.5 mm	45 mm	24 mm (MEGAEXO)	SH/FSA/SRAM 11S	
336-0382295090	53x39 T	175 mm	45 mm	24 mm (MEGAEXO)	SH/FSA/SRAM 11S	36,410円 (税込)

CHAINRINGS 2X

CODE	TEETH	BCD	DRIVETRAIN	金額
370-0199011050	54 T (40 T)	120 mm	SHIMANO/FSA 12S	13,200円 (税込)
370-0202005050	50 T (34 T)	120 mm	SHIMANO/FSA 12S	9,790円 (税込)
370-0200006050	40 T (54 T)	90 mm	SHIMANO/FSA 12S	7,150円 (税込)
390-0050000150	CRSP Chainring Bolt GOSSAMER PRO 2x B1 ML138+ML163			
390-0121000010	CKSP QR-31 Self Extracting crank bolt			2,530円 (税込)



CHAINRINGS 1X

CODE	TEETH	BCD	DRIVETRAIN	金額
370-0168002050	44 T	120 mm	SH/FSA/SRAM 11S	
370-0136001050	42 T	120 mm	SH/FSA/SRAM 11S	14,630円 (税込)
370-0167012050	40 T	120 mm	SH/FSA/SRAM 11S	14,630円 (税込)
390-0054000152	CRSP Chainring Bolt GOSSAMER PRO 1x B1 ML138+ML462			1,210円 (税込)
390-0121000010	CKSP QR-31 Self Extracting crank bolt			2,530円 (税込)



QR-31

GOSSAMER COMPACT

HANDLEBAR

SPECS

- Double butted, tapered and shot-peened AL6066
- 34mm Ergo flat top
- 110mm wide round center section makes it easy to mount accessories

FINISH

- Bead blasted anodized black

WEIGHT

- 307 grams (420mm)



HANDLEBAR

CODE	WIDTH	DROP	REACH	OUT-BEND	FLARE	RISE	STEM	金額
185-0019035870	380 mm	125 mm	80 mm	4°	0 mm	0 mm	31.8 mm	12,760円 (税込)
185-0019012870	400 mm	125 mm	80 mm	4°	0 mm	0 mm	31.8 mm	12,760円 (税込)
185-0019013870	420 mm	125 mm	80 mm	4°	0 mm	0 mm	31.8 mm	12,760円 (税込)
185-0019014870	440 mm	125 mm	80 mm	4°	0 mm	0 mm	31.8 mm	12,760円 (税込)

Complete measure and comparison charts at page 109

GOSSAMER $\pm 6^\circ$

STEM

SPECS

- 3D forged and CNC machined from AL6061/T6
- 4-bolt cold forged front clamp diameter
- Chromoly hardware

FINISH

- Bead blasted anodized black
- Laser graphics

WEIGHT

- 144 grams (100mm)



STEMS

CODE	LENGTH	ANGLE	CLAMP	HEADSET	金額
175-0025004870	60 mm	$\pm 6^\circ$	31.8 mm	1.1/8	10,670円 (税込)
175-0025005870	70 mm	$\pm 6^\circ$	31.8 mm	1.1/8	10,670円 (税込)
175-0025007870	80 mm	$\pm 6^\circ$	31.8 mm	1.1/8	10,670円 (税込)
175-0025008870	90 mm	$\pm 6^\circ$	31.8 mm	1.1/8	10,670円 (税込)
175-0025009870	100 mm	$\pm 6^\circ$	31.8 mm	1.1/8	10,670円 (税込)
175-0025010870	110 mm	$\pm 6^\circ$	31.8 mm	1.1/8	10,670円 (税込)
175-0025011870	120 mm	$\pm 6^\circ$	31.8 mm	1.1/8	10,670円 (税込)

GOSSAMER SB20

SEATPOST

SPECS

- AL6061 tube with forged alloy head
- 1-bolt NANO adjust saddle clamp for simple set-up
- Chromoly hardware

SIZES

- Fits Ø7mm standard rails and 7x9mm oval rails

FINISH

- Bead blasted anodized black
- Laser graphics

WEIGHT

- 302 grams (Ø27.2 x 350mm)
- 355 grams (Ø31.6 x 350mm)



SEATPOSTS

CODE	LENGTH	DIAMETER	SETBACK	金額
192-0057001010	350 mm	27.2 mm	20 mm	8,470円 (税込)
192-0057005010	350 mm	31.6 mm	20 mm	8,470円 (税込)





OMEGA

OMEGA AGX+ 2x

MEGAEXO CRANKSET

SPECS

- Die-casted aluminum crank arms
- Forged chromoly MEGAEXO (19MM) spindle
- Chromoly chainring bolts

SIZES

- QF / C.L. - 151mm / 47mm
- BCD : DM/90mm

FINISH

- Painted bead blasted black

WEIGHT

- 869.3 grams (46/30T)



CRANKSETS

CODE	TEETH	LENGTH	CHAINLINE	SPINDLE	DRIVETRAIN	金額
33600417BJ3260	46/30T	170 mm	47 mm	19 mm (MEGAEXO)	SH/SRAM 12S	22,990円 (税込)
33600417BJ4260	46/30T	172.5 mm	47 mm	19 mm (MEGAEXO)	SH/SRAM 12S	22,990円 (税込)
33600417BJ5260	46/30T	175 mm	47 mm	19 mm (MEGAEXO)	SH/SRAM 12S	22,990円 (税込)

CHAINRINGS

CODE	TEETH	BCD	DRIVETRAIN	金額
370-0228003050	46	DM	SH 12S	10,230円 (税込)
370-0221003050	46x30	DM	SH 12S	12,870円 (税込)



OMEGA AGX+ 1x

MEGAEXO CRANKSET

SPECS

- Die-casted aluminum crank arms
- Forged chromoly MEGAEXO (19mm) spindle
- Chromoly chainring bolts

SIZES

- QF / C.L. - 151mm / 50mm

FINISH

- Painted bead blasted black

WEIGHT

- 976.9 grams (42T)



CRANKSETS

CODE	TEETH	LENGTH	CHAINLINE	SPINDLE	DRIVETRAIN	金額
336-0418044260	40 T	172.5 mm	50 mm	19 mm (MEGAEXO)	SH 12S	22,220円 (税込)

CHAINRINGS

CODE	TEETH	BCD	DRIVETRAIN	金額
370-0220012430	40 T	DM	SH 12S	9,020円 (税込)



OMEGA

DIRECT MOUNT 2X

MEGAEXO CRANKSET

SPECS

- Die-casted aluminum crank arms
- 19mm forged chromoly spindle
- Chromoly chainring bolts

SIZES:

- BCD : DM/ 90mm
- Q-Factor: 146mm
- Chainline: 45mm

FINISH

- Painted bead blasted black
- Printed graphics

WEIGHT

- 865 grams (50/34T)



CRANKSETS

CODE	TEETH	LENGTH	CHAINLINE	SPINDLE		DRIVETRAIN	金額
336-0412BJ2260	46x30 T	165 mm	45 mm	19 mm	(MEGAEXO)	SHIMANO/FSA 12S	25,850円 (税込)
336-0412BJ3260	46x30 T	170 mm	45 mm	19 mm	(MEGAEXO)	SHIMANO/FSA 12S	25,850円 (税込)
336-0412BJ4260	46x30 T	172.5 mm	45 mm	19 mm	(MEGAEXO)	SHIMANO/FSA 12S	25,850円 (税込)
336-0412BJ5260	46x30 T	175 mm	45 mm	19 mm	(MEGAEXO)	SHIMANO/FSA 12S	25,850円 (税込)
336-0412553260	50x34 T	170 mm	45 mm	19 mm	(MEGAEXO)	SHIMANO/FSA 12S	25,850円 (税込)
336-0412554260	50x34 T	172.5 mm	45 mm	19 mm	(MEGAEXO)	SHIMANO/FSA 12S	25,850円 (税込)
336-0412555260	50x34 T	175 mm	45 mm	19 mm	(MEGAEXO)	SHIMANO/FSA 12S	25,850円 (税込)



CHAINRINGS

CODE	TEETH	BCD	DRIVETRAIN	金額
370-0071005050	50 T (34 T)	DM	SHIMANO, SRAM 11S	10,230円 (税込)
370-0135003050	46 T (30 T)	DM	SHIMANO, SRAM 11S	10,230円 (税込)



OMEGA 2X

MEGAEXO CRANKSET

SPECS

- Die cast aluminium crank arms
- Fits Shimano and SRAM 10-11 speed systems
- 19mm Ø spindle

SIZES

- BCD - 120/90mm
- Chainrings: 50/34T, 48/32T, 46/30T
- QF / C.L. - 146mm / 45mm

FINISH

- Painted bead blasted black
- Printed graphics

WEIGHT

- 871 grams



CRANKSETS

CODE	TEETH	LENGTH	CHAINLINE	SPINDLE	DRIVETRAIN	金額
330-0329BJ3260	46x30 T	170 mm	45 mm	19 mm	(MEGAEXO) SH/FSA/SRAM 11S	
330-0329BJ4260	46x30 T	172.5 mm	45 mm	19 mm	(MEGAEXO) SH/FSA/SRAM 11S	
330-0329BJ5260	46x30 T	175 mm	45 mm	19 mm	(MEGAEXO) SH/FSA/SRAM 11S	
330-0329AJ3260	48x32 T	170 mm	45 mm	19 mm	(MEGAEXO) SH/FSA/SRAM 11S	21,450円 (税込)
330-0329AJ5260	48x32 T	175 mm	45 mm	19 mm	(MEGAEXO) SH/FSA/SRAM 11S	21,450円 (税込)
330-0329553260	50x34 T	170 mm	45 mm	19 mm	(MEGAEXO) SH/FSA/SRAM 11S	

CHAINRINGS

CODE	TEETH	BCD	DRIVETRAIN	金額
370-0044005050	50 T	120 mm	SH/FSA/SRAM 11S	10,230円 (税込)
370-0046004050	48 Tx	120 mm	SH/FSA/SRAM 11S	10,230円 (税込)
370-0045003050	46 T (36 T)	120 mm	SH/FSA/SRAM 11S	10,230円 (税込)
370-0047003050	46 T (30 T)	120 mm	SH/FSA/SRAM 11S	10,230円 (税込)
370-0048003140	36 T	90 mm	SH/FSA/SRAM 11S	5,170円 (税込)
370-0049002140	34 T	90 mm	SH/FSA/SRAM 11S	5,170円 (税込)
370-0051001140	32 T	90 mm	SH/FSA/SRAM 11S	5,170円 (税込)
370-0050021140	30 T	90 mm	SH/FSA/SRAM 11S	5,170円 (税込)
390-0030000150	CRSP BOLT&Nut CR 4+4 MLO79+ML163 no logo V16			1,540円 (税込)
390-2002	CKSP QR-18 M12 NBD Crank bolts w/washers black			2,750円 (税込)



QR-18

OMEGA COMPACT

HANDLEBAR

SPECS

- Double butted, tapered and shot-peened AL6061
- Compact drop design for improved reach and comfort
- 110mm wide round center section

FINISH

- Polished center section
- Laser graphics

WEIGHT

- 300 grams (420mm)



HANDLEBAR

CODE	WIDTH	DROP	REACH	OUT-BEND	FLARE	RISE	STEM	金額
185-1386N	380 mm	118 mm	74 mm	4°	0 mm	0 mm	31.8 mm	
185-1387N	400 mm	118 mm	74 mm	4°	0 mm	0 mm	31.8 mm	
185-1388N	420 mm	118 mm	74 mm	4°	0 mm	0 mm	31.8 mm	
185-1389N	440 mm	118 mm	74 mm	4°	0 mm	0 mm	31.8 mm	

Complete measure and comparison charts at page 109

OMEGA PRO $\pm 6^\circ$

STEM

SPECS

- 3D forged and CNC machined from AL6061/T6
- 4-bolt cold forged face plate
- Chromoly hardware

SIZES:

- 40mm fork clamp stack height

FINISH

- Bead blasted anodized black
- Laser graphics

WEIGHT

- 140 grams (100mm)

STEMS



CODE	LENGTH	ANGLE	CLAMP	HEADSET	金額
175-0050004050	60 mm	$\pm 6^\circ$	31.8 mm	1.1/8	7,150円 (税込)
175-0050005050	70 mm	$\pm 6^\circ$	31.8 mm	1.1/8	7,150円 (税込)
175-0050007050	80 mm	$\pm 6^\circ$	31.8 mm	1.1/8	7,150円 (税込)
175-0050008050	90 mm	$\pm 6^\circ$	31.8 mm	1.1/8	7,150円 (税込)
175-0050009050	100 mm	$\pm 6^\circ$	31.8 mm	1.1/8	7,150円 (税込)
175-0050010050	110 mm	$\pm 6^\circ$	31.8 mm	1.1/8	7,150円 (税込)
175-0050011050	120 mm	$\pm 6^\circ$	31.8 mm	1.1/8	7,150円 (税込)
175-0050012050	130 mm	$\pm 6^\circ$	31.8 mm	1.1/8	7,150円 (税込)

TEMPO

SUPERCOMPACT
JIS CRANKSET

SPECS

- Die cast alloy crank arms
- Single-piece crank arm/spider
- AL7075 stamped and CNC machined outer chainring
- Heat treated chromoly inner chainring
- Chromoly chainring bolts
- Available for 10 and 11 speed system

SIZES

- QF / C.L. - 147mm / 44mm (118mm)
- BCD - 110/80mm

FINISH

- Polished painted black
- Printed graphics

WEIGHT

- 820 grams



CRANKSETS

CODE	TEETH	LENGTH	CHAINLINE	SPINDLE	DRIVETRAIN	金額
330-0290BJ2230	46x30 T	165 mm	44 mm	JIS	SH/FSA/SRAM 11S	18,920円 (税込)
330-0290BJ3230	46x30 T	170 mm	44 mm	JIS	SH/FSA/SRAM 11S	18,920円 (税込)
330-0290BJ4230	46x30 T	172.5 mm	44 mm	JIS	SH/FSA/SRAM 11S	18,920円 (税込)
330-0290BJ5230	46x30 T	175 mm	44 mm	JIS	SH/FSA/SRAM 11S	18,920円 (税込)

VERO

COMPACT
HANDLEBAR

SPECS

- Double butted, tapered and shot-peened AL6061
- Compact drop design for improved reach and comfort
- 120mm wide round center section makes it easy to mount accessories

FINISH

- Bead blasted anodized black
- Laser graphics

WEIGHT

- 307 grams (420mm)



HANDLEBAR

CODE	WIDTH	DROP	REACH	OUT-BEND	FLARE	RISE	STEM	金額
185-1390	400 mm	125 mm	80 mm	0°	0 mm	0 mm	31.8 mm	6,930円 (税込)
185-1392	420 mm	125 mm	80 mm	0°	0 mm	0 mm	31.8 mm	6,930円 (税込)
185-1394	440 mm	125 mm	80 mm	0°	0 mm	0 mm	31.8 mm	6,930円 (税込)

Complete measure and comparison charts at page 109

VERO PRO

JIS CRANKSET

SPECS

- Solid forged crank arm
- Square interface

SIZES

- BCD - 120/90mm
- QF / C.L. - 147mm / 44mm (110.5mm)

FINISH

- Polished anodized black
- Laser graphics

WEIGHT

- 751 grams



CRANKSETS

CODE	TEETH	LENGTH	CHAINLINE	SPINDLE	DRIVETRAIN	金額
330-0351553050	50x34 T	170 mm	44 mm	JIS	SH/FSA/SRAM 11S	16,830円 (税込)
330-0351554050	50x34 T	172.5 mm	44 mm	JIS	SH/FSA/SRAM 11S	16,830円 (税込)
330-0351555050	50x34 T	175 mm	44 mm	JIS	SH/FSA/SRAM 11S	16,830円 (税込)

VERO PRO 1X

JIS CRANKSET

SPECS

- Solid forged crank arm
- Square interface
- Steel Megatooth chainring

SIZES

- BCD - 120mm
- QF / C.L. - 147mm / 44mm (110.5mm)

FINISH

- Polished anodized black
- Laser graphics

WEIGHT

- 741 grams



CRANKSETS

CODE	TEETH	LENGTH	CHAINLINE	SPINDLE	DRIVETRAIN	金額
330-0353042051	40 T	165 mm	44 mm	JIS	SH/FSA/SRAM 11S	15,840円 (税込)
330-0353043051	40 T	170 mm	44 mm	JIS	SH/FSA/SRAM 11S	15,840円 (税込)
330-0353044051	40 T	172.5 mm	44 mm	JIS	SH/FSA/SRAM 11S	15,840円 (税込)
330-0353045051	40 T	175 mm	44 mm	JIS	SH/FSA/SRAM 11S	15,840円 (税込)
330-0353062051	42 T	165 mm	44 mm	JIS	SH/FSA/SRAM 11S	15,840円 (税込)
330-0353063051	42 T	170 mm	44 mm	JIS	SH/FSA/SRAM 11S	15,840円 (税込)
330-0353064051	42 T	172.5 mm	44 mm	JIS	SH/FSA/SRAM 11S	15,840円 (税込)
330-0353065051	42 T	175 mm	44 mm	JIS	SH/FSA/SRAM 11S	15,840円 (税込)

5/WORKSHOP


	CABLE ROUTING	5.1
	HEADSET (HS) - BEARINGS	5.2
	E-BIKE	5.3
	BB (BOTTOM-BRACKET)	5.4
	CHAINRINGS	5.5
	CHAINS	5.6
	TOOLS	5.7
	WHEEL SPARE PARTS	5.8
	COCKPIT COMPATIBILITY CHART	5.9




FSAEASY HEADSET.COM

FIND THE RIGHT COMPATIBLE HEADSET

1. Insert your data
2. Get the pdf or visit the website



**FIND
OUT
MORE**




**FIND
OUT
MORE**

FSAEASY BOTTOM BRACKETS.COM

FIND THE RIGHT COMPATIBLE BOTTOM BRACKET

1. Select your discipline
2. Insert the bottom bracket shell
3. Select your crankset standard
4. Get the pdf or visit the website




**FIND
OUT
MORE**

FSAEASY CHAINRINGS.COM

FIND THE RIGHT COMPATIBLE CHAINRINGS

1. Select your discipline
2. Select your chainring standard
3. Visit the website




ACR SYSTEM

AERODYNAMIC CABLE ROUTING

5.1 / CABLE ROUTING

ACR System, a fully integrated Aerodynamic Cable Routing solution that routes all cables, wires and hoses internally, is available for FSA and VISION's top-of-the-line handlebars. This innovative patented system, unique to FSA and VISION, is a combination of our knowledge bases in both headset and cockpit development and manufacturing, plus our history in aerodynamic development and design. The result is a clean, integrated and aerodynamic cable routing solution for frame and bicycle brands.




ICR SYSTEM

INTEGRATED CABLE ROUTING

This system allows for up to 5 cables or hoses to run internally resulting in a clean, Integrated Cable Routing solution for frame and bicycle brands.

This innovative patented system is unique to FSA and is a combination of our knowledge bases in both headset and cockpit development and manufacturing. The result is a clean and integrated a cable routing solution for frame and bicycle brands.

Designed for OEM (Original Equipment Manufacturer). Requires specific frame and ACR headset.



SMR II SYSTEM

SMART CABLE ROUTING

The FSA SMR-II System – Smart Cable Routing-II – is designed around a versatile stem and headset combination that allows for a variety of both integrated and semi-integrated cable routing. Utilizing FSA's core knowledge base of both headset and cockpit components, the SMR-II system provides a “plug-in” solution for bike brands looking to internally route cables, wires and hoses from the cockpit into the frame. Compatible with electronic and mechanical shifting plus hydraulic and mechanical braking the SMR-II system truly is the most versatile and adaptable cable routing solution available on the market.



SMR-II
DESIGN FOR OEM
(SPECIFIC FRAME AND
ACR HS REQUIRED)

SRS SYSTEM

SIMPLE CABLE ROUTING

FSA offers economic cable routing solutions for any frame with 1.5 inch (upper and lower) headtube. Besides ACR and SMR, SRS (Simple Routing System) headset system allows all 1.5 inch headtubes to share the advantages of internal cable routing.



SRS
DESIGN FOR OEM
(SPECIFIC FRAME AND
ACR HS REQUIRED)



SPECS

- Smart Cable Routing (SMR)
- 3D forged and CNC machined from AL6061
- AL6061 cold forged front clamp



O-FORK

CODE	LENGTH	ANGLE	CLAMP	HEADSET	金額
175-0100114870	60 mm	-10°	31.8 mm	1.1/8	14,520円 (税込)
175-0100108870	80 mm	-10°	31.8 mm	1.1/8	14,520円 (税込)
175-0100034870	90 mm	-10°	31.8 mm	1.1/8	14,520円 (税込)
175-0100035870	100 mm	-10°	31.8 mm	1.1/8	14,520円 (税込)
175-0100036870	110 mm	-10°	31.8 mm	1.1/8	14,520円 (税込)
175-0100115870	120 mm	-10°	31.8 mm	1.1/8	14,520円 (税込)
175-0100109870	130 mm	-10°	31.8 mm	1.1/8	14,520円 (税込)



SPECS


- Low profile frontal area
- No rotation limit
- 3D Forged and CNC machined AL6061
- Chromoly hardware
- Specific ICR frame and headset required



CODE	LENGTH	ANGLE	CLAMP	HEADSET	金額
175-0038094050	50 mm	-10°	31.8 mm	1.1/8	18,480円 (税込)
175-0038033050	70 mm	-10°	31.8 mm	1.1/8	18,480円 (税込)

NS **SMR KIT** STEM

- The SMR kit provides a clean economical solution to simply route cable, wires and hoses with a traditional stem.
- With semi-integrated cable pathways, stem changes or adjustments are easily done without re-cabling.
- Versatile, adaptable and easy-to-use Smart Cable Routing (SMR).
- Injected composite cone spacer/cable guide.



STEM COMPATIBILITY




CODE	DESCRIPTION	金額
16000222000110	STSP SMR Kit Adapter w/FSA logo E0074	2,090円 (税込)


5.2/ HEADSET (HS) - BEARINGS

EASY HEADSET

STEP 1 INSERT THE I.D MEASUREMENTS



STEP 2 INSERT THE O.D MEASUREMENTS




STEP 3 GET THE PDF OR VISIT THE WEBSITE




FSAEASYHEADSET.COM

UTILITY FUNCTION HEADSET

INTERNAL CABLE ROUTING




HEADTUBE SPECIFICATION



PREMIUM SPARE SERIES

FSA is proud to introduce the Premium Series, featuring high quality headsets and bottom brackets meticulously designed to meet the demanding needs of today's bicycle constructors and customers. Precision CNC products and high quality bearings are the key points of the brand new Premium Series, developed to reach a better customer service and the highest level of performance.

PREMIUM HD ORBIT IS - IS-2		
	- For 45mm OD head tube - For 1-1/8" tapered fork - Alloy top cover - Upper: 36°/ 45° ACB (Grey seal) WEIGHT 52.2 grams	
	CODE	DESCRIPTION
	121-0010000013	HS PREMIUM integrated UP int 41.2 w/TH-874-1
		金額
		8,360円 (税込)
PREMIUM HD ORBIT IS - IS-2		
	- For 45mm OD head tube - For 1-1/8" tapered fork - Lower: 36°/ 45° ACB (Grey seal) WEIGHT 24.2 grams	
	CODE	DESCRIPTION
	121-0010000024	HS PREMIUM integrated LOW int 41.2
		金額
		8,360円 (税込)
PREMIUM HD ORBIT C - NO.8		
	- For tapered 46mm OD head tube - For 1-1/8" tapered fork - Alloy top cover 45°/ 45° ACB (Grey seal) WEIGHT 60 grams	
	CODE	DESCRIPTION
	121-0026000015	HS PREMIUM integrated UP int 42 w/TH-874-1
		金額
		8,360円 (税込)
PREMIUM HD ORBIT C - NO.8		
	- For tapered 46mm OD head tube - For 1-1/8" tapered fork 45°/ 45° ACB (Grey seal) WEIGHT 34.7 grams	
	CODE	DESCRIPTION
	121-00260000454	HS PREMIUM integrated LOW int 42
		金額
		8,360円 (税込)
PREMIUM HD NO.44E/CF		
	- For tapered 62mm OD head tube - For 1-1/4" tapered fork - Lower: 1-1/4", 45°/ 45° ACB (Grey seal) WEIGHT 34.8 grams	
	CODE	DESCRIPTION
	121-0020000001	HS PREMIUM integrated LOW int 47
		金額
		8,360円 (税込)
PREMIUM HD ORBIT Z - NO.9M/CUP/CC		
	- For 50mm OD head tube 1-1/8" steerer - Alloy top cover - Upper: 1-1/8", 36°/ 45° ACB (Grey seal) WEIGHT 69.7 grams	
	CODE	DESCRIPTION
	101-0006000013	HS PREMIUM internal UP int 44 w/TH-874-1
		金額
		8,360円 (税込)

PREMIUM HD ORBIT ITA - NO.9M/CUP/CC/12B/44-A		
	- For tapered 62mm OD head tube - For 1.5" tapered fork - Lower: 1.5", 36°/ 45° ACB (Grey seal) WEIGHT 78.7 grams	
	CODE	DESCRIPTION
	101-0019000010	HS PREMIUM OnePointFive 1.5 LOW int 44
		金額
		10,230円 (税込)
PREMIUM HD DX PRO-A		
	- For tapered 60mm OD head tube - For 1.5" tapered fork - Lower: Alloy cup with 1.5", 36°/ 45° ACB (Grey seal) WEIGHT 78.3 grams	
	CODE	DESCRIPTION
	130-0060000011	HS PREMIUM OnePointFive 1.5 LOW int 49.57
		金額
		10,230円 (税込)
PREMIUM HD ORBIT C40 ACB		
	- For 1.5" tapered fork - Lower: 1.5", 36°/ 45° ACB (Black seal) WEIGHT 46.5 grams	
	CODE	DESCRIPTION
	121-0021000025	HS PREMIUM integrated LOW int 52.1
		金額
PREMIUM HD ORBIT X		
	1-1/8" steerer - Alloy top cover - Forged and CNC machined alloy cups 1-1.8", 36°/ 36° ACB (Black seal) WEIGHT 73.7 grams	
	CODE	DESCRIPTION
	121-0517	HS PREMIUM threadless UP int 34 w/TH-874-1
		金額
		8,360円 (税込)
PREMIUM HD ORBIT X		
	1-1/8" steerer - Forged and CNC machined alloy cups 1-1.8", 36°/ 36° ACB (Black seal) WEIGHT 43.4 grams	
	CODE	DESCRIPTION
	121-0516	HS PREMIUM threadless LOW int 34
		金額
		8,360円 (税込)

INTERNAL CABLE ROUTING

II MIDDLE NO.80/56/CR				ACR NO.55R 1.5"				ORBIT C-40 ACB NO.42/ ACB - SMR II - D-SHAPE FORK			
											
Retainer bearings		1-1/8" 45°/ 45° ACB		Retainer bearings		1-1/8" 36°/ 45° ACB		Retainer bearings		1-1/8" 45°/ 45° ACB	
		1.5" 36°/ 45° ACB				1.5" 36°/ 45° ACB				1-1/5" 36°/ 45° ACB	
headtube	External Ø	55.8 mm		headtube	External Ø	55.8 mm		Upper headtube	External Ø	46 mm	
	Internal Ø	52 mm			Internal Ø	52 mm			Internal Ø	42 mm	
Steerer		1-1/8" to 1.5" tapered fork		Steerer		1-1/8" to 1.5" tapered fork		Lower headtube		External Ø	
Stack height		7+0,5=7,5mm		Stack height		10.6+0.5=11.1 mm		Internal Ø		52 mm	
Top-cap		Nylon		p-cap		Nylon		Steerer		1-1/8" to 1.5" tapered D-Shape fork	
Weight		81.5 grams		ight		90.3 grams		Stack height		7.5+0.8= 8.3 mm	
CODE		TOP-CONE		CODE		TOP-CONE		Top-cap		Nylon	
13000089000680		7 mm - Nylon		130-0020000010		10 mm - Nylon		Weight		77grams	
				130-0072000681		3mm - CS		CODE		TOP-CONE	
				13000021000110		3mm - CS		13000078000110		7 mm - Nylon	

RETROFIT ACR NO.55R 1.5"/ 56 - 2			SRS MIDDEL NO.69/ 56			II DUAL NO.80/56/CR		
								
Retainer bearings	1-1/8" 36°/ 45° ACB		Retainer bearings	1-1/8" 36°/ 45° ACB		Retainer bearings	1-1/8" upper / 1.5" lower	
	1.5" 36°/ 45° ACB			1.5" 36°/ 45° ACB			45°/ 45° Angular contact bearing	
External Ø	55.8 mm		External Ø	55.8 mm		headtube	External Ø	55.8 mm
Internal Ø	52 mm		Internal Ø	52 mm			Internal Ø	52 mm
	1-1/8" to 1.5" tapered fork			1-1/8" to 1.5" tapered fork		Steerer	1-1/8" to 1.5" tapered fork	
	6.5+0.5=7 mm			15.6+0.5=16.1 mm		Stack height	12.4+0.5=12.9mm	
	Nylon			Nylon with single center hol		Top-cap	Nylon	
	101.4grams			97.7grams		Weight	88 grams	
	TOP-CONE			TOP-CONE		CODE	TOP-CONE	
130-0022000010	6.1 mm - Nylon		130-0025000AB1	15 mm - Nylon		13000094000110	12.4 mm - Nylon	

II DUAL NO.80/62/CUP/CR			SRS DUAL NO.69/ 56/ DUAL			ACR NO.55R 1.5"/ 56 - 2 RETROFIT		
								
Retainer bearings		1-1/8" upper / 1.5" lower (w/cups) 45°/ 45° Angular contact bearing	Retainer bearings		1-1/8" upper / 1.5" lower 45°/ 45° Angular contact bearing	Retainer bearings		1-1/8" upper / 1.5" lower (w/cups) 45°/ 45° Angular contact bearing
headtube	External Ø	62 mm	External Ø	55.8 mm	headtube	External Ø	62 mm	
	Internal Ø	56 mm		52 mm		Internal Ø	55.95 mm	
Steerer		1-1/8" to 1.5" tapered fork	Steerer		1-1/8" to 1.5" tapered fork	Steerer		1-1/8" to 1.5" tapered fork
Stack height		14.5+2.9=17.4mm			9.1+0.6= 9.7 mm	Stack height		11+2.9= 13.9 m
Top-cap		Nylon with 2 lateral holes			Nylon with 2 lateral holes	Top-cap		Nylon with 2 lateral holes
Weight		108.5 grams			82grams	Weight		130grams
CODE		TOP-CONE	CODE		TOP-CONE	CODE		TOP-CONE
13000095000110		8.5 mm - Nylon	130-0070000680		8.6 mm - Nylon	13000066000680		8.6 mm - Nylon

INTERNAL/ ZS HEADSETS (WITH CUPS)

SRS MIDDLE NO.69/62/CUP			SRS MIDDLE NO.69/62/CUP/1.8"					
								
1-1/8" 45°/ 45° ACB			1.5" 36°/ 45° ACB					
1.5" 45°/ 45° ACB			1.8" 36°/ 45° ACB					
External Ø	62 mm		Upper Ø	62 - 55.95 mm				
Internal Ø	55.95 mm		Lower Ø	72 - 65.95 mm				
1-1/8" to 1.5" tapered fork			1.8"					
14.7+2.9=17.6 mm			15.5+0.5=16 mm					
Nylon with single center hole			Nylon with single center hol					
97.7grams			97.7grams					
TOP-CONE			TOP-CONE					
13000052000ABO	15 mm - Nylon		15 mm - Nylon					
			Crown Race reduction 1.8" to 1.5"					

NO.10			NO.11N			NO.11AGY			
									
1-1/8"			1-1/8" - Semi cartridge bearings			1-1/8" - Semi cartridge bearings			
Ø5/32" x 20 retainer bearin			Cr-Mo steel cups			Cr-Mo steel cups			
External Ø	50 mm		External Ø	49 mm		External Ø	46 mm		
Internal Ø	44 mm		Internal Ø	44 mm		Internal Ø	41.4 mm		
1-1/8"			1-1/8"			1-1/8"			
5.4+3.7= 9.1 mm			18.7+3= 21.7 mm			6+2.6= 8.6mm			
Alloy			Alloy			Alloy			
93grams			124.3grams			87.3grams			
TOP-CONE			TOP-CONE			TOP-CONE			
16.2 mm - alloy			141-2282	16.4mm - nylon matt			2mm - alloy		
2.5 mm - alloy			141-2283	8.4mm - nylon gloss					
			141-2281	21,4mm - alloy					
			141-2435	26.4mm - alloy					

ORBIT Z NO.9M/CUP/CC			ORBIT 1.5E ZS NO.57E			ORBIT 1.5E ZS-1 NO.57E-1		
								
Retainer bearings			Retainer bearings			Retainer bearings		
1-1/8" Deeper cups			1-1/8" upper / 1.5" lower			1-1/8" upper / 1.5" lower		
36°/45° Angular contact bearin			36°/ 45° Angular contact bearin			36°/ 45° Angular contact bearin		
headtube	External Ø	50 mm	Upper headtube	External Ø	50 mm	External Ø	50 mm	
	Internal Ø	44 mm		Internal Ø	44 mm		Internal Ø	44 mm
1-1/8"			Lower headtube	External Ø	62 mm	External Ø	62 mm	
Stack height				Internal Ø	55.95 mm	Internal Ø	55.95 mm	
16.8+3.2= 20 mm			Steerer			1-1/8" to 1.5" tapered fork		
Alloy			Stack height			16.9+2.9= 19.8 mm		
88.6grams			Top-cap			Alloy		
CODETO	P-CONE		Top-cap			Alloy		
141-2290	12.3 mm - alloy		Weight			129.6grams		
101-1300	8 mm - alloy		CODE			TOP-CONE		
			121-0503			15 mm - alloy		
			121-0501			8 mm - alloy		

fullspeedahead.com					

INTERNAL/ ZS HEADSETS (WITH CUPS)

ORBIT 1.5BP ZS NO.57BP



ORBIT 1.5 SC ZS NO. 57SC



FSA SX PRO - 1 NO.55



Retainer bearings		1-1/8" upper / 1.5" lower retainer bearing	Retainer bearings		semi-cartridge bearing 1-1/8" upper - 1.5" lower
Upper headtube	External Ø	50 mm	Bearings	Upper	external 49 mm - internal 44 mm
	Internal Ø	44 mm		Lower	external: 62 mm - internal: 55,95 mm
Lower headtube	External Ø	62 mm	Steerer		
	Internal Ø	55.95 mm	1-1/8" to 1.5" tapered fork		
Steerer		1-1/8" to 1.5" tapered fork	Stack height		18,7 + 2,3 = 21,00 mm
Stack height		17.8+2.7=20.5mm	Top-cap		Alloy
Top-cap		Nylon	Weight		138,10 gr.
Weight		120grams	CODE		TOP-CONE
CODE		TOP-CONE	121-0057018010		16,4 mm Alloy
121-0493		15 mm - Nylon			
121-0496		25mm Nylon			

Retainer bearings		1-1/8" 36°/ 45° ACB 1.5" 36°/ 45° ACB
External Ø	50 mm	
	Internal Ø	
External Ø	61 mm	
	Internal Ø	
1-1/8" to 1.5" tapered fork		
18.8+2.3= 21.1mm		
Alloy		
110.2grams		
CODE		TOP-CONE
130-0026		15 mm - alloy
130-0002018010		5 mm - alloy

ORBIT Z 1.5R NO.9M/CUP/CC 1.5R



FSA DX PRO - NO.9M/CUP/CC/NO12B



Retainer bearings		1-1/8" 36°/ 45° Angular contact beirin	Retainer bearings		1-1/8" 36°/ 45° ACB 1.5" 36°/ 45° ACB
headtube	External Ø	55 mm	Upper headtube	External Ø	50 mm
	Internal Ø	49.57 mm		Internal Ø	44 mm
Steerer		1.5" sized head tube to 1-1/8" steerer	Lower headtube	External Ø	55 mm
Stack height		6.5+3.5= 10mm		Internal Ø	49.57 mm
op-cap		Alloy	Steerer		
Weight		140grams	1-1/8" to 1.5" tapered fork		
CODETO		P-CONE	Stack height		16.8+13.4= 30.2mm
101-1312N		3.7 mm - alloy	Top-cap		Alloy
			Weight		128.6grams
			CODE		TOP-CONE
			130-0006018010		15 mm - alloy
			130-0034		3.7 mm - alloy
			130-0016		12.3 mm - alloy

FSA 1 NO.9M/CUP/CC 1.5R/NO.7B



ORBIT ITA NO.9M/CUP/CC/12B/44



Retainer bearings		upper 1-1/8" 36°/ 45° ACB lower 1.5" Ø7/32" x 20 bearings	Retainer bearings		1-1/8" 36°/ 45° ACB 1.5" 36°/ 45° ACB
headtube	External Ø	55 mm	headtube	External Ø	50 mm
	Internal Ø	49.57 mm		Internal Ø	44 mm
Steerer		1-1/8" to 1.5" tapered fork	Steerer		Tapered fork to standard 50mm
Stack height		6.5+11.7= 18.2mm	Stack height		16.9+13.3= 30.2mm
op-cap		Alloy	Top-cap		Alloy
Weight		150.8grams	Weight		129grams
CODE		TOP-CONE	CODE		TOP-CONE
130-0018N		3.7 mm - alloy	141-2437		12.3 mm - alloy

INTERNAL/ ZS HEADSETS (WITH CUPS)

NO.53CF-1			ORBIT IC-33 NO.44E			NO.54		
								
Retainer bearings		1-1/8" upper / 1-1/4" lower 45°/45° Angular contact bearin	Retainer bearings		1-1/8" upper / 1-1/4" lower 45°/45° Angular contact bearin	Retainer bearings		1-1/4" 45°/ 45° ACB upper 1-1/4" 45°/ 45° ACB lower
Upper headtube	External Ø	52.2 mm	Upper headtube	External Ø	47 mm	Upper headtube	External Ø	47.6 mm
	Internal Ø	47 mm		Internal Ø	42 mm		Internal Ø	52 mm
Lower headtube	External Ø	52.2 mm	Lower headtube	External Ø	52 mm	Lower headtube	External Ø	42 mm
	Internal Ø	47 mm		Internal Ø	47 mm		Internal Ø	47.1 mm
Steerer		1-1/8" to 1-1/4" tapered fork	Steerer		1-1/8" to 1-1/4" tapered fork	Steerer		1-1/4"
Stack height		10.5+1= 11.5mm	Stack height		15.6+1= 16.6mm	Stack height		8.4
Top-cap		Carbon	p-cap		Alloy / Carbon	p-cap		Alloy
Weight		82.6grams	ight		74grams	ight		55grams
CODE		TOP-CONE	CODE		TOP-CONE	CODE		TOP-CONE
121-0480		10 mm - carbon	121-0476		15 mm - carbon	121-0509		8,15 mm - alloy
			121-0475		15 mm - alloy			
			121-0474		8.7 mm - carbon			

ORBIT IS NO.16/CC			ORBIT IS-CARBON 138		
					
Retainer bearings		1-1/8"	Retainer bearings		1-1/8" to 1-3/8"
		36°/ 45° Angular contact bearin			36°/45° Angular contact bearin
headtube	External Ø	45 mm	headtube	External Ø	45 mm
	Internal Ø	41.2 mm		Internal Ø	41.2 mm
Steerer		1-1/8"	headtube	External Ø	52 mm
Stack height		15.8+0.9= 16.7 mm		Internal Ø	49.1 mm
Top-cap		Alloy	r1	-1/8" to 1-3/8" tapered fork	
Weight		70.6gr	Stack height	16.1 mm	
CODE		TOP-CONE	op-cap	Carbon	
121-0328N		15.6 mm - alloy			88.6grams
121-0335		9.4 mm - alloy	CODE		TOP-CONE
121-0325N		20.6 mm - alloy	121-0343		15.2 mm - carbo
			121-0342		8.7 mm - carbo

ORBIT C-40 ACB NO.42/ACB			ORBIT C-40/48-CF ACB			ORBIT C-40-CF ACB NO.42 CF/ACB		
								
Retainer bearings		1-1/8" 45°/ 45° ACB upper 1.5", 36°/ 45° ACB lower	Retainer bearings		1-1/8" 45°/ 45° ACB upper 1.5", 36°/ 45° ACB lowe	Retainer bearings		1-1/8" 45°/ 45° ACB upper 1.5", 36°/ 45° ACB lowe
Upper headtube	External Ø	46 mm	Upper headtube	External Ø	48 mm	Upper headtube	External Ø	46 mm
	Internal Ø	42 mm		Internal Ø	42 mm		Internal Ø	42 mm
headtube	External Ø	56 mm	Lower headtube	External Ø	56 mm	Lower headtube	External Ø	56 mm
	Internal Ø	52 mm		Internal Ø	52 mm		Internal Ø	52 mm
Steerer		1-1/8" to 1.5" tapered fork	Steerer		1-1/8" to 1.5" tapered fork	Steerer		1-1/8" to 1.5" tapered fork
Stack height		15.5+0.8= 16.3mm	Stack height		15.5+0.8= 16.3mm	Stack height		15.5+0.8= 16.3mm
op-cap		Alloy	op-cap		Carbon	op-cap		Carbon
ight		81.2grams	ight		91.5grams	Weight		86.2grams
CODE		TOP-CONE	ET		OP-CONE	CODETO		P-CONE
121-0462A		15 mm - alloy	121-0479A		15 mm - carbon	121-0467A		15 mm - carbon
121-0461A		7.8 mm - alloy	121-0478A		10 mm - carbon	121-0466A		7.8 mm - carbon
121-0514		7.8 mm - alloy black						

INTEGRATED HEADSET (NO CUP)

ORBIT CE N0.8B



Retainer bearings		1-1/8"
		45°/45° Angular contact bearin
headtube	External Ø	46 mm
	Internal Ø	42 mm
		1-1/8"
Stack height		155.5+0.4= 15.9mm
		Alloy
		74grams
ET	OP-CONE	
121-0407	15 mm - alloy	
121-0405	8 mm - alloy	

THREADLESS

ORBIT UF N0.2N



ORBIT EQUIPE N0.21



ORBIT XLII N0.5



Retainer bearings		1-1/8"	Retainer bearings		1-1/8"	Retainer bearings		1-1/8"
		Upper and lower water seal			alloy upper cup and steel lower cup			Forged CNC machined alloy cups
Bearings	Upper	Ø5/32" x 22 retainer bearings	Bearings	Upper	36°/ 36° Angular contact bearing	Bearings	Upper	36°/ 36° Angular contact bearin
	Lower	36°/ 36° Angular contact bearing		Lower	36°/ 36° Angular contact bearing		Lower	36°/ 36° Angular contact bearin
Steerer	1-1/8"		Steerer	1-1/8"		Steerer	1-1/8"	
Stack height	15.3+13.3= 28.6mm		Stack height	15.1+12.5= 27.6m		Stack height	13.4+13.9= 27.3m	
op-cap	Alloy		op-cap	Alloy		op-cap	Alloy	
ight	101grams		Weight	105grams		ight	103grams	
CODE	TOP-CONE		CODE	TOP-CONE		CODE	TOP-CONE	
101-1106	3 mm - alloy		101-1055	7.6 mm - allo		101-1005	9.5 mm - allo	

ORBIT MX N0.20



ORBIT X



Retainer bearings		1-1/8"	Retainer bearings		1-1/8"	
		Forged CNC machined alloy cups			Forged CNC machined alloy cups	
Bearings	Upper	36°/ 36° Angular contact bearin	Upper		36°/ 36° Angular contact bearin	
	Lower	36°/ 36° Angular contact bearin	Lower		36°/ 36° Angular contact bearin	
Steerer		1-1/8" to 1.5" tapered fork		1-1/8"		
Stack height		18.6+13.3= 31.9mm		Stack height		18.3+13.1= 31.4m
op-cap		Alloy				Alloy
ight		95grams				95grams
CODE		TOP-CONE				TOP-CONE
101-0505		6.1 mm - alloy blac		121-0005		6.1 mm - allo
101-0506N		6.1 mm - alloy whit				

THREADLESS

TH-805ST			THE PIG DH PRO NO.15			ORBIT X (1") THREADLESS		
								
Retainer bearings		1-1/8" 12mm "deep cup"	Retainer bearings		1-1/8" GYRO compatible	Retainer bearings		1-1/8" - GYRO compatible 12mm "deep cup"
Bearings	Upper	Ø5/32" x 20 bearings	Bearings	Upper	Ø5/32" x 20 bearings	Bearings	Upper	36°/ 36° Angular contact bearing
	Lower	Oversized Ø3/16" x 20B bearings		Lower	Oversized Ø3/16" x 20B bearings		Lower	industrial cartridge sealed bearing
Steerer		1-1/8" Heavy Duty	Steerer		1-1/8"	Steerer		1-1/8"
Stack height		13.5+11.9= 25.4mm	Stack height		15.4+13.6= 29mm	Stack height		15.1+16= 31.1mm
p-cap		Alloy	op-cap		Alloy	op-cap		Alloy
Weight		150grams	Weight		193grams	Weight		166grams
CODE TO		P-CONE	ET		OP-CONE	CODE		TOP-CONE
141-2335		alloy	141-1005		4 mm - alloy	141-2005		7.6 mm - alloy

1" HEADSET

ORBIT X (1") THREADLESS			DURON X THREADED		
					
Retainer bearings		1" Forged CNC machined alloy cups	Retainer bearings		1" Forged CNC machined alloy cups
Bearings	Upper	36°/ 36° Angular contact bearing	Bearings	Upper	36°/ 36° Angular contact bearing
	Lower	36°/ 36° Angular contact bearing		Lower	36°/ 36° Angular contact bearing
Steerer		1"	Steerer		1"
Stack height		18.4+13.1= 31.5mm	Stack height		27.5+13.1= 40.6mm
Top-cap		Alloy	Top-cap		Alloy
Rotation Angle		82°	Rotation Angle		93.8°
Weight		139grams	Weight		139grams
CODE		TOP-CONE	CODE		TOP-CONE
121-0020		6.1 mm - alloy silver	121-1400		19 mm - alloy
121-0025		6.1 mm - alloy black			

SATORI COMPATIBLE

HS - HL - 01



Retainer bearings		1-1/8" upper / 1.5" lower (w/cups) 45°/ 45° Angular contact bearing
headtube	External Ø	62 mm
	Internal Ø	56 mm
Steerer	1-1/8" to 1.5" tapered fork	
Stack height	69.4+2.9=72.3mm	
Compatibility	SATORI Python/ Catamaran/ EZ-X ZOOM D651	
Top-cap	Nylon	
Weight	169 grams	
CODE	TOP-CONE	
13000093000110	69.4 mm - Nylon	

HS - JD - 01



Retainer bearings		1-1/8" upper / 1.5" lower (w/cups) 45°/ 45° Angular contact bearing
headtube	External Ø	62 mm
	Internal Ø	56 mm
Steerer	1-1/8" to 1.5" tapered fork	
Stack height	24.6+2.9=27.5mm	
Compatibility	TRANZX JD-ST281A/ JD-ST289A/ JD-ST312A	
Top-cap	Nylon	
Weight	137.7 grams	
CODE	TOP-CONE	
13000099000110	69.4 mm - Nylon	

HS SATORI / TRANZX ADAPTERS

MW 301 ADAPTER



Retainer bearings		1-1/8" upper / 1.5" lower (w/cups) 45°/ 45° Angular contact bearing
External Ø	62 mm	
	Internal Ø	56 mm
Steerer		1-1/8" to 1.5" tapered fork
Stack height		11+5= 16mm
Compatibility		SATORI VIPER-0 / 35, URSA ste
DESCRIPTION		
160-0256000110	HSSP Adapter MW301 - NO.80 CR11 Dual – S Viper/Ursa	
160-0257000110	HSSP Spacer 5mm MW368 for MW301 - SATORI Viper Ursa - 1 pc	

MW373 ADAPTER



Retainer bearings		1-1/8" upper / 1.5" lower (w/cups) 45°/ 45° Angular contact bearing
External Ø	62 mm	
	Internal Ø	56 mm
Steerer		1-1/8" to 1.5" tapered fork
Stack height		2 + 5= 7mm
Compatibility		Satori FASTBACK, 20/35, DE / Ultra, SIDEWINDER.
DESCRIPTION		
160-0258000110	HSSP Adapter MW373 - NO.80 CR11 Dual – S Fastback/Delta/Sidewinde	
160-0259000680	HSSP Spacer 5mm H2022 for MW373 – SATORI Fastback/ Delta/Sidewinder - 1 p	

BEARING CHART

36° x 36°

Item number	Description	Model name	Item number	bearing Size	IA	OA	Bearing type	I.D.	O.D.	H	Ball material	Seal color	Seal Qty
160-6500B	BEAR TH-871 ACB 36°x36° 1-1/8 Dual S MR033E	TH-871	MR033	1-1/8"	36°	36°	ACB	Ø30.15	Ø44	8	CrMo	Black	Dual
160-0016000000	BEAR TH-872E ACB 36°x36° 1-1/8 Dual S MR043	TH-872E	MR043	1-1/8"	36°	36°	ACB	Ø30.15	Ø41.5	6.5	CrMo	Black	Dual
160-0026000000	BEAR TH-872/DJ ACB 36°x36° 1-1/8 Single S MR172	TH-872/DJ	MR172	1-1/8"	36°	36°	ACB	Ø30.15	Ø41.5	6.7	CrMo	Black	Single
160-0022000000	BEAR ACB 36x36 1.5 Black S MR006	TH-072E	MR006	1.5"	36°	36°	ACB	Ø40	Ø51	6.5	CrMo	Black	Dual
160-6470B	BEAR Micro ACB 36x36 1" Black S MR050	TH-372	MR050	1"	36°	36°	ACB	Ø27.2	Ø38.5	6.5	CrMo	Black	Dual

36° x 45° ACB

Item number	Description	Model name	Item number	Inch bearing	IA	OA	Bearing type	I.D.	O.D.	H	Ball material	Seal color	Seal Qty
160-1655	BEAR SL ACB 36°x45° 1-1/8 Black S MR054R	TH-873R	MR054R	1-1/8"	36°	45°	SL ACB	Ø30.2	Ø41	6.5	CrMo	Black	Single
160-6465	BEAR TH-873S ACB 36°x45° 1-1/8 Dual S MR054S	TH-873S	MR054S	1-1/8"	36°	45°	Stainless ACB	Ø30.2	Ø41	6.5	CrMo	Gray	Dual
160-0014000000	BEAR TH873 ACB 36°x45° Black S MR122	TH-873E	MR122	1-1/8"	36°	45°	ACB	Ø30.2	Ø41	6.5	CrMo	Black	Single
160-0030000000	BEAR TH-873/DJ ACB 36°x45° 1-1/8 Single S MR040	TH-873/DJ	MR040	1-1/8"	36°	45°	ACB	Ø30.15	Ø41	7.3	CrMo	Black	Single
160-67410E	BEAR Micro ACB Ceramic 36°x45° 1-1/8 MR115	TH-873-CB	MR115	1-1/8"	36°	45°	Ceramic ACB	Ø30.15	Ø41	6.5	Si3N4	Red	Dual
160-6747	BEAR TH-800 ACB 36°x45° 1-1/8 Single S MR075	TH-800	MR075	1-1/8"	36°	45°	ACB	Ø30.15	Ø41.7	7.8	1008	Black	Single
160-6753	BEAR IS-2-138 ACB 36°x45° 1-3/8 Dual S MR031	IS-2-138	MR031	1-3/8"	36°	45°	ACB	Ø37	Ø48.9	6.5	CrMo	Black	Dual
160-1656	BEAR SL ACB 36°x45° 1.5 Black S MR110R	TH-073R	MR110R	1.5"	36°	45°	SL ACB	Ø40	Ø51.8	8	CrMo	Black	Single
160-6761	BEAR TH-073 ACB 36°x45° 1.5 Single S MR127	TH-073E	MR127	1.5"	36°	45°	ACB	Ø40	Ø51.8	8	CrMo	Black	Single
160-0012000000	BEAR TH-073/DJ/R 36°x45° 1.5 Black S MR019	TH-073/DJ	MR019	1.5"	36°	45°	ACB	Ø40	Ø51.8	7.5	CrMo	Black	Single
160-6462	BEAR TH-373 ACB 36°x45° 1" Dual S MR055E	TH-373	MR055	1"	36°	45°	ACB	Ø27.2	Ø38	6.5	CrMo	Blue	Dual

45° x 45° ACB

Item number	Description	Model name	Item number	Inch bearing	IA	OA	Bearing type	I.D.	O.D.	H	Ball material	Seal color	Seal Qty
160-1654	BEAR SL TH-870R ACB 45°x45° 1-1/8 MR042R	TH-870R	MR042R	1-1/8"	45°	45°	SL ACB	Ø30.5	Ø41.8	8	CrMo	Black	Single
160-1647	BEAR TH-870E ACB 45°x45° 1-1/8 Single S MR121	TH-870E	MR121	1-1/8"	45°	45°	ACB	Ø30.5	Ø41.8	8	CrMo	Black	Single
160-0031000000	BEAR TH-870/DJ ACB 45°x45° 1-1/8 Single S MR155	TH-870/DJ	MR155	1-1/8"	45°	45°	ACB	Ø30.5	Ø41.8	7.5	CrMo	Black	Single
160-6483	BEAR TH-870S ACB 45°x45° 1-1/8 Single S MR042S	TH-870S	MR042S	1-1/8"	45°	45°	Stainless ACB	Ø30.5	Ø41.8	8	CrMo	Gray	Single
160-6742	BEAR Micro ACB Ceramic 45°x45° 1-1/8 MR116	TH-870-CB	MR116	1-1/8"	45°	45°	Ceramic ACB	Ø30.5	Ø41.8	8	Si3N4	Red	Single
160-0017000000	BEAR TH-870G-RS ACB 45°x45° 1-1/8 MR123	TH-870G	MR123	1-1/8"	45°	45°	ACB	Ø30.15	Ø39	6.5	CrMo	Black	Dual
160-6754	BEAR SL Micro ACB Light 45°x45° 1-1/4 MR082R	TH-970R	MR082R	1-1/4"	45°	45°	SL ACB	Ø34	Ø46.8	7	CrMo	Black	Single
160-0018000000	BEAR TH-970E ACB 45°x45° 1-1/4 Dual S MR168	TH-970E	MR168	1-1/4"	45°	45°	ACB	Ø34	Ø46.8	7	CrMo	Black	Dual
160-0036000000	BEAR TH970/DJ ACB 45°x45° 1-1/4 Single S MR100	TH-970/DJ	MR100	1-1/4"	45°	45°	ACB	Ø34	Ø46.8	7.3	CrMo	Black	Single
160-6737	BEAR TH-970S ACB 45°x45° 1-1/4 Dual S MR082S	TH-970S	MR082S	1-1/4"	45°	45°	Stainless ACB	Ø34	Ø46.8	7	CrMo	Gray	Dual
160-6746	BEAR NO.51 ACB 45°x45° 1-1/4 Single S MR136	NO.51	MR136	1-1/4"	45°	45°	Micro ACB	Ø32.8	Ø41.8	6	CrMo	Black	Single
160-6752	BEAR NO.54 ACB 45°x45° 1-1/4 37mm Dual S MR137	NO.54	MR137	1-1/4"	45°	45°	ACB	Ø37	Ø46.9	7	CrMo	Black	Dual
160-0015000001	BEAR NO.8C-138 ACB 45°x45° 1-3/8 MR151	NO.8C-138	MR151	1-3/8"	45°	45°	ACB	Ø37	Ø48.9	7	CrMo	Black	Dual
160-1653	BEAR SL TH-070E ACB 45°x45° 1.5 MR128R	TH-070R	MR128R	1.5"	45°	45°	SL ACB	Ø40	Ø52	7	CrMo	Black	Single
160-0010000000	BEAR TH-070E ACB 45°x45° 1.5 Dual S MR170	TH-070E	MR170	1.5"	45°	45°	ACB	Ø40	Ø52	7	CrMo	Black	Dual
160-0037000000	BEAR TH-070/DJ ACB 45°x45° 1.5 Single S MR171	TH-070/DJ	MR171	1.5"	45°	45°	ACB	Ø40	Ø52	7.5	CrMo	Black	Single
160-0181000000	BEAR TH-075E ACB 45°x45° 1.5 MR261	TH-075E	MR261	1.5"	45°	45°	ACB	Ø40	Ø52	7.5	CrMo	Black	Single


INDUSTRIAL BEARINGS

Item number	Description	Model name	Item number	Inch bearing	IA	OA	Bearing type	I.D.	O.D.	H	Ball material	Seal color	Seal Qty
160-6735	BEAR ind lower HS PIG DH 1-1/8 MR029	6906	MR029	1-1/8"	40°		Industrial	Ø30	Ø47		CrMo	Black	Dual
160-6290	BEAR ind up/low HS ORBIT XtremePro 1-1/8 MR062	TH-874S	MR062	1-1/8"	45°		Industrial	Ø30.2	Ø41		Stainless	Black	Dual
160-6291	BEAR ind HS ORBIT 1.5 MR069	6808	MR069	1.5"	36°		Industrial	Ø40	Ø52		CrMo	Black	Dual


CAGED BALL BEARINGS

Item number	Description	Model name	Item number	Inch bearing	IA	OA	Bearing type	I.D.	O.D.	H	Ball material	Seal color	Seal Qty
160-1657	BEAR upper for HS PIG 5/32x20 MR013	5/32"x20	MR013					Ø32.8	Ø40.1	4.6	CrMo		


BEARINGS




ACB - single seal



ACB - dual seals



Industrial Bearing - dual seals



Retainer Bearings

SUPER LIGHT (SL) ACB HEADSET BEARINGS



FSA SL Series ACB




Size		L ACB (g)	Standard ACB (g)	Weight Saving (g)	Weight Saving (%)
45° X 45°	1-1/8" (MR042R)	14.1g	22.8g	8.7g	38%
	1-1/4" (MR082R)	17.6g	26.8g	9.2g	34%
	1.5" (MR054R)	22.6g	30.3g	7.7g	25%
36° X 45°	1-1/8" (MR054R)	13.1g	21.8g	8.7g	38%
	1.5" (MR110R)	20.6g	28.3g	7.7g	25%

- New Super Light ACB bearing with alloy housing
- Inexpensive weight-reducing upgrade for any bike
- 45° x 45°, 36° x 45° versions available

FSA HEADTUBE GUIDE 1" & 1 1/8"

TOOL



- Stainless steel
- Multicolor screen printing
- Gauges for all current bearing standards (Campagnolo, Cane Creek, TH)
- For 1" and 1-1/8"
- Inside gauges for bearings


WEIGHT

- 75 grams

CODE	DESCRIPTION	金額
160-9000	TOOL HEADSET GUIDE 1" & 1-1/8"	5,830円 (税込)

FSA HEADTUBE GUIDE 1 1/4" & 1.5"

TOOL



- For 1.5" and 1-1/4"
- Inside gauges for bearings

WEIGHT

- 75 grams

CODE	DESCRIPTION	金額
160-9001	TOOL HEADSET GUIDE 1-1/4 & 1.5 E0301	5,830円 (税込)

FSA MICRO SPACER

SPACER

Micro-spacers should be used between the top cover and compression ring to make sure the top cover does not contact the top of the headtube.



CODE	DESCRIPTION	金額
160-3021	HSSP Microspacer 1-1/8 MW006 10pcs	1,980円 (税込)
16000115000000	HSSP Microspacer ACR 1-1/8 28.6x0.25mm MW192	330円 (税込)
16000162000000	HSSP Microspacer ACR 1-1/4 31.8x0.25mm MW193	330円 (税込)
160-0051000000	HSSP Microspacer 1 1/4' (MW259)	1,980円 (税込)
160-0176000000	HSSP Microspacer 1" 0,25mm MW034	1,980円 (税込)

FSA HEADTUBE REDUCER

ACCESSORIES

- Fit 1-1/8" headset to 1.5" headtube

WEIGHT

- 77 grams

CODE	DESCRIPTION	金額
160-3021	HSSP 1.5 Reducer to 1-1/8 HS E0068 (pair)	1,980円 (税込)



FSA STAR-NUT TOOL

ACCESSORIES

- Enables, fast, accurate and aligned insertion of star-nuts into fork steerer tubes

WEIGHT

253 grams

CODE	DESCRIPTION	金額
160-9005	TOOL STARNUT DRIVER & GUIDE QR-11	8,360円 (税込)



E-BIKE



1 - OFF ROAD

2 - GRAVEL

3 - ROAD

4 - OUTLET

5 - WORKSHOP

6 - ACCESSORIES


FSA CRANK ARMS - COMPATIBILITY CHART

E-BIKE CRANK ARMS

5.3 / E-BIKE

BOSCH BDU38

SPINDLE LENGTH: 68.5/68.5=137 (ISIS)



CK-9011/IS

Q.Factor: 149mm

CK-702/IS

Q.Factor: 155mm

CK-762/IS

Q.Factor: 155mm

CK-762/IS/wider

Q.Factor: 165mm

CK-745/IS

Q.Factor: 162mm

CK-747/IS

Q.Factor: 162mm

CK-220/IS

Q.Factor: 149mm

CK-220/IS/wider


Q.Factor: 166mm

CK-320/IS

Q.Factor: 166mm

BOSCH BDU31(SX)

SPINDLE LENGTH: 68.5/68.5=137 (ISIS)



CK-9011/IS

Q.Factor: 143mm

CK-703/IS/SX

Q.Factor: 139mm

CK-745/IS

Q.Factor: 156mm

CK-220/IS


Q.Factor: 143mm

CK-220/IS/wider

Q.Factor: 160mm

BOSCH GEN 4

SPINDLE LENGTH: 68.5/68.5=137 (ISIS)



CK-9011/IS

Q.Factor: 143mm

CK-702/IS

Q.Factor: 142mm

CK-762/IS

Q.Factor: 149mm

CK-762/IS/wider

Q.Factor: 159mm

CK-745/IS

Q.Factor: 156mm

CK-220/IS

Q.Factor: 143mm

CK-220/IS/wider


Q.Factor: 160mm

CK-320/IS

Q.Factor: 160mm

BOSCH GEN 3

SPINDLE LENGTH: 74/74=148 (Gen3)



CK-702/Gen3

Q.Factor: 187mm

CK-602/Gen3

Q.Factor: 159mm

CK-220/Gen3


Q.Factor: 153mm

CK-220/wider/Gen3

Q.Factor: 170mm

brose


SPINDLE LENGTH: 79/71=150 (ISIS)

**CK-746/IS**

Q.Factor: 153mm

brose MAG

SPINDLE LENGTH: 75/75=150 (ISIS)

**CK-702/IS**

Q.Factor: 162mm

CK-762/IS

Q.Factor: 162mm

CK-746-1/IS

Q.Factor: 145mm

CK-746-2/IS


Q.Factor: 161mm

CK-220/IS

Q.Factor: 156mm

YAMAHA PW-X2 & PW-X3 / PW-S2 / PW-XW

SPINDLE LENGTH: 64/64=128 (ISIS)

**CK-9011/IS**

Q.Factor: 134mm

CK-762/IS

Q.Factor: 139mm

CK-762/IS/wider

Q.Factor: 149mm

CK-745/IS

Q.Factor: 146mm

CK-746-2/IS

Q.Factor: 138mm

CK-758/IS

Q.Factor: 184mm

CK-220/IS


Q.Factor: 133mm

CK-320/IS

Q.Factor: 150mm

YAMAHA PW series ST / TE / CE / C2

SPINDLE LENGTH: 76.2/74.6=150.8 (JIS)

**CK-746-2/JIS**

Q.Factor: 188mm

CK-758/JIS


Q.Factor: 206mm

CK-220/JIS

Q.Factor: 183mm

FAZUA Ride 60

SPINDLE LENGTH: 67.5/67.5=135 (ISIS)



CK-703


Q.Factor: 141mm

CK-730

Q.Factor: 146mm

FAZUA Ride 50

SPINDLE LENGTH: 67.5/67.5=135 (ISIS)



CK-9011/IS

Q.Factor: 142mm

CK-8685-1/IS

Q.Factor: 169mm

CK-746-1/IS

Q.Factor: 130mm

CK-746-2/IS


Q.Factor: 146mm

CK-320/IS

Q.Factor: 166mm

Nidec B900

SPINDLE LENGTH: 71.3/71.3=144 (ISIS)



CK-9011/IS

Q.Factor: 149mm

CK-703/IS

Q.Factor: 145mm

CK-702/IS

Q.Factor: 155mm

CK-762/IS

Q.Factor: 155mm

CK-745/IS

Q.Factor: 162mm

CK-220/IS

Q.Factor: 149mm

CK-220/IS/wider

Q.Factor: 166mm


CK-320/IS

Q.Factor: 166mm

SHIMANO® EP800/EP8000

SPINDLE LENGTH: EP800 67.3/67.3=134.6 (SMN)

EP8000 71.3/71.3=142.6 (SMN)



EP800

CK-752

Q.Factor: 145mm


EP8000

CK-751

Q.Factor: 149mm

SHIMANO® EP5000

SPINDLE LENGTH: 71.3/71.3=142.6 (JIS)



CK-745/JIS

Q.Factor: 160mm

CK-746-2/JIS

Q.Factor: 180mm


CK-758/JIS

Q.Factor: 198mm



137

SPINDLE LENGTH: 76.2/74.6=150.8 (JIS)



CK-762/IS

Q.Factor: 148mm

CK-746-1/IS

Q.Factor: 132mm

CK-746-2/IS

Q.Factor: 138mm


CK-220/IS

Q.Factor: 143mm



144

SPINDLE LENGTH: 76.2/74.6=150.8 (JIS)



CK-762/IS

Q.Factor: 156mm

CK-762/IS/wider

Q.Factor: 166mm

CK-746-1/IS

Q.Factor: 139mm

CK-746-2/IS

Q.Factor: 155mm

CK-758/IS


Q.Factor: 203mm

CK-320/IS

Q.Factor: 167mm

SACHS

SPINDLE LENGTH: 66/66=132 (ISIS)



CK-762/IS

Q.Factor: 146mm

CK-745/IS

Q.Factor: 153mm

CK-746-1/IS

Q.Factor: 129mm

CK-746-2/IS

Q.Factor: 145mm


CK-220/IS

Q.Factor: 140mm



M065

SPINDLE LENGTH: 68.5/68.5=137 (ISIS)

**CK-702/IS**

Q.Factor: 147mm

CK-762/IS

Q.Factor: 147mm

CK-762/IS/wider

Q.Factor: 157mm

CK-745/IS

Q.Factor: 182mm

CK-220/IS

Q.Factor: 141mm

CK-220/IS/wider


Q.Factor: 158mm

CK-320/IS

Q.Factor: 158mm



SPINDLE LENGTH: 68.5/68.5=137 (ISIS)

**CK-9011/IS**

Q.Factor: 184mm

CK-702/IS

Q.Factor: 160mm

CK-762/IS

Q.Factor: 160mm

CK-762/IS/wider

Q.Factor: 170mm

CK-745/IS

Q.Factor: 167mm

CK-220/IS

Q.Factor: 154mm

CK-220/IS/wider


Q.Factor: 171mm

CK-320/IS

Q.Factor: 171mm

Askoll

SPINDLE LENGTH: 77.6/71.4=149 (ISIS)

**CK-9011/IS**

Q.Factor: 180mm

CK-8685-1/IS

Q.Factor: 182mm

CK-702/IS

Q.Factor: 160mm

CK-762/IS

Q.Factor: 159mm

CK-762/IS/wider

Q.Factor: 170mm

CK-745/IS

Q.Factor: 168mm

CK-746-1/IS

Q.Factor: 143mm

CK-746-2/IS

Q.Factor: 159mm

CK-220/IS

Q.Factor: 154mm

CK-220/IS/wider


Q.Factor: 171mm

CK-320/IS

Q.Factor: 171mm

maxon

SPINDLE LENGTH: 68.3/66.1=134.4 (IS/IS)

**CK-9011/IS**

Q.Factor: 169mm

CK-703/IS

Q.Factor: 163mm

CK-8685-1/IS

Q.Factor: 166mm

CK-702/IS

Q.Factor: 144mm

CK-762/IS

Q.Factor: 144mm

CK-762/IS/wider

Q.Factor: 154mm

CK-745/IS

Q.Factor: 152mm

CK-746-1/IS

Q.Factor: 127mm


CK-746-2/IS

Q.Factor: 143mm



HPR50

SPINDLE LENGTH: 67.5/67.5=135 (IS/IS)

**CK-9011/IS**

Q.Factor: 172mm

CK-703/IS

Q.Factor: 137mm

CK-8685-1/IS

Q.Factor: 169mm

CK-702/IS

Q.Factor: 147mm

CK-762/IS

Q.Factor: 147mm

CK-762/IS/wider

Q.Factor: 157mm

CK-745/IS

Q.Factor: 154mm

CK-746-1/IS

Q.Factor: 130mm

CK-746-2/IS

Q.Factor: 146mm

CK-220/IS

Q.Factor: 141mm

CK-220/IS/wider


Q.Factor: 158mm

CK-320/IS

Q.Factor: 158mm



SPINDLE LENGTH: 68.6/68.4=137 (IS/IS)

**CK-9011/IS**

Q.Factor: 143mm

CK-747/IS

Q.Factor: 149mm

CK-762/IS

Q.Factor: 148mm

CK-762/IS/wider

Q.Factor: 158mm

CK-220/IS

Q.Factor: 142mm

CK-220/IS/wider

Q.Factor: 159mm

CK-745/IS

Q.Factor: 154mm

CK-746-1/IS

Q.Factor: 130mm

CK-746-2/IS

Q.Factor: 146mm

CK-220/IS

Q.Factor: 141mm

CK-220/IS/wider

Q.Factor: 158mm

CK-320/IS

Q.Factor: 158mm

KFX CK-9011/IS



MATERIAL	HOLLOW ALLOY
INTERFACE	ISIS drive
BOLTS	390-2040

CODE	LENGTH	WEIGHT
324-0065001050	160 mm	350 grams
324-0065002050	165 mm	
324-0065003050	170 mm	
324-0065005050	175 mm	

FSA CK-702/IS



MATERIAL	HOLLOW CARBON
INTERFACE	ISIS drive
BOLTS	390-0100000010

CODE	LENGTH	WEIGHT
32400035001030	160 mm	311 grams
32400035002030	165 mm	
32400035003030	170 mm	
32400035005030	175 mm	

FSA CK-703/IS



MATERIAL	HOLLOW CARBON
INTERFACE	ISIS drive
BOLTS	390-2040

CODE	LENGTH	WEIGHT
324-0075003030	170 mm	273 grams
324-0075004030	172.5 mm	
324-0075005030	175 mm	

FSA CK-702/GEN3



MATERIAL	HOLLOW CARBON
INTERFACE	BNi
BOLTS	390-0055000150

CODE	LENGTH	WEIGHT
324-0031003030	170 mm	311 grams
324-0031005030	175 mm	

FSA CK-762/IS



MATERIAL	AL6061
INTERFACE	ISIS drive
BOLTS	390-2040

CODE	LENGTH	WEIGHT
32400034001050	160 mm	
32400034002050	165 mm	450 grams
32400034005050	175 mm	

FSA CK-762/IS/WIDER



MATERIAL	AL6061
INTERFACE	ISIS drive
BOLTS	390-2040

CODE	LENGTH	WEIGHT
32400052002050	165 mm	
32400052003050	170 mm	450 grams
32400052005050	175 mm	

FSA CK-745/IS



MATERIAL	AL6061
INTERFACE	ISIS drive
BOLTS	390-2040

CODE	LENGTH	WEIGHT
324-0055002090	165 mm	
324-0055003090	170 mm	477 grams
324-0055005090	175 mm	

FSA CK-747/IS



MATERIAL	AL6061
INTERFACE	ISIS drive
BOLTS	390-2040

CODE	LENGTH	WEIGHT
324-0086008050	155 mm	
324-0086003050	170 mm	477 grams
324-0086005050	175 mm	

FSA CK-746-1/IS



MATERIAL	AL6061
INTERFACE	ISIS drive
BOLTS	390-2040

CODE	LENGTH	WEIGHT
32400029002050	165 mm	
32400029003050	170 mm	520 grams
32400029005050	175 mm	

FSA CK-746-2/IS



MATERIAL	AL6061
INTERFACE	ISIS drive
BOLTS	390-2040

CODE	LENGTH	WEIGHT
32400039002091	165 mm	
32400039003091	170 mm	477 grams
32400039005091	175 mm	

FSA CK-746-1/IS



MATERIAL	AL6061
INTERFACE	ISIS drive
BOLTS	390-2040

**Note: This crank arms is specially designed for a narrow Q-Factor of 158mm, please check if frame spec is adequate.*

CODE	LENGTH	WEIGHT
32400017003090	170 mm	
32400017004090	172.5 mm	495 grams
32400017005090	175 mm	

FSA CK-602/GEN3



MATERIAL	AL6061
INTERFACE	BNi
BOLTS	390-0055000150

CODE	LENGTH	WEIGHT
32400022002050	165 mm	
32400022003050	170 mm	444 grams
32400022004050	172.5 mm	
32400022005050	175 mm	

FSA CK-220/GEN3



MATERIAL	ALLOY
INTERFACE	BNI
BOLTS	390-0055000150

CODE	LENGTH	WEIGHT
32400041008260	155 mm	
32400041001260	160 mm	
324-0041002230	165 mm	456 grams
324-0041003230	170 mm	
324-0041005230	175 mm	

FSA CK-220/IS



MATERIAL	ALLOY
INTERFACE	ISIS drive
BOLTS	390-2040

CODE	LENGTH	WEIGHT
324-0054008230	155 mm	
324-0054001230	160 mm	
324-0054002230	165 mm	456 grams
324-0054003230	170 mm	
324-0054005230	175 mm	

FSA CK-220WIDER/GEN3



MATERIAL	ALLOY
INTERFACE	BNI
BOLTS	390-0055000151

CODE	LENGTH	WEIGHT
324-0074008230	155 mm	495 grams
324-0074002230	165 mm	505 grams
324-0074003230	170 mm	505 grams
324-0074005230	175 mm	510 grams

FSA CK-220/IS/WIDER



MATERIAL	AL6061
INTERFACE	ISIS drive
BOLTS	390-2040

CODE	LENGTH	WEIGHT
324-0069008230	155 mm	
324-0069001230	160 mm	
324-0069002230	165 mm	456 grams
324-0069003230	170 mm	
324-0069005230	175 mm	

FSA CK-320/IS



MATERIAL	ALLOY
INTERFACE	ISIS drive
BOLTS	390-2040

CODE	LENGTH	WEIGHT
324-0046008260	155 mm	
324-0046001260	160 mm	
324-0046002260	165 mm	505 grams
324-0046003260	170 mm	
324-0046005260	175 mm	

FSA CK-320/GEN3



MATERIAL	ALLOY
INTERFACE	BNI
BOLTS	390-0055000150

CODE	LENGTH	WEIGHT
324-0044008260	155 mm	
324-0044001260	160 mm	
324-0044002260	165 mm	505 grams
324-0044003260	170 mm	
324-0044005260	175 mm	

FSA CK-703



MATERIAL	Hollow Carbon
INTERFACE	ETOR Drive
BOLTS	390-0139000010

CODE	LENGTH	WEIGHT
324-0076003030	170 mm	
324-0076004030	172.5 mm	454 grams
324-0076005030	175 mm	

FSA CK-8685-1/IS



MATERIAL	HOLLOW CARBON
INTERFACE	ISIS drive
BOLTS	390-0096000600

CODE	LENGTH	WEIGHT
32400026003030	170 mm	
32400026004030	172.5 mm	273 grams
32400026005030	175 mm	

FSA CK-745/JIS



MATERIAL	AL6061
INTERFACE	JIS
BOLTS	390-2030

CODE	LENGTH	WEIGHT
32400014003050	170 mm	477 grams
32400014005050	175 mm	

FSA CK-758/IS



MATERIAL	AL6061
INTERFACE	ISIS drive
BOLTS	390-2040

CODE	LENGTH	WEIGHT
324-0029008052	155 mm	477 grams
324-0029002052	165 mm	

FSA CK-746-2/JIS



MATERIAL	ALLOY
INTERFACE	JIS
BOLTS	390-2030

CODE	LENGTH	WEIGHT
32400047002050	165 mm	
32400047003050	170 mm	460 grams
32400047005050	175 mm	



MATERIAL	AL6061
INTERFACE	JIS
BOLTS	390-2030

CODE	LENGTH	WEIGHT
324-0061008051	155 mm	477 grams
324-0061002050	165 mm	

FSA CK-220/JIS



MATERIAL	ALLOY
INTERFACE	JIS
BOLTS	390-2030

CODE	LENGTH	WEIGHT
32400042008260	155 mm	
32400042001260	160 mm	
32400042002260	165 mm	460 grams
32400042003260	170 mm	
32400042005260	175 mm	

FSA CK-751



MATERIAL	AL6061
INTERFACE	SHIMANO
BOLTS	390-0101000010

CODE	LENGTH	WEIGHT
324-0040002050	165 mm	
324-0040003050	170 mm	536 grams

FSA CK-730



MATERIAL	AL6061
INTERFACE	ETOR Drive
BOLTS	390-0139000010

CODE	LENGTH	WEIGHT
324-0077002050	165 mm	
324-0077003050	170 mm	454 grams
324-0077005050	175 mm	

FSA CK-752



MATERIAL	AL6061
INTERFACE	SHIMANO
BOLTS	390-0101000010

CODE	LENGTH	WEIGHT
324-0068002050	165 mm	
324-0068003050	170 mm	469 grams
324-0068005050	175 mm	

BOSCH GEN4 SPIDERS



1x SPIDER V-SHAPE

CODE	MATERIAL	BCD	CHAINLINE	OFFSET	MODEL
38000373000050	AL6061	104 mm	50 mm	5.2 mm	W0134
38000372000050	AL6061	104 mm	52 mm	8.2 mm	W0138
38000415000050	AL6061	104 mm	55 mm	9.9 mm	W0140



1x SPIDER - STEEL

CODE	MATERIAL	BCD	CHAINLINE	OFFSET	MODEL
38000413000050	Forged Steel	104 mm	50 mm	5.2 mm	W0146
38000411000010	Forged Steel	104 mm	53 mm	8.2 mm	W0147



1x SPIDER - ALLOY

CODE	MATERIAL	BCD	CHAINLINE	OFFSET	MODEL
38000446000050	AL6061	104 mm	50 mm	12.2 mm	W0151
38000447000050	AL6061	104 mm	53 mm	15.2 mm	W0152
380-0502000050	AL6061	104 mm	55 mm	15.2 mm	W0172

BROSE MAG SPIDERS



1x SPIDER 157

CODE	MATERIAL	BCD	CHAINLINE	MODEL
38000179000050	AL6061	104/64 mm	57.3 mm	W0001



1x SPIDER 148

CODE	MATERIAL	BCD	CHAINLINE	MODEL
38000026000050	AL6061	104 mm	54.3 mm	W0108



1x SPIDER - CARBON DRIVE

CODE	MATERIAL	BCD	CHAINLINE	MODEL
38000242000050	AL6061	104 mm	50.6 mm	W0063

BOSCH GEN3 SPIDERS



1x SPIDER

CODE	MATERIAL	BCD	CHAINLINE	OFFSET	MODEL
380002930000050	AL6061	104 mm	50 mm	5.5 mm	W0120
380002950000050	AL6061	104 mm	52 mm	8.0 mm	W0121

BROSE SPIDERS



1x / 2x SPIDER 148

CODE	MATERIAL	BCD	CHAINLINE	MODEL
380001790000050	AL6061	104/64 mm	53.3 mm (1x) 51.9 mm (2x)	W0001



1x SPIDER 148

CODE	MATERIAL	BCD	CHAINLINE	MODEL
380000260000050	AL6061	104 mm	54.3 mm	W0108



1x SPIDER - CARBON DRIVE

CODE	MATERIAL	BCD	CHAINLINE	MODEL
380002420000050	AL6061	104 mm	46.6 mm	W0063

BOSCH SX SPIDERS



1x SPIDER

CODE	MATERIAL	BCD	CHAINLINE	OFFSET	MODEL
38000446000050	AL6061	104 mm	50 mm	12.2 mm	W0151
38000447000050	AL6061	104 mm	53 mm	15.2 mm	W0152
380-0502000050	AL6061	104 mm	55 mm	15.2 mm	W0172

YAMAHA PW - JIS SPIDERS



1x / 2x SPIDER 148

CODE	MATERIAL	BCD	CHAINLINE	MODEL
38000302000050	AL6061	104/64 mm	53 mm (1x) 51.6 mm (2x)	W0024



1x / 2x SPIDER

CODE	MATERIAL	BCD	CHAINLINE	MODEL
38000301000050	AL6061	104/64 mm	50 mm (1x) 48.6 mm (2x)	W0025



1x SPIDER -  CARBON DRIVE

CODE	MATERIAL	BCD	CHAINLINE	MODEL
380-0424000050	AL6061	104/64 mm	41.7 / 45.5 mm (SH)	W0139

YAMAHA PW-X - ISIS SPIDERS



1x / 2x SPIDER 148

CODE	MATERIAL	BCD	CHAINLINE	MODEL
380-0257000050	AL6061	104/64 mm	53 mm (1x) 51.5 mm (2x)	W0019



1x SPIDER 148

CODE	MATERIAL	BCD	CHAINLINE	MODEL
38000544000050	AL6061	104 mm	53 mm	W0171



1x SPIDER

CODE	MATERIAL	BCD	CHAINLINE	MODEL
38000543000050	AL6061	104 mm	50 mm	W0170

FAZUA RIDE60 SPIDERS



1x SPIDER

CODE	MATERIAL	BCD	CHAINLINE	OFFSET	MODEL
38000572000050	AL6061	104 mm	50 mm	16 mm	W0195
38000574000050	AL6061	104 mm	52 mm	13 mm	W0178
38000575000050	AL6061	104 mm	55 mm	10 mm	W0193

FAZUA SPIDERS



1x / 2x SPIDER

CODE	MATERIAL	BCD	CHAINLINE	MODEL
38000243000050	AL6061	110 mm	48.5 mm (1x) 50 mm (2x)	W0005



1x SPIDER 148

CODE	MATERIAL	BCD	CHAINLINE	MODEL
38000304000050	AL6061	104 mm	52 mm	W0058



1x SPIDER

CODE	MATERIAL	BCD	CHAINLINE	MODEL
38000256000050	AL6061	104 mm	49 mm	W0004



LOCKRING

CODE	DESCRIPTION
327-0045000122	CK E-BIKE Steel Lock Ring ML097 FAZUA

SHIMANO EP800 SPIDERS



1x SPIDER

CODE	MATERIAL	BCD	CHAINLINE	OFFSET	MODEL
380-0519000051	AL6061	104 mm	50 mm	18 mm	W0169
380-0455000050	AL6061	104 mm	52 mm	20.5 mm	W0164
380-0527000050	AL6061	104 mm	55 mm	23 mm	W0174

SHIMANO EP8000 SPIDERS



1x SPIDER

CODE	MATERIAL	BCD	CHAINLINE	OFFSET	MODEL
380-0519000051	AL6061	104 mm	50 mm	18 mm	W0169
380-0455000050	AL6061	104 mm	52 mm	20.5 mm	W0164
380-0527000050	AL6061	104 mm	55 mm	23 mm	W0174

MAXON SPIDERS



1x / 2x SPIDER

CODE	MATERIAL	BCD	CHAINLINE	MODEL
380-0528000051	AL6061	110 mm	47 mm (1x)	W0142
			47 mm (2x)	



1x SPIDER

CODE	MATERIAL	BCD	CHAINLINE	MODEL
380-0561000051	AL6061	110 mm	52 mm	W0181

TQ HPR50 SPIDERS



2x SPIDER

CODE	MATERIAL	BCD	CHAINLINE	OFFSET	MODEL
38000579000050	AL6061	110 mm	47 mm	4 mm	W0192



1x SPIDER

CODE	MATERIAL	BCD	CHAINLINE	OFFSET	MODEL
38000576000051	AL6061	104 mm	50 mm	8.5 mm	W0188
38000566000050	AL6061	104 mm	52 mm	10.5 mm	W0189
38000577000050	AL6061	104 mm	55 mm	13.5 mm	W0190

OLI EDGE SPIDERS



1x SPIDER V-SHAPE

CODE	MATERIAL	BCD	CHAINLINE	OFFSET	MODEL
38000373000050	AL6061	104 mm	50 mm	5.2 mm	W0134
38000372000050	AL6061	104 mm	52 mm	8.2 mm	W0138
38000415000050	AL6061	104 mm	55 mm	9.9 mm	W0140



1x SPIDER - STEEL

CODE	MATERIAL	BCD	CHAINLINE	OFFSET	MODEL
38000413000050	Forged Steel	104 mm	50 mm	5.2 mm	W0146
38000411000010	Forged Steel	104 mm	53 mm	8.2 mm	W0147



1x SPIDER - ALLOY

CODE	MATERIAL	BCD	CHAINLINE	OFFSET	MODEL
38000446000050	AL6061	104 mm	50 mm	12.2 mm	W0151
38000447000050	AL6061	104 mm	53 mm	15.2 mm	W0152
380-0502000050	AL6061	104 mm	55 mm	15.2 mm	W0172

BOSCH SX DM CHAINRINGS



1x DM STEEL BOOST

CODE	TEETH	PROFILE (Chain)	CHAINLINE	DRIVETRAIN	MODEL
38000370002250	34 T	MEGATOOTH A* (3.5mm)	52 mm	11s	WB478
38000471003541	36 T	MEGATOOTH A* (3.5mm)	52 mm	11s	WB349
38000369004250	38 T	MEGATOOTH A* (3.5mm)	52 mm	11s	WB344
380-0483002540	34 T	MEGATOOTH SH12s	52 mm	SH 12S	WB604
380-0487003540	36 T	MEGATOOTH SH12s	52 mm	SH 12S	WB493
380-0488004540	38 T	MEGATOOTH SH12s	52 mm	SH 12S	WB605



1x DM STEEL + CHAINGUARD

CODE	TEETH	PROFILE (Chain)	CHAINLINE	DRIVETRAIN	MODEL
38000559000540	42 T	MEGATOOTH A* (3.5mm)	DM	11s	WB659A + W1174

*Note: All 9, 10 and 11sp chains, 12sp Sram Eagle and KMC MTB, Sram 12sp Road

BOSCH GEN4 DM CHAINRINGS



1x DM STEEL BOOST

CODE	TEETH	PROFILE (Chain)	CHAINLINE	DRIVETRAIN	MODEL
38000370002250	34 T	MEGATOOTH A* (3.5mm)	52 mm	11s	WB478
38000471003541	36 T	MEGATOOTH A* (3.5mm)	52 mm	11s	WB349
38000369004250	38 T	MEGATOOTH A* (3.5mm)	52 mm	11s	WB344
380-0483002540	34 T	MEGATOOTH SH12s	52 mm	SH 12S	WB604
380-0487003540	36 T	MEGATOOTH SH12s	52 mm	SH 12S	WB493
380-0488004540	38 T	MEGATOOTH SH12s	52 mm	SH 12S	WB605



1x DM STEEL

CODE	TEETH	PROFILE (Chain)	CHAINLINE	DRIVETRAIN	MODEL
38000560008540	42 T	MEGATOOTH A* (3.5mm)	DM	11s	WB659A



1x DM STEEL + CHAINGUARD

CODE	TEETH	PROFILE (Chain)	CHAINLINE	DRIVETRAIN	MODEL
38000559000540	42 T	MEGATOOTH A* (3.5mm)	DM	11s	WB659A + W1174

BOSCH GEN3 DM CHAINRINGS



1x DM STEEL BOOST

CODE	TEETH	PROFILE (Chain)	CHAINLINE	DRIVETRAIN	MODEL
380-0429001250	32 T	MEGATOOTH A* (3.5mm)	50 mm	11s	WB438
38000318004250	38 T	MEGATOOTH A* (3.5mm)	50 mm	11s	WB385
38000319006250	40 T	MEGATOOTH A* (3.5mm)	50 mm	11s	WB386
380-0436010250	44 T	MEGATOOTH A* (3.5mm)	50 mm	11s	WB463
380-0428001250	32 T	MEGATOOTH A* (3.5mm)	55 mm	11s	WB437
380-0426004250	38 T	MEGATOOTH A* (3.5mm)	55 mm	11s	WB429
380-0427006250	40 T	MEGATOOTH A* (3.5mm)	55 mm	11s	WB430
380-0421010250	44 T	MEGATOOTH A* (3.5mm)	55 mm	11s	WB462



1x DM STEEL + CHAINGUARD

CODE	TEETH	PROFILE (Chain)	CHAINLINE	DRIVETRAIN	MODEL
38000315018250	32 T	MEGATOOTH A* (3.5mm)	50 mm	11s	WB438
38000316000250	38 T	MEGATOOTH A* (3.5mm)	50 mm	11s	WB385
38000317004250	40 T	MEGATOOTH A* (3.5mm)	50 mm	11s	WB386
380-0432018250	32 T	MEGATOOTH A* (3.5mm)	55 mm	11s	WB437
380-0431002250	38 T	MEGATOOTH A* (3.5mm)	55 mm	11s	WB429
380-0430004250	40 T	MEGATOOTH A* (3.5mm)	55 mm	11s	WB430

*Note: All 9,10 and 11sp chains, 12sp Sram Eagle and KMC MTB, Sram 12sp Road



LOCKRING

CODE	DESCRIPTION
39000103000050	CKSP E-BIKE Lock Ring BOSCH Gen3 ML588

OLI EDGE DM CHAINRINGS



1x DM STEEL BOOST

CODE	TEETH	PROFILE (Chain)	CHAINLINE	DRIVETRAIN	MODEL
38000370002250	34 T	MEGATOOTH A* (3.5mm)	52 mm	11s	WB478
38000471003541	36 T	MEGATOOTH A* (3.5mm)	52 mm	11s	WB349
38000369004250	38 T	MEGATOOTH A* (3.5mm)	52 mm	11s	WB344
380-0483002540	34 T	MEGATOOTH SH12s	52 mm	SH 12S	WB604
380-0487003540	36 T	MEGATOOTH SH12s	52 mm	SH 12S	WB493
380-0488004540	38 T	MEGATOOTH SH12s	52 mm	SH 12S	WB605

1x DM STEEL

CODE	TEETH	PROFILE (Chain)	CHAINLINE	DRIVETRAIN	MODEL
38000560008540	42 T	MEGATOOTH A* (3.5mm)	DM	11s	WB659A



1x DM STEEL + CHAINGUARD

CODE	TEETH	PROFILE (Chain)	CHAINLINE	DRIVETRAIN	MODEL
38000559000540	42 T	MEGATOOTH A* (3.5mm)	DM	11s	WB659A + W1174

BOSCH GEN2 SPROCKET



1x DM SPROCKET

CODE	TEETH	OFFSET	CHAINLINE	DRIVETRAIN	MODEL
32700031045250	14 T	2.5 mm	50-55 mm	11s	WA132
32700032029250	15 T	2.5 mm	50-55 mm	11s	WA133
32700033030250	16 T	2.5 mm	50-55 mm	11s	WA134
32700035028250	17 T	2.5 mm	50-55 mm	11s	WA135
32700036032250	18 T	2.5 mm	50-55 mm	11s	WA136
32700038031250	20 T	2.5 mm	50-55 mm	11s	WA138

FAZUA DM CHAINRINGS



1x DM STEEL

CODE	TEETH	PROFILE (Chain)	CHAINLINE	DRIVETRAIN	MODEL
32700054023050	34 T	MEGATOOTH A* (3.5mm)	-	11s	WA638



1x DM STEEL

CODE	TEETH	PROFILE (Chain)	CHAINLINE	DRIVETRAIN	MODEL
380-0442001050	42 T	MEGATOOTH A* (3.5mm)	-	11s	WA720



2x DM STEEL

CODE	TEETH	PROFILE (Chain)	CHAINLINE	DRIVETRAIN	MODEL
380-0443004050	48x32 T	-	DM-110mm	11s	-
38000474003050	46x33T	-	DM-110mm	SRAM AXS 12s	-

**Note: All 9,10 and 11sp chains. 12sp Sram Eagle and KMC MTB. Sram 12sp Road*

FSA 1x V-SHAPE

COMPATIBLE ONLY WITH BOSCH GEN4, OLI EDGE SPIDER: W0134, W0138 AND W0140



V-SHAPE ALLOY

CODE	TEETH	PROFILE (Chain)	BCD	DRIVETRAIN	MODEL
38000407002050	34 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB452B
38000408004050	38 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB453
38000351008050	42 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB454A
380-0352010050	44 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB450A
380-0409012050	46 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB455A
380-0353014050	48 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB451A
38000586002050	34 T	MEGATOOTH SH12s	104 mm	SH 12S	WB607



V-SHAPE STEEL

CODE	TEETH	PROFILE (Chain)	BCD	DRIVETRAIN	MODEL
38000366002250	34 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB485A
380-0439003540	36 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB469
38000365004250	38 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB486
380-0438008540	42 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB467
38000412010250	44 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB465
38000480002540	34 T	MEGATOOTH SH12s	104 mm	SH 12S	WB499
38000481004540	38 T	MEGATOOTH SH12s	104 mm	SH 12S	WB601
380-0482008540	42 T	MEGATOOTH SH12s	104 mm	SH 12S	WB602

**Note: All 9,10 and 11sp chains. 12sp Sram Eagle and KMC MTB. Sram 12sp Road*



V-SHAPE CHAINGUARD

CODE	MATERIAL	TEETH	BCD	MODEL
32700052009050	Alloy	42-44 T	104 mm	W1153
32700056025050	Alloy	32-34 T	104 mm	W1156

FSA 1xBCD110



STEEL

CODE	TEETH	PROFILE (Chain)	BCD	DRIVETRAIN	MODEL
370-0016024050	36 T	MEGATOOTH A* (3.5mm)	110 mm	11s	WA662
370-0017017050	38 T	MEGATOOTH A* (3.5mm)	110 mm	11s	WA606
370-0018012050	40 T	MEGATOOTH A* (3.5mm)	110 mm	11s	WA607
370-0019001050	42 T	MEGATOOTH A* (3.5mm)	110 mm	11s	WA669
370-0020002050	44 T	MEGATOOTH A* (3.5mm)	110 mm	11s	WA670
380-0448004050	48 T	MEGATOOTH SH12s	110 mm	SH 12S	WA021

**Note: All 9,10 and 11sp chains. 12sp Sram Eagle and KMC MTB. Sram 12sp Road*

FSA 1xBCD104



ALLOY

CODE	TEETH	PROFILE (Chain)	BCD	DRIVETRAIN	MODEL
380-0064001051	32 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB380
380-0065002051	34 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB381
380-0091003050	36 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB382
380-0092004050	38 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB383
380-0311008050	42 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB054
380-0291010050	44 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB416
38000136012051	46 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB315A
380-0227014050	48 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB409

**Note: All 9,10 and 11sp chains. 12sp Sram Eagle and KMC MTB. Sram 12sp Road*

FSA 1xBCD104



STEEL

CODE	TEETH	PROFILE (Chain)	BCD	DRIVETRAIN	MODEL
38000417002540	34 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB487
380-0441003540	36 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB468
380-0416004540	38 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB488
380-0440008540	42 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB466
380-0418010540	44 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB464
380-0477002540	34 T	MEGATOOTH SH12s	104 mm	SH 12S	WB494
380-0504003540	36 T	MEGATOOTH SH12s	104 mm	SH 12S	WB495
380-0478008540	42 T	MEGATOOTH SH12s	104 mm	SH 12S	WB497
380-0479010540	44 T	MEGATOOTH SH12s	104 mm	SH 12S	WB498

STEEL

CODE	TEETH	PROFILE (Chain)	BCD	DRIVETRAIN	MODEL
38000277003140	36 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB545
38000278004140	38 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WB531
38000296012140	40 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WA023
38000279001140	42 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WA516
38000280002140	44 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WA546
38000281003140	46 T	MEGATOOTH A* (3.5mm)	104 mm	11s	WA527



BCD104 CHAINGUARD

CODE	MATERIAL	TEETH	BCD	MODEL
38000283006050	Alloy	44-46 T	104 mm	W1086
38000289006050	Alloy	42-44 T	104 mm	W1036
38000364017050	Alloy	36-38 T	104 mm	W1145

CODE	BOLTS	STANDARD	MATERIALS		
			IRON	STEEL	ALLOY
3800003690004250	ML021	M8 x 0.75P x 8.5			X
390-1067	ML137	M8 x 0.75P x 5.0	X		X
390000080000010	ML138	M8 x 0.75P x 6.0	X		X
390-1064	ML163	M8 x 0.75P x 7.8	X	X	
390-00770000010	ML557	M8 x 0.75P x 12.5			X
3900001160000150	ML086	M8 x 0.75P x 16.0	X		
390-00230000151	ML023	M8 x 0.75P x 12.5	X		
390-00970000150	ML053	M8 x 0.75P x 10.0	X	X	
390-00610000010	ML121	M8 x 0.75P x 8.0	X		
390-00700000150	ML550	M8 x 0.75P x 7.8	X		
3900000160000010	ML450	M10 x 1.0P x 10.5			X
3900000010000010	ML227	M10 x 1.0P x 15.5			X

FSA NUT CHART

CODE	BOLTS	STANDARD	MATERIALS		
			IRON	STEEL	ALLOY
390-10710E	ML005	M8 x 0.75P x 4.0	X		X
390-00300000150	ML079+544	M8 x 0.75P x 8.0	X		
3900000840000150	ML084	M8 x 0.75P x 6.5	X	X	X
390-1066	ML085	M8 x 0.75P x 6.5	X		
3900000240000150	ML091	M8 x 0.75P x 12.0	X		
390-01040000150	ML120+544	M8 x 0.75P x 14.5	X		
390-00970000150	ML551	M8 x 0.75P x 10.0	X		
3900000130000150	ML462	M8 x 0.75P x 4.0	X		
390-1068	ML231	M8 x 0.75P x 7.0	X		
390-01140000150	ML080	M8 x 0.75P x 5	X		

CODE	DESCRIPTION (A+B)
380-6104	AA CRSP Chain Tab 4mm+Bolt E0403+ML085+ML163+ML231
380-6105	CRSP Chain Tab 3mm 4pcs E0418+ML085+ML163
3900001110000150	CRSP Bolt KIT 4pcs ML138+ML080
390-00300000150	CRSP BOLT&Nut CR 4+4 ML079+ML163 no logo V16
390-00430000150	CRSP Chainring BOLT KIT 4+4 ML163+ML121
390-00540000151	CRSP E-BIKE Bolt+Nuts 4pcs ML138+ML462 w/logo
390-00560000150	CRSP Chainring Bolt ML544x4+Spacers MW073x4
390-00570000150	CRSP Chainring Bolt ML544x4+Spacers MW074x4
390-00580000150	CRSP Chainring Bolt ML544x4+Spacers MW029x4
390-00690000150	CRSP Chainring Bolts ML231+ML163+MW058K
390-00970000150	CRSP E-BIKE Bolt+Nuts 4pcs ML053+ML551 w/logo
390-00980000150	CRSP Chainring BOLT&Nut KIT 5+5 ML163+ML085
390-01040000150	CRSP Bolt Kit (2x+CG) ML120+ML544+MW058D
390-01250000150	CRSP BOLT Kit ML080+ML163 + MW058K
390-01300000150	CRSP bolts and spacers ML053x4+MW651x4

FS2 **SYSTEM**



E-SYSTEM APP





The FSA E-SYSTEM APP was designed to be efficient and user-friendly.

From the APP ,the user can control the status of your system and update the system firmware in the easiest way.

The App can also be used for system troubleshooting.

E-SYSTEM OVERVIEW

- 1 HUB MOTOR 43Nm**
- 2 CONTROL HID LED**
- 3 INNER BATTERY 252Wh**
- 4 CHARGING PORT**
- 5 EXTRENAL BATTERY 252Wh**



DISCOVER **MORE**

E-SYSTEM

METRON 40 SL DB

WHEELSET

SPECS

- Claim a 150kg system weight
- Full carbon rim
- 40mm depth rim
- Tubeless compatible
- Available in 700C
- ISO 6-Bolts rotor mount
- Front hub with TA-12 x 100mm
- Rear hub with O.L.D. 135mm
- Artisan built, entirely by hand

FREEHUB

- SMN 9-12speed
- SRAM XDR

WEIGHT

- 4,009 grams / pair



E-SYSTEM

TEAM 30 i23 DB

WHEELSET

SPECS

- Claim a 150kg system weight
- Alloy rim
- 30mm depth rim
- Tubeless compatible
- Available in 700C
- ISO 6-Bolts rotor mount
- Front hub with TA-12 x 100mm
- Rear hub with O.L.D. 135mm
- Artisan built, entirely by hand

FREEHUB

- SMN 9-12speed
- SRAM XDR

WEIGHT

- 4,160 grams / pair



E-SYSTEM

HUB MOTOR

MOTOR

SPECS

- Integrated torque sensor
- Integrated battery design (250WH).
- External battery as optional (+250WH) for total 500WH.
- 1 on/off button and assistance level selection.
- 5 assistance levels
- Superior waterproof performance.
- Long life (bearing life).
- Long maintenance cycle.
- Easy to maintain.
- Easy to install.
- No limit for bike frame geometry, even for a pure road race geometry in size S and XSI!
- Low Q-factor.
- Incredibly low friction over 25KMh.
- Just 2.4 kg.
- Spare parts available via FSA Service Centers network.
- Specific FSA app for end user.
- Remote diagnostic for dealer.



E-SYSTEM

LI-ION INTUBE BATTERY

BATTERY

SPECS

- 252Wh / 7ah 36V
- Downtube integrated
- Fit and forget design
- Easy recharge via frame charging port
- Weight: 1,350 grams

BATTERY

CODE	DESCRIPTION
41000013000110	SYSTEM HM1 LI-ION Intube Battery 36V 252Wh EB3001

CHARGER

CODE	DESCRIPTION
41000010000110	SYSTEM HM1 Charger EU/US EB2007



E-SYSTEM

LI-ION EXTERNAL BATTERY

BATTERY

SPECS

- 252Wh / 7ah 36V
- "Bottlebag" position
- Extrenal removable design
- Easy recharge via charging adapter
- Weight: 1,520 grams

BATTERY

CODE	DESCRIPTION
41000015000110	SYSTEM HM1 L-ION RANGE EXTENDER 252Wh

CAGE

CODE	DESCRIPTION
410-0017000110	SYSTEM HM1 Charger EU/US EB2007



E-SYSTEM

LED PUSH BUTTON

ACCESSORIES

SPECS

- LED HID push button
- Top tube integrated
- On-Off and assistance level selection
- 5 bright colours


CODE	DESCRIPTION
41000003000110	SYSTEM HM1 LED Push Button EB2003




5.4/ BOTTOM-BRACKET (BB)

EASY BOTTOM BRACKETS

STEP 1 SELECT YOUR STYLE



STEP 2 INSERT THE BB MEASUREMENTS



STEP 3 SELECT YOUR CRANKSET STANDARD



STEP 4 GET THE PDF OR VISIT THE WEBSITE



FSAEASYBOTTOMBRACKETS.COM


ROAD CRANKSET STANDARD

BB386EVO

w/ wave washer (86.5mm cap-to-cap)



BB30





MEGAEXO Ø24 (w/o pinch-bolt)

w/ wave washer (88.8-89mm cap-to-cap)





BB386EVO



STD 200-3112

STD 200-3112 + 200-3208





BSA/ ITA







STD 200-3201

STD 200-1869




BB30





STD 200-3002
CER 200-3000 + 200-3204STD 200-3002
CER 200-3000STD 230-6024
CER 230-6023













PRESS-FIT 30












STD 200-3112
CER 200-3111 + 200-3204STD 200-3112
CER 200-3111STD 230-0003000200
STD 200-3112 + 200-3221
CER 200-3111















CANNONDALE BB30A











STD 200-3002
CER 200-3000 + 200-0005000330STD 200-3002
CER 200-3000 + 200-0006000330











	SHIMANO Ø24 (w/ pinch-bolt) w/ wave washer (MEGAEXO) w/o wave washer (SHIMANO)		DUB Ø29 (89.5-89.9mm cap-to-cap)		MEGAEXO Ø19 w/ wave washer (88.8-89mm cap-to-cap)		SRAM GPX/ CAMPAGNOLO	
								
BB386EVO								
	STD	200-3112			STD	200-3112	+ 200-3222	STD 200-3112 + 200-3210 (SRAM) +200-3209 (CAMPY)
BSA/ ITA								
	STD	200-0007000200 (BSA)						
	STD	200-1867 (BSA)						
	STD	200-0011000500 (ITA)			STD	200-1893		
BB30								
	STD	230-6025						
PRESS-FIT 30								
	STD	230-0003000200						
	STD	200-3112			STD	200-3112		
	CER	200-3111			CER	200-3111	+ 20000035000010	
CANNONDALE BB30A								

ROAD CRANKSET STANDARD		BB386EVO w/ wave washer (86.5mm cap-to-cap)	BB30 MODULAR	MEGAEXO Ø24 (w/o pinch-bolt) w/ wave washer (88.8-89mm cap-to-cap)
SHIMANO PRESS-FIT BB86		 STD 200-0012000110 CER 20000012000111		 STD 230-6016
T47 (86.5mm)		 STD 200-0037000770		
T47 (85.5mm)		 STD 200-0050000010		
T47 (76.75mm)		 STD 200-0052000770		
T47 (68mm)		 STD 200-0034000720		 STD 200-0034000720 STD 200-3208
BB-RIGHT PF79		STD 200-3112 CER 200-3111 + 200-0010000011		STD 200-3205 CER 20000046000190

	SHIMANO Ø24 (w/ pinch-bolt) w/ wave washer (MEGAEXO) w/o wave washer (SHIMANO) 	DUB Ø29 (89.5-89.9mm cap-to-cap) 	MEGAEXO Ø19 w/ wave washer (88.8-89mm cap-to-cap) 	SRAM GPX/ CAMPAGNOLO
SHIMANO PRESS-FIT BB86	 STD 230-6042 CER 230-6015 STD 230-6016	 STD 200-0060000110	 STD 230-6018 STD 230-6019	
	 STD 200-0054000Ai0		 STD 200-0058000010	
	 STD 200-0049000010	 STD 200-0062000010	 STD 200-0057000010	
 STD 200-0051000010				
 STD 200-0048000010	 STD 200-0061000010			
BB-RIGHT PF79	STD 200-3205 CER 20000046000190			

ROAD CRANKSET STANDARD		BB386EVO w/ wave washer (86.5mm cap-to-cap) 	BB30 	MEGAEXO Ø24 (w/o pinch-bolt) w/ wave washer (88.8-89mm cap-to-cap) 
SHIMANO PRESS-FIT BB86		 STD 200-0012000110 CER 20000012000111		 STD 230-6016
T47 (86.5mm)		 STD 200-0037000770		
T47 (85.5mm)		 STD 200-0050000010		
T47 (76.75mm)		 STD 200-0052000770		
T47 (68mm)		 STD 200-0034000720		 STD 200-0034000720 STD 200-3208
BB-RIGHT PF79		STD 200-3112 CER 200-3111 + 200-0010000011		STD 200-3205 CER 20000046000190

	SHIMANO Ø24 (w/ pinch-bolt) w/ wave washer (MEGAEXO) w/o wave washer (SHIMANO) 	DUB Ø29 (89.5-89.9mm cap-to-cap) 	MEGAEXO Ø19 w/ wave washer (88.8-89mm cap-to-cap) 	SRAM GPX/ CAMPAGNOLO
SHIMANO PRESS-FIT BB86	 STD 230-6042 CER 230-6015 STD 230-6016	 STD 200-0060000110	STD 230-6018 STD 230-6019	
	 STD 200-0054000Ai0		 STD 200-0058000010	
	 STD 200-0049000010	 STD 200-0062000010	 STD 200-0057000010	
T47 (76.75mm)  STD 200-0051000010				
T47 (68mm)  STD 200-0048000010	 STD 200-0061000010			
BB-RIGHT PF79	STD 200-3205 CER 20000046000190			

MTB CRANKSET STANDARD		FSA BB392 EVO	BB30
68/ 73mm ENGLISH 1.37"x24T		 STD 200-3213	
BB30 (68mm)		STD 200-3002 CER 200-3000	STD 200-3101 CER 200-3100
			+ 200-0027000600 (w/ MW114)
BB30 (73mm)		STD 200-3002 CER 200-3000	STD 200-3101 CER 200-3100
			+ 200-0027000600 (w/o MW114)
PF30 (68mm)		STD 200-3114 STD 200-3118	STD 200-3114
			+ 200-0027000600 (w/ MW114)
PF30 (73mm)		STD 200-3114 STD 200-3118	STD 200-3114
			+ 200-0027000600 (w/o MW114)
PRESS-FIT BB92		 STD 200-0020000110	
PRESS-FIT BB89.5		 STD 200-0020000110	

	MEGAEXO Ø24 w/o pinch-bolt					SHIMANO				MEGAEXO Ø19 w/o pinch-bolt					
68/ 73mm ENGLISH 1.37"x24T															
	STD	200-1852													
	STD	200-1969													
	CER	200-1962		STD	200-1969										
BB30 (68mm)															
	STD	200-3002							+ 200-3220 (w/ MW114)						
BB30 (73mm)															
	STD	200-3002							+ 200-3220 (w/ MW114)						
PF30 (68mm)															
	STD	200-3114							+ 200-3220 (w/ MW114)						
PF30 (73mm)															
	STD	200-3118							+ 200-3220 (w/o MW114)						
PRESS-FIT BB92															
	STD	230-6043													
PRESS-FIT BB89.5															
	STD	230-6043													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD	230-6040													
PRESS-FIT BB89.5															
	STD														

1 - OFF ROAD

2 - GRAVEL

3 - ROAD

4 - OUTLET

5 - WORKSHOP

6 - ACCESSORIES

FSA PLATINUM ISIS

BOTTOM BRACKET

- Forged hollow Cr-Mo steel spindle for ISIS drive
- Cold forged aluminium cups
- Composite anti-creak sleeve
- Chromoly M15 bolts

SIZES

- 68mm x 108mm, 113mm, 118mm

WEIGHT

- 225 grams

CODE	TYPE
200-0998	BB Platinum ISIS, 68x108mm BB-9920
200-1000	BB Platinum ISIS 68x113mm BB-9920
200-1008	BB Platinum ISIS 68x118mm BB-9920



FSA POWER PRO JIS

BOTTOM BRACKET

- Forged chromoly spindle for JIS square taper
- Industrial 6002KRS cartridge sealed bearings with oversized Ø3/16" balls
- Cold forged aluminium cups
- Double seals for water and dirt protection

SIZES

- 68mm x 103, 110, 113, 115, 116, 118, 122.5, 124.5, 127.5mm

WEIGHT

- 295 grams

CODE	TYPE	金額
210-2923	BB Power Pro JIS 68x103mm BB7420ST w/ML016	6,050円 (税込)
210-2900	BB Power Pro JIS 68x110.5mm BB7420ST w/ML016	6,050円 (税込)
210-2901	BB Power Pro JIS 68x113mm BB7420ST w/ML016	6,050円 (税込)
210-2905	BB Power Pro JIS 68x116mm BB7420ST w/ML016	6,050円 (税込)
210-2907	BB Power Pro JIS 68x118mm BB7420ST w/ML016	6,050円 (税込)
210-2920	BB Power Pro JIS 68x122.5mm BB7420ST w/ML016	6,050円 (税込)
210-2908	BB Power Pro JIS 68x124.5mm BB7420ST w/ML016	6,050円 (税込)
210-2909	BB Power Pro JIS 68x127.5mm BB7420ST w/ML016	6,050円 (税込)



FSA POWER DRIVE

BOTTOM BRACKET

- Forged hollow SCM4130 chromo spindle
- Industrial 6002KRS cartridge sealed bearings with oversized Ø3/16" balls
- Cold forged aluminium cups
- Double "snap" seals for water and dirt protection

SIZES

- 68mm x 108mm, 113mm, 118mm
- 73mm x 113mm, 118mm

WEIGHT

- 335 grams

CODE	TYPE	金額
210-3508	BB Power Drive 68x108mm BB8420AL w/Bolt	7,590円 (税込)
210-3513	BB Power Drive 68x113mm BB8420ST w/Bolt	7,590円 (税込)
210-3524	BB Power Drive 68x118mm BB A8420AL w/Bolt	7,590円 (税込)
210-3533	BB Power Drive 73x113mm BB8420ST w/Bolt	7,590円 (税込)
210-3534	BB Power Drive 73x118mm BB8420 w/Bolt	7,590円 (税込)



BOLT CHART

BOLT CODE	ML054 (CrMo M15) 390-2040	ML019 (CrMo M8) 390-2030	QR-19 Self-Extracting 390-0028000601	QR-20 Self-Extracting 390-0022000010
CRANKSET BB	ISIS BB	JIS BB	SL-K modular V18 ENERGY modular	COMET modular V18 AFTERBURNER mod V18

BOLT CODE	QR-8A (CrMo M18) 390-2060	QR-8A (CrMo M18) 390-2062	QR-14 (CrMo M17) 390-2072	QR-17 (Alloy M17) 390-2001 QR-18 (Alloy M12) 390-2002	QR-9B (Alloy M18) 230-5004	QR-21 (Alloy M18) 390-0027000600
CRANKSET BB	K-FORCE SL-K TEAM ISSUE ROAD MegaExo w/o WAVE WASHER	K-FORCE SL-K TEAM ISSUE MTB MegaExo w/o WAVE WASHER	K-FORCE LIGHT SL-K LIGHT ROAD -MTB MegaExo w/o WAVE WASHER	QR-17 ENERGY GOSSAMER AFTERBURNER V-DRIVE COMET QR-18 OMEGA GAMMA DRIVE MegaExo NBD	K-FORCE LIGHT SL-K LIGHT ROAD-MTB BB30 - BB386 - BB392	GOSSAMER OMEGA AFTERBURNER V-DRIVE COMET BB30

PREMIUM BB PF30

- High quality bearings
- Crankset standard: BB386Evo
- Frame standard: PressFit 30

CODE	DESCRIPTION
200-0043000600	BB PREMIUM ck BB386EVO/BB30 to PF30 PF6000/CZ

PREMIUM BB PF86

- Ceramic bearings
- Crankset standard: BB386Evo
- Frame standard: PressFit 86 41mm

CODE	DESCRIPTION
200-0012000111	BB ck BB386EVO to PF86 41mm Ceramic EL230

5.5 / CHAINRINGS

EASY CHAINRINGS

STEP 1

 SELECT YOUR STYLE (OR SEARCH BY WAWB CODE)**ROAD**
CHAINRINGS**MTB**
CHAINRINGS**AGX**
CHAINRINGS**E-BIKE**
CHAINRINGS

STEP 2

 SELECT YOUR DRIVETRAIN**1x**
DRIVETRAIN**2x**
DRIVETRAIN**3x**
DRIVETRAIN


STEP 3

 SELECT BOLT CIRCLE DIAMETER (BCD) AND HOLE COUNT**130**
BCD**120**
BCD**4**
HOLES**5**
HOLES




STEP 4

 GET THE PDF OR VISIT THE WEBSITE**FSAEASYCHAINRINGS.COM**

THE MEGATOOTH 1X TOOTH PROFILE DESIGNED FOR SUPERIOR STRENGTH AND CHAIN RETENTION



- 1. Updated tooth height profiles, unique for each thick and thin tooth, allows for automatic straight-line chain alignment to prevent chain drops.
- 2. Immediately upon engagement, the optimized involute curve provides smooth chain-chainring contact throughout the range of rotation, reducing chain vibration and noise.
- 3. Updated tooth pitch and pitch diameters are engineered to perfectly match the pitch between chainring and chain for maximum chain retention strength.



MEGATORQ




THE MEGATORQ 2X TOOTH PROFILE DESIGNED FOR SUPERIOR SHIFTING

- 1. a. The fillet radius is optimized to provide a contact "sweet spot" between chainring and chain roller where the engagement is just right - there isn't too much play to cause chain drop or too tight a radius to cause chain suck or poor shifting performance.




- b. The bottom spacing between tooth was likewise engineered to reinforce this "sweet spot" performance - too wide and the chain retention strength drops and too narrow causes chain suck or poor shifting performance.


- 2. Updated tooth pitch and pitch diameters are engineered to perfectly match the pitch between chainring and chain for maximum chain retention strength.



- 3. Key difference between old and new design is the updated desailing angle on the non-pressure/contact side of each tooth set; this allows for smoother shifts while maintaining maximal chain retention strength.



- 4. Optimized shifting chamfer enhances shifting precision - if too deep, the chain retention strength drops and, if too shallow, the rider will experience chain suck or poor shifting performance.



The MegaTorq 2X tooth profile is designed for superior shifting and features a **45%** improvement in chain retention, besting the closest competitor by **39%**.

CHAINRINGS

CODE	MODEL	W-CODE	TEETH	BCD	HOLES	SPEED	DRIVETRAIN
370-0031024050	SL-K ABS 1x 36T	WA704	36	110ABS	4	single	Shimano10/11S,Sram10/11S,Campa10S
370-0032017050	SL-K ABS 1x 38T	WA705	38	110ABS	4	single	Shimano10/11S,Sram10/11S,Campa10S
370-0030012050	SL-K ABS 1x 40T	WA699	40	110ABS	4	single	Shimano10/11S,Sram10/11S,Campa10S
370-0033001050	SL-K ABS 1x 42T	WA706	42	110ABS	4	single	Shimano10/11S,Sram10/11S,Campa10S
370-0029002050	SL-K ABS 1x 44T	WA683	44	110ABS	4	single	Shimano10/11S,Sram10/11S,Campa10S
370-0028024050	GOSSAMER ABS 1x 36T	WA671	36	110ABS	4	single	Shimano10/11S,Sram10/11S,Campa10S
370-0024017050	GOSSAMER ABS 1x 38T	WA672	38	110ABS	4	single	Shimano10/11S,Sram10/11S,Campa10S
370-0025012050	GOSSAMER ABS 1x 40T	WA673	40	110ABS	4	single	Shimano10/11S,Sram10/11S,Campa10S
370-0026001050	GOSSAMER ABS 1x 42T	WA674	42	110ABS	4	single	Shimano10/11S,Sram10/11S,Campa10S
370-0027002050	GOSSAMER ABS 1x 44T	WA675	44	110ABS	4	single	Shimano10/11S,Sram10/11S,Campa10S
370-0016024050	SUPER 1x 36T	WA662	36	110	5	single	Shimano10/11S,Sram10/11S,Campa10S
370-0017017050	SUPER 1x 38T	WA606	38	110	5	single	Shimano10/11S,Sram10/11S,Campa10S
370-0018012050	SUPER 1x 40T	WA607	40	110	5	single	Shimano10/11S,Sram10/11S,Campa10S
370-0019001050	SUPER 1x 42T	WA669	42	110	5	single	Shimano10/11S,Sram10/11S,Campa10S
370-0020002050	SUPER 1x 44T	WA670	44	110	5	single	Shimano10/11S,Sram10/11S,Campa10S
371-0153	CR RD SL-K ABS 5H 110x53T N11 WA001	WA001	53	110ABS	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0139	CR RD SL-K ABS 5H 110x39T N11 WB262	WB262	53	110ABS	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0001006010	CR RD SL-K ABS 5H 110x52T N11 WA615	WA615	39	110ABS	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0236	CR RD SL-K ABS 5H 110x36T N11 WB271	WB271	36	110ABS	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0250	CR RD SL-K ABS 5H 110x50T N11 WA004	WA004	50	110ABS	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0234	CR RD SL-K ABS 5H 110x34T N11 WB270	WB270	34	110ABS	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0002004050	CR RD SL-K ABS 4H 110x38T (52) N11 WB321	WB321	38	110ABS	4	double	Shimano10/11S,Sram10/11S,Campa10S
371-0022007010	SL-K ABS 53T	WA001	53	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0024006010	SL-K ABS 52T	WA009	52	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0023005010	SL-K ABS 50T	WA004	50	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0095007050	ENERGY MODULAR 53T	WA176	53	DM	0	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0078005050	ENERGY MODULAR 50T	WA174	50	DM	0	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0091006050	ENERGY MODULAR 52T	WA175	52	DM	0	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0096005050	ROAD MODULAR - 39T	WB110	39	90	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0094003050	ROAD MODULAR - 36T	WB108	36	90	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0009007052	K-FORCE LIGHT ABS (RED) 53T	WA421	53	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0009007053	K-FORCE LIGHT ABS (GRAY) 53T	WA421	53	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
368-0020006050	VISION TRACK 52T	WA094	52	144	5	single	Single Speed
371-0010006050	K-FORCE LIGHT ABS (RED) 52T	WA426	52	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0010006051	K-FORCE LIGHT ABS (GRAY) 52T	WA426	52	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0013005050	K-FORCE LIGHT ABS (RED) 50T	WA422	50	110ABS	4	double	Shimano10/11S,Sram10/11S,Campa10S
371-0013005051	K-FORCE LIGHT ABS (GRAY) 50T	WA422	50	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0253	CR RD K-FORCE ABS 5H red 110x53T N11 WA421		53	110ABS	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0253A	CR RD K-FORCE ABS 5H gray 110x53T N11 WA421		53	110ABS	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0239	CR RD K-FORCE ABS 5H 110x39T N11 WB281		39	110ABS	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0252F	CR RD K-FORCE ABS 5H red 110x52T N11 WA426		52	110ABS	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0252G	CR RD K-FORCE ABS 5H gray 110x52T N11 WA426		52	110ABS	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0236D	CR RD K-FORCE ABS 5H 110x36T N11 WB288		36	110ABS	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0250G	CR RD K-FORCE ABS 5H red 110x50T N11 WA422		50	110ABS	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0250H	CR RD K-FORCE ABS 5H gray 110x50T N11 WA422		50	110ABS	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0234D	CR RD K-FORCE ABS 5H 110x34T N11 WB282		34	110ABS	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0033007050	GOSSAMER ABS GRAY 53T	WA626	53	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0041005050	GOSSAMER ABS GRAY 39T	WB299	39	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0031006050	GOSSAMER ABS GRAY 52T	WA655	52	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0036003050	GOSSAMER ABS GRAY 36T	WB300	36	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0034005050	GOSSAMER ABS GRAY 50T	WA624	50	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0037002050	GOSSAMER ABS GRAY 34T	WB301	34	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0046004050	GOSSAMER ABS GRAY 38T	WB378	38	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0043006050	PRO 52T	WA065	52	120	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S

1 - OFF ROAD

2 - GRAVEL

3 - ROAD

4 - OUTLET

5 - WORKSHOP

6 - ACCESSORIES

CODE	MODEL	W-CODE	TEETH	BCD	HOLES	SPEED	DRIVETRAIN
370-0044005050	PRO 50T	WA066	50	120	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0048003140	PRO 36T	WB023	36	90	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0049002140	PRO 34T	WB024	34	90	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-015282	CR RD SUPER triple black 130x52T N10 WA228B		52	130	5	triple	Shimano10/11S,Sram10/11S,Campa10S
370-01520	CR RD PRO black triple 130x52T N10 WA462		52	130	5	triple	Shimano10/11S,Sram10/11S,Campa10S
370-0150D	CR RD PRO triple black 130x50T N11 WA461		50	130	5	triple	Shimano10/11S,Sram10/11S,Campa10S
370-0239	CR RD PRO triple black 130x39T N10 WB090		39	130	5	triple	Shimano10/11S,Sram10/11S,Campa10S
370-0330E	CR RD PRO triple black 74x30T WC009C		30	74	5	triple	Shimano10/11S,Sram10/11S,Campa10S
371-0153D	CR RD PRO black 130x53T pin 12mm N11 WA029		53	130	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0139C	CR RD PRO black polished 130x39T N11 WB293		39	130	5	double	Shimano10/11S,Sram10/11S,Campa10S
370-0152C	CR RD PRO black 130x52T N11 WA229		52	130	5	double	Shimano10/11S,Sram10/11S,Campa10S
370-0138	CR RD PRO black 130x38T N11 WB015		38	130	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0139B	CR RD PRO storm gray 130x39T N11 WB042		39	130	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0252D	PRO 52T		52	110	5	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0236A	PRO 36T		36	110	5	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0236C	PRO 36T		36	110	5	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0250T	PRO 50T		50	110	5	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0250F	PRO 50T - pin 12mm		50	110	5	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0234E	PRO 34T		34	110	5	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0234A	PRO 34T		34	110	5	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0234H	PRO 34T		34	110	5	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0234B	CR RD PRO storm gray 110x34T N11 WB290		34	110	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0153B	CR RD SUPER storm gray 130x53T N11 WA445		53	130	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0153A	CR RD SUPER black 130x53T pin 12mm N11 WA445		53	130	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0252A	SUPER 52T	WA447	52	110	5	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0252M	CR RD SUPER storm gray 110x52T N11 WA363		52	110	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0250A	SUPER 50T	WA446	50	110	5	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0252C	K-FORCE 52T (red)	WA003	52	110	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0250C	SUPER 50T	WA440	50	110	5	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0153C	CR RD SUPER K-FORCE red 130x53T N11 WA439 V14		53	130	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0153E	CR RD ALLOY black 130x53T pin 12mm N11 WA061		53	130	5	double	Shimano10/11S,Sram10/11S,Campa10S
370-0236F	CR RD ALLOY black 110x36T WB100		36	110	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0234C	CR RD ALLOY black 110x34 N11 WB291		34	110	5	double	Shimano10/11S,Sram10/11S,Campa10S
371-0022007011	POWERBOX GRAY 53T - compatible with PB carbon	WA001	53	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0022007012	POWERBOX GRAY 53T - compatible with PB alloy	WA001	53	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0023005011	POWERBOX GRAY 52T - compatible with PB carbon	WA004	50	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0023005012	POWERBOX GRAY 50T - compatible with PB alloy	WA004	50	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0024006011	POWERBOX GRAY 50T - compatible with PB carbon	WA009	52	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0024006012	POWERBOX GRAY 52T - compatible with PB alloy	WA009	52	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
368-0021013050	VISION TRACK 51T	WA093	51	144	5	single	Single Speed
368-0022005050	VISION TRACK 50T	WA057	50	144	5	single	Single Speed
368-0023014050	VISION TRACK 49T	WA013	49	144	5	single	Single Speed
371-0035003960	GOSSAMER ABS GRAY 46T	WA623	46	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
368-0024004050	VISION TRACK 48T	WA056	48	144	5	single	Single Speed
368-0026003050	VISION TRACK 46T	WA054	46	144	5	single	Single Speed
368-0027015050	VISION TRACK 45T	WA053	45	144	5	single	Single Speed
368-0028011050	VISION TRACK 54T	WA155	54	144	5	single	Single Speed
370-0035004050	VERO PRO 48T	WA682	48	110	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0246A	SUPER 46T	WA448	46	110	5	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0248	SUPER 48T	WA435	48	110	5	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0036001140	VERO PRO 32T	WB396	32	110	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0039004050	SL-K / ENERGY MODULAR 48T	WA096	48	DM	0	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0040003050	SL-K / ENERGY MODULAR 46T - compatible with 30T	WA077	46	DM	0	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0035003050	GOSSAMER ABS GRAY 46T	WA623	46	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0041001050	ROAD MODULAR - 32T	WB412	32	90	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0042021050	ROAD MODULAR 30T	WB007	30	90	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0045003050	PRO 46T - compatible with 36T	WA067	46	120	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0046004050	PRO 48T	WA172	48	120	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S

CODE	MODEL	W-CODE	TEETH	BCD	HOLES	SPEED	DRIVETRAIN
370-0047003050	PRO 46T - compatible with 30T	WA068	46	120	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
380-0122E	CR MTB ALLOY black 64x22T D10 WC062		22	64	4	triple	Shimano10S,Sram10/11S
380-0632G	CR MTB ALLOY black 104x32T X10 WB096B		32	104	4	triple	Sram10S
380-0644I	CR MTB SUPER black 104x44T X10 WA339		44	104	4	triple	Sram10S
380-0124C	CR MTB ALLOY black triple 64x24T M10 WC044		24	64	4	triple	Shimano10S
380-0633	CR MTB ALLOY black 104x32T S9 WB179		32	104	4	triple	Shimano9S
380-0644K	CR MTB PRO black 104x44T X10 WA341		44	104	4	double	Sram10S
380-0632E	CR MTB PRO black 104x32T M10 WB218		32	104	4	double	Shimano10S
380-0642E	CR MTB PRO black 104x42T M10 WB156		42	104	4	double	Shimano10S
380-0642D	CR MTB PRO black 104x42T M10 pin 8mm WA361		42	104	4	double	Shimano10S
380-0642K	CR MTB SUPER K-FORCE gray 104x42 M10 WA301 V14		42	104	4	double	Shimano10S
380-0642J	CR MTB SUPER K-FORCE red 104x42 M10 WA301 V14		42	104	4	double	Shimano10S
380-1042A	DH PRO 42T - 3mm	WB171	42	104	4	double	Shimano10S
380-1040A	DH PRO 40T - 3mm	WB170	40	104	4	double	Shimano10S
380-1038A	DH PRO 38T - 3mm	WB169	38	104	4	double	Shimano10S
380-1036A	DH PRO 36T - 3mm	WB168	36	104	4	double	Shimano10S
380-1034A	DH PRO 34T - 3mm	WB167	36	104	4	double	Shimano10S
380-1032A	DH PRO 32T - 3mm	WB055	34	104	4	double	Shimano10S
380-0032001140	CR MTB COMET steel black 68x22T M10 WC073		22	68	4	double	Shimano10/11S,Sram10/11S
380-0031021140	CR MTB COMET steel black 96x30T M10 WB305		30	96	4	double	Shimano10/11S,Sram10/11S
380-0030012050	CR MTB COMET black 96x40T M10 WA445		40	96	4	double	Shimano10/11S,Sram10/11S
380-0192003050	COMET MODULAR 36T - compatible with 22T	WB389	36	96	4	double	Shimano10/11S,Sram10/11S
380-0191003050	COMET MODULAR 36T - compatible with 24T	WB388	36	96	4	double	Shimano10/11S,Sram10/11S
380-0190003050	COMET MODULAR 36T - compatible with 26T	WB046	36	96	4	double	Shimano10/11S,Sram10/11S
380-0188004050	COMET MODULAR 38T - compatible with 28T	WB398	38	96	4	double	Shimano10/11S,Sram10/11S
380-0189004050	COMET MODULAR 38T - compatible with 24T	WB387	38	96	4	double	Shimano10/11S,Sram10/11S
380-0152003050	AFTERBURNER MODULAR 36T - compatible with 22T	WB353	36	96	4	double	Shimano10/11S,Sram10/11S
380-0221004050	AFTERBURNER MODULAR 38T - compatible with 28T	WB397	38	96	4	double	Shimano10/11S,Sram10/11S
380-0150004050	AFTERBURNER MODULAR 38T	WB351	38	96	4	double	Shimano10/11S,Sram10/11S
380-0177001050	CR MTB AFTERB ABS triple 68x22T M10 WC097 V16		22	68	4	triple	Shimano10S
380-0161021050	CR MTB AFTERB ABS triple 96x30T M10 WB384 V16		30	96	4	triple	Shimano10S
380-0139012050	CR MTB AFTERB ABS triple 96x40T M10 WA636 V16		40	96	4	triple	Shimano10S
380-0151003050	AFTERBURNER MODULAR 36T - compatible with 24T	WB352	36	96	4	double	Shimano10S,Sram10/11S
380-0542H	CR MTB ALLOY black 86x42T X10 WA308A		42	86	3	double	Sram10S
380-0539F	CR MTB PRO black 86x39T X10 WA344		39	86	3	double	Sram10S
380-0528	CR MTB PRO black 86x28T M10 WB241		28	86	3	double	Shimano10S
380-0540E	CR MTB PRO black 86x40T M10 WA367		40	86	3	double	Shimano10S
380-0542I	CR MTB PRO black 86x42T M10 WA366		42	86	3	double	Shimano10S
380-0530	CR MTB PRO black 86x30T M10 WB240		30	86	3	double	Shimano10S
380-0237003010	SL-K MODULAR 36T - compatible with 22T	WB027	36	96	4	double	Shimano10/11S,Sram10/11S
380-0238003010	POWERBOX / SL-K MODULAR 36T - compatible with 24T	WB028	36	96	4	double	Shimano10/11S,Sram10/11S
380-0239004010	SL-K MODULAR 38T - compatible with 28T	WB029	38	96	4	double	Shimano10/11S,Sram10/11S
380-0236004010	POWERBOX / SL-K MODULAR 38T - compatible with 24T	WB026	38	96	4	double	Shimano10/11S,Sram10/11S
380-0156005050	SL-K ABS 39T	WB373	39	96	4	double	Sram10S
380-0175008050	SL-K ABS 27T - inner	WC095	27	68	4	double	Sram10S
380-0148006010	SL-K ABS 40T	WB340	40	96	4	double	Shimano10S
380-0159003050	SL-K ABS 36T	WB376	36	96	4	double	Shimano10S,Sram10S
380-0174004050	SL-K ABS 28T - inner	WC090	28	68	4	double	Shimano10/11S,Sram10/11S
380-0163004050	SL-K ABS 38T	WB386	38	96	4	double	Shimano10/11S,Sram10/11S
380-0173001050	SL-K ABS 22T - inner	WC089	22	68	4	double	Shimano10S,Sram10S
380-0146003010	SL-K ABS 36T	WB338	36	96	4	double	Shimano10S,Sram10S
380-0172002050	SL-K ABS 24T - inner	WC088	24	68	4	double	Shimano10S,Sram10S
380-0145004010	SL-K ABS 38T	WB337	38	96	4	double	Shimano10S,Sram10S
380-0203025430	COMET MODULAR MEGATOOTH 28T	WA024	28	DM	0	single	Shimano10/11S,Sram10/11S
380-0180026430	COMET MODULAR MEGATOOTH 30T	WA025	30	DM	0	single	Shimano10/11S,Sram10/11S
380-0181027430	COMET MODULAR MEGATOOTH 32T	WA027	32	DM	0	single	Shimano10/11S,Sram10/11S
380-0202023430	COMET MODULAR MEGATOOTH 34T	WA031	34	DM	0	single	Shimano10/11S,Sram10/11S
380-0201024430	COMET MODULAR MEGATOOTH 36T	WA032	36	DM	0	single	Shimano10/11S,Sram10/11S

1 - OFF ROAD

2 - GRAVEL

3 - ROAD

4 - OUTLET

5 - WORKSHOP

6 - ACCESSORIES

CODE	MODEL	W-CODE	TEETH	BCD	HOLES	SPEED	DRIVETRAIN
380-0200017430	COMET MODULAR MEGATOOTH 38T	WA033	38	DM	0	single	Shimano10/11S,Sram10/11S
380-0182025050	AFTERBURNER MODULAR MEGATOOTH 28T	WA106	28	DM	0	single	Shimano10/11S,Sram10/11S
380-0183026050	AFTERBURNER MODULAR MEGATOOTH 30T	WA107	30	DM	0	single	Shimano10/11S,Sram10/11S
380-0219027050	AFTERBURNER MODULAR MEGATOOTH 32T	WA108	32	DM	0	single	Shimano10/11S,Sram10/11S
380-0218023050	AFTERBURNER MODULAR MEGATOOTH 34T	WA112	34	DM	0	single	Shimano10/11S,Sram10/11S
380-0217024050	AFTERBURNER MODULAR MEGATOOTH 36T	WA114	36	DM	0	single	Shimano10/11S,Sram10/11S
380-0216017050	AFTERBURNER MODULAR MEGATOOTH 38T	WA115	38	DM	0	single	Shimano10/11S,Sram10/11S
380-0235026090	SL-K MODULAR MEGATOOTH 30T	WA045	30	DM	0	single	Shimano10/11S,Sram10/11S
380-0232027090	SL-K MODULAR MEGATOOTH 32T	WA046	32	DM	0	single	Shimano10/11S,Sram10/11S
380-0231023090	SL-K MODULAR MEGATOOTH 34T	WA048	34	DM	0	single	Shimano10/11S,Sram10/11S
380-0230024090	SL-K MODULAR MEGATOOTH 36T	WA051	36	DM	0	single	Shimano10/11S,Sram10/11S
380-0229017090	SL-K MODULAR MEGATOOTH 38T	WA052	38	DM	0	single	Shimano10/11S,Sram10/11S
370-0050021140	PRO 30T	WB025	30	90	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
380-0064001051	MTB MEGATOOTH 32T	WB380	32	104	4	single	Shimano10/11S,Sram10/11S
380-0115021050	MTB MEGATOOTH 30T	WB379	30	104	4	single	Shimano10/11S,Sram10/11S
380-0057017050	PRO ABS MEGATOOTH 38T	WA661	38	86	3	single	Shimano10/11S,Sram10/11S
380-0056024050	PRO ABS MEGATOOTH 36T	WA660	36	86	3	single	Shimano10/11S,Sram10/11S
380-0055023050	PRO ABS MEGATOOTH 34T	WA659	34	86	3	single	Shimano10/11S,Sram10/11S
380-0054027050	PRO ABS MEGATOOTH 32T	WA658	32	86	3	single	Shimano10/11S,Sram10/11S
380-0053026050	PRO ABS MEGATOOTH 30T	WA657	30	86	3	single	Shimano10/11S,Sram10/11S
380-0052025050	PRO ABS MEGATOOTH 28T	WA656	28	86	3	single	Shimano10/11S,Sram10/11S
380-0063017050	COMET ABS MEGATOOTH 38T	WA668	38	86	3	single	Shimano10/11S,Sram10/11S
380-0062024050	COMET ABS MEGATOOTH 36T	WA667	36	86	3	single	Shimano10/11S,Sram10/11S
380-0061023050	COMET ABS MEGATOOTH 34T	WA666	34	86	3	single	Shimano10/11S,Sram10/11S
380-0060027050	COMET ABS MEGATOOTH 32T	WA665	32	86	3	single	Shimano10/11S,Sram10/11S
380-0059026050	COMET ABS MEGATOOTH 30T	WA664	30	86	3	single	Shimano10/11S,Sram10/11S
380-0058025050	COMET ABS MEGATOOTH 28T	WA663	28	86	3	single	Shimano10/11S,Sram10/11S
380-0088002050	COMET ABS MEGATOOTH 34T	WB368	34	76	4	single	Shimano10/11S,Sram10/11S
380-0087001050	COMET ABS MEGATOOTH 32T	WB367	32	76	4	single	Shimano10/11S,Sram10/11S
380-0086021050	COMET ABS MEGATOOTH 30T	WB366	30	76	4	single	Shimano10/11S,Sram10/11S
380-0085023050	COMET ABS MEGATOOTH 28T	WB365	28	76	4	single	Shimano10/11S,Sram10/11S
380-0083004050	AFTERBURNER ABS MEGATOOTH 38T	WB363	38	76	4	single	Shimano10/11S,Sram10/11S
380-0082003050	AFTERBURNER ABS MEGATOOTH 36T	WB362	36	76	4	single	Shimano10/11S,Sram10/11S
380-0081002050	AFTERBURNER ABS MEGATOOTH 34T	WB361	34	76	4	single	Shimano10/11S,Sram10/11S
380-0080001050	AFTERBURNER ABS MEGATOOTH 32T	WB360	32	76	4	single	Shimano10/11S,Sram10/11S
380-0079021050	AFTERBURNER ABS MEGATOOTH 30T	WB359	30	76	4	single	Shimano10/11S,Sram10/11S
380-0078023050	AFTERBURNER ABS MEGATOOTH 28T	WB358	28	76	4	single	Shimano10/11S,Sram10/11S
380-0077024050	AFTERBURNER ABS MEGATOOTH 26T	WB357	26	76	4	single	Shimano10/11S,Sram10/11S
380-0074002050	SL-K ABS MEGATOOTH 34T	WB348	34	76	4	single	Shimano10/11S,Sram10/11S
380-0073021050	SL-K ABS MEGATOOTH 30T	WB346	30	76	4	single	Shimano10/11S,Sram10/11S
380-0073001050	SL-K ABS MEGATOOTH 32T	WB347	32	76	4	single	Shimano10/11S,Sram10/11S
380-0071023050	SL-K ABS MEGATOOTH 28T	WB345	28	76	4	single	Shimano10/11S,Sram10/11S
380-0069003050	K-FORCE ABS MEGATOOTH 36T	WB336	36	76	4	single	Shimano10/11S,Sram10/11S
380-0068002050	K-FORCE ABS MEGATOOTH 34T	WB335	34	76	4	single	Shimano10/11S,Sram10/11S
380-0067001050	K-FORCE ABS MEGATOOTH 32T	WB334	32	76	4	single	Shimano10/11S,Sram10/11S
380-0066021050	K-FORCE ABS MEGATOOTH 30T	WB333	30	76	4	single	Shimano10/11S,Sram10/11S
380-0128B	CR MTB ALLOY black 64x28T D10 WC066		28	64	4	double	Shimano10S,Sram10/11S
380-0638A	CR MTB PRO black 104x38T D10 pin 8mm WB264A		38	104	4	double	Shimano10S,Sram10/11S
380-0636G	CR MTB PRO black 104x36T D10 pin 12mm WB263A		36	104	4	double	Shimano10S,Sram10/11S
380-0636A	CR MTB PRO black 104x36T D10 WB081A		36	104	4	double	Shimano10S,Sram10/11S
380-0639	CR MTB PRO black 104x39T D10 WB286		39	104	4	double	Shimano10S,Sram10/11S
380-0642H	CR MTB PRO black 104x42T D10 pin 12mm WA283		42	104	4	double	Shimano10S,Sram10/11S
380-0638B	CR MTB PRO black 104x38T M11 pin 12mm WB265B		38	104	4	double	Shimano10/11S,Sram10/11S
380-0636F	CR MTB PRO black 104x36T M11 pin12mm WB273B		36	104	4	double	Shimano10/11S,Sram10/11S
380-0116003050	CR MTB PRO black 104x36T M11 pin 8mm WB320		36	104	4	double	Shimano10/11S,Sram10/11S
380-0111003051	CR MTB PRO black 104x36T M11 pin 4mm WB318		32	104	4	double	Shimano10/11S,Sram10/11S
380-0636D	CR MTB PRO black 104x36T M11 pin 8mm WB272B		36	104	4	double	Shimano10/11S,Sram10/11S
380-0112003050	CR MTB ALLOY black 64x26T M11 WC074	WA032	26	64	4	double	Shimano10/11S,Sram10/11S

CODE	MODEL	W-CODE	TEETH	BCD	HOLES	SPEED	DRIVETRAIN
370-0080007050	K-FORCE LIGHT 53T	WA102	53	110	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0082006050	K-FORCE LIGHT 52T	WA104	52	110	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0084005050	K-FORCE LIGHT 50T	WA127	50	110	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0081005050	K-FORCE LIGHT 39T	WB043	39	110	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0083003050	K-FORCE LIGHT 36T	WB052	36	110	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0085002050	K-FORCE LIGHT 34T	WB053	34	110	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0097005050	K-FORCE MODULAR SUPERCOMPACT - 48T	WA128	48	DM	0	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0110003050	K-FORCE MODULAR SUPERCOMPACT - 46T	WA376	46	DM	0	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0079002050	ROAD MODULAR - 34T	WB109	34	90	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0090003050	ENERGY MODULAR 46T - compatible with 36T	WA173	46	DM	0	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0119004010	POWERBOX SUPERCOMPACT STEALTH BLACK 48T	WA336	48	120	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0120003010	POWERBOX SUPERCOMPACT STEALTH BLACK 46T	WA337	46	120	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0075008011	POWERBOX STEALTH BLACK 55T	WA270	55	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0076011011	POWERBOX STEALTH BLACK 54T	WA100	54	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0082007010	POWERBOX STEALTH BLACK 53T	WA001	53	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0083006010	POWERBOX STEALTH BLACK 52T	WA009	52	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0085005012	POWERBOX STEALTH BLACK 50T	WA004	50	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0038003012	POWERBOX STEALTH BLACK 46T	WA002	46	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0077008050	POWERBOX STEALTH BLACK 42T - compatible with 55T and 54T	WB112	42	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
370-0051001140	PRO 32T	WB050	32	90	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0078005050	POWERBOX STEALTH BLACK 39T - compatible with 55T and 54T	WB074	39	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0012003050	POWERBOX STEALTH BLACK 36T	WB288	36	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0014002051	POWERBOX STEALTH BLACK 34T	WB282	34	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
368-0010011050	VISION METRON TT 54T	WA628	54	130	5	double	K-Force WE, Metron 11S, Shimano10/11S, Sram10/11S, Campa10S
368-0011008050	VISION METRON TT 55T	WA629	55	130	5	double	K-Force WE, Metron 11S, Shimano10/11S, Sram10/11S, Campa10S
368-0035009050	VISION METRON TT 56T	WA235	56	130	5	double	K-Force WE, Metron 11S, Shimano10/11S, Sram10/11S, Campa10S
368-0012008050	VISION METRON TT 42T	WB327	42	130	5	double	K-Force WE, Metron 11S, Shimano10/11S, Sram10/11S, Campa10S
368-0013005050	VISION METRON TT 44T	WB009	44	130	5	double	K-Force WE, Metron 11S, Shimano10/11S, Sram10/11S, Campa10S
370-0148	CR RD PRO black 130x48T pin 8mm S10 WA143		48	130	5	double	Shimano10/11S, Sram10/11S, Campa10S
371-0011005051	POWERBOX / K-FORCE / SL-K ABS 39T	WB281	39	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0065001140	GOSSAMER ABS GRAY 32T	WB395	32	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
371-0066004960	GOSSAMER ABS GRAY 48T	WA635	48	110ABS	4	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
368-0029008050	VISION TRACK 55T	WA156	55	144	5	single	Single Speed
380-0327025050	K-FORCE DIRECT MOUNT MEGATOOTH 1X 28T	WA205	28	DM	0	single	Shimano10/11S, Sram10/11S
380-0207004140	COMET MODULAR 28T - inner	WC102	28	68	4	double	Shimano10/11S, Sram10/11S
380-0208003140	COMET MODULAR 26T - inner	WC106	26	68	4	double	Shimano10/11S, Sram10/11S
380-0205002140	COMET MODULAR 24T - inner	WC099	24	68	4	double	Shimano10/11S, Sram10/11S
380-0171004050	POWERBOX / SL-K / AFTERBURNER MODULAR 28T - inner	WC087	28	68	4	double	Shimano10/11S, Sram10/11S
380-0245003050	POWERBOX / SL-K / AFTERBURNER MODULAR 26T - inner	WC105	26	68	4	double	Shimano10/11S, Sram10/11S
380-0169002050	POWERBOX / SL-K / AFTERBURNER MODULAR 24T - inner	WC085	24	68	4	double	Shimano10/11S, Sram10/11S
380-0170001050	SL-K / AFTERBURNER / COMET / V-DRIVE 22T - inner	WC086	22	68	4	double	Shimano10/11S, Sram10/11S
380-0227014050	MTB MEGATOOTH 48T	WB409	48	104	4	single	Shimano10/11S, Sram10/11S
380-0262026540	GAMMA PRO 30T	WA149	30	82	4	single	Shimano10/11S, Sram10/11S
380-0263025540	GAMMA PRO 28T	WA147	28	82	4	single	Shimano10/11S, Sram10/11S
380-0264027540	GAMMA PRO 32T	WA153	32	82	4	single	Shimano10/11S, Sram10/11S
380-0265023540	GAMMA PRO 34T	WA154	34	82	4	single	Shimano10/11S, Sram10/11S
380-0326026050	K-FORCE DIRECT MOUNT MEGATOOTH 1X 30T	WA206	30	DM	0	single	Shimano10/11S, Sram10/11S
380-0325027050	K-FORCE DIRECT MOUNT MEGATOOTH 1X 32T	WA207	32	DM	0	single	Shimano10/11S, Sram10/11S
380-0324023050	K-FORCE DIRECT MOUNT MEGATOOTH 1X 34T	WA208	34	DM	0	single	Shimano10/11S, Sram10/11S
380-0323024050	K-FORCE DIRECT MOUNT MEGATOOTH 1X 36T	WA209	36	DM	0	single	Shimano10/11S, Sram10/11S
380-0322017050	K-FORCE DIRECT MOUNT MEGATOOTH 1X 38T	WA210	38	DM	0	single	Shimano10/11S, Sram10/11S
380-0328004050	K-FORCE MODULAR 38T - compatible with 28T	WB431	38	DM	0	double	Shimano10/11S, Sram10/11S
380-0329004050	K-FORCE MODULAR 38T - compatible with 24T	WB432	38	DM	0	double	Shimano10/11S, Sram10/11S
380-0330003050	K-FORCE MODULAR 36T - compatible with 26T	WB433	36	DM	0	double	Shimano10/11S, Sram10/11S
380-0331003050	K-FORCE MODULAR 36T - compatible with 22T	WB434	36	DM	0	double	Shimano10/11S, Sram10/11S
380-0332002050	K-FORCE MODULAR 34T - compatible with 22T	WB435	34	DM	0	double	Shimano10/11S, Sram10/11S
380-0333002050	K-FORCE MODULAR 34T - compatible with 24T	WB436	34	DM	0	double	Shimano10/11S, Sram10/11S
380-0334004050	K-FORCE MODULAR 28T	WC112	28	68	4	double	Shimano10/11S, Sram10/11S

1 - OFF ROAD

2 - GRAVEL

3 - ROAD

4 - OUTLET

5 - WORKSHOP

6 - ACCESSORIES

CODE	MODEL	W-CODE	TEETH	BCD	HOLES	SPEED	DRIVETRAIN
380-0335002050	K-FORCE MODULAR 24T	WC113	24	68	4	double	Shimano10/11S,Sram10/11S
380-0336003050	K-FORCE MODULAR 26T	WC114	26	68	4	double	Shimano10/11S,Sram10/11S
380-0337001050	K-FORCE MODULAR 22T	WC115	22	68	4	double	Shimano10/11S,Sram10/11S
380-0246026051	POWERBOX MTB CARBON 1X 30T	WA694	30	96	4	single	Shimano10/11S,Sram10/11S
380-0247027051	POWERBOX MTB CARBON 1X 32T	WA695	32	96	4	single	Shimano10/11S,Sram10/11S
380-0248023051	POWERBOX MTB CARBON 1X 34T	WA696†	34	96	4	single	Shimano10/11S,Sram10/11S
380-0249024051	POWERBOX MTB CARBON 1X 36T	WA697	36	96	4	single	Shimano10/11S,Sram10/11S
370-0130006540	VERO MEGATOOTH 1X 40T	WB114	40	120	4	single	Shimano10/11S,Sram10/11S
370-0131008540	VERO MEGATOOTH 1X 42T	WB115	42	120	4	single	Shimano10/11S,Sram10/11S
371-0090006050	OMEGA MEGATOOTH 1X 40T	WB068	40	120	4	single	Shimano10/11S,Sram10/11S
371-0089008050	OMEGA MEGATOOTH 1X 42T	WB138	42	120	4	single	Shimano10/11S,Sram10/11S
38000281003140	E-BIKE STEEL 3/32 - 46T	WA527	46	104	4	single	BOSCH Gen3
38000280002140	E-BIKE STEEL 3/32 - 44T	WA546	44	104	4	single	BOSCH Gen3
38000279001140	E-BIKE STEEL 3/32 - 42T	WA516	42	104	4	single	BOSCH Gen3
38000296012140	E-BIKE STEEL 3/32 - 40T	WA023	40	104	4	single	BOSCH Gen3
38000278004140	E-BIKE STEEL 3/32 - 38T	WB531	38	104	4	single	BOSCH Gen3
38000277003140	E-BIKE STEEL 3/32 - 36T	WB545	36	104	4	single	BOSCH Gen3
371-0246	CR RD SL-K ABS 5H 110x46T N11 WA002		46	110ABS	5	double	Shimano10/11S,Sram10/11S,Campa10S
380-0450026050	KFX MODULAR MEGATOOTH 30T	WA442	30	DM	0	single	Shimano11/12S,Sram11/12S
380-0451027050	KFX MODULAR MEGATOOTH 32T	WA715	32	DM	0	single	Shimano11/12S,Sram11/12S
380-0452023050	KFX MODULAR MEGATOOTH 34T	WA716	34	DM	0	single	Shimano11/12S,Sram11/12S
380-0453024050	KFX MODULAR MEGATOOTH 36T	WA717	36	DM	0	single	Shimano11/12S,Sram11/12S
380-0454017050	KFX MODULAR MEGATOOTH 38T	WA718	38	DM	0	single	Shimano11/12S,Sram11/12S
371-0246D	PRO 46T		46	110	5	double	K-Force WE, Shimano10/11S, Sram10/11S, Campa10S
380-0065002051	MTB MEGATOOTH 34T	WB381	34	104	4	single	Shimano10/11S,Sram10/11S
380-0091003050	MTB MEGATOOTH 36T	WB382	36	104	4	single	Shimano10/11S,Sram10/11S
380-0092004050	MTB MEGATOOTH 38T	WB383	38	104	4	single	Shimano10/11S,Sram10/11S
37100142014010	FSA CR Track NS Alloy 144x49T	WA539	49	144	4	single	Single Speed
37100143008010	FSA CR Track NS Alloy 144x55T	WA540	55	144	4	single	Single Speed
371-0132050030	VISION CR TRACK NS ONE PIECE CARBON 144x63T WA479	WA479	63	144	4	single	Single Speed
371-0133051030	VISION CR TRACK NS ONE PIECE CARBON 144x64T WA480	WA480	64	144	4	single	Single Speed
371-0134052030	VISION CR TRACK NS ONE PIECE CARBON 144x65T WA481	WA481	65	144	4	single	Single Speed
371-0135053030	VISION CR TRACK NS ONE PIECE CARBON 144x66T WA482	WA482	66	144	4	single	Single Speed
371-0118014030	FSA CR TRACK NS ONE PIECE CARBON 144x49T WA395	WA395	49	144	4	single	Single Speed
371-0119005030	FSA CR TRACK NS ONE PIECE CARBON 144x50T WA413	WA413	50	144	4	single	Single Speed
371-0120013030	FSA CR TRACK NS ONE PIECE CARBON 144x51T WA414	WA414	51	144	4	single	Single Speed
371-0121006030	FSA CR TRACK NS ONE PIECE CARBON 144x52T WA417	WA417	52	144	4	single	Single Speed
371-0122007030	FSA CR TRACK NS ONE PIECE CARBON 144x53T WA420	WA420	53	144	4	single	Single Speed
371-0123011030	FSA CR TRACK NS ONE PIECE CARBON 144x54T WA427	WA427	54	144	4	single	Single Speed
371-0124008030	FSA CR TRACK NS ONE PIECE CARBON 144x55T WA428	WA428	55	144	4	single	Single Speed
371-0125009030	FSA CR TRACK NS ONE PIECE CARBON 144x56T WA454	WA454	56	144	4	single	Single Speed
371-0126065030	FSA CR TRACK NS ONE PIECE CARBON 144x57T WA456	WA456	57	144	4	single	Single Speed
371-0127018030	FSA CR TRACK NS ONE PIECE CARBON 144x58T WA457	WA457	58	144	4	single	Single Speed
371-0128066030	FSA CR TRACK NS ONE PIECE CARBON 144x59T WA460	WA460	59	144	4	single	Single Speed
371-0129047030	FSA CR TRACK NS ONE PIECE CARBON 144x60T WA466	WA466	60	144	4	single	Single Speed
371-0130067030	FSA CR TRACK NS ONE PIECE CARBON 144x61T WA467	WA467	61	144	4	single	Single Speed
371-0131010030	FSA CR TRACK NS ONE PIECE CARBON 144x62T WA478	WA478	62	144	4	single	Single Speed
380-0539027090	CR MTB SL-K DM MT 1x 32T SH12 WA808	WA808	32	DM	0	single	Shimano 12S
380-0538026090	CR MTB SL-K DM MT 1x 30T SH12 WA807	WA807	30	DM	0	single	Shimano 12S
380-0537025090	CR MTB SL-K DM MT 1x 28T SH12 WA806	WA806	28	DM	0	single	Shimano 12S
380-0530027050	CR MTB GRIDV-DRIVE DM 1x 32T WA775 MT-A B2	WA775	32	DM	0	Single	Sram 11/12S

CHAINS

5.6/ CHAINS

K-FORCE WE 12SPEED


SIZES

- 5.6mm width

FINISH

- Nickel plated finish, FSA Logo

WEIGHT

- 250 grams (116 Links)

CODE	DESCRIPTION	金額
360-0014007360	CH CHAIN K-FORCE WE 12S 116L CN-1201N	11,550円 (税込)

K-FORCE MTB 12SPEED


SIZES

- 5.25mm width

FINISH

- Nickel outer plated finish, Black inner plated finish

WEIGHT

- 250 grams (116 Links)

CODE	DESCRIPTION	金額
360-0014011360	CH CHAIN K-FORCE MTB 126 links 12s CN-1201	11,550円 (税込)
360-0015000361	CH LINK Connector K-FORCE 12S CN029 5pcs	6,050円 (税込)

SF11 E-BIKE 11SPEED


SIZES

- 5.6mm width

FINISH

- NNickel outer plated finish, Black inner plated finish

WEIGHT

- 274 grams (120 Links)

CODE	DESCRIPTION	金額
360-0017009120	CH E-BIKE CHAIN 11S 120L w/Link CN1105	8,690円 (税込)

TEAM ISSUE 11SPEED


SIZES

- 5.6mm width

FINISH

- Nickel plated finish, FSA Logo

WEIGHT

- 261 grams (114 Links)

CODE	DESCRIPTION	金額
360-0007007360	CH CHAIN TEAM ISSUE 11S 116L V3 w/Link CN-1102N	8,690円 (税込)

K-FORCE 10SPEED


SIZES

- 5.85mm width

FINISH

- Nickel plated finish, FSA Logo

WEIGHT

- 250 grams (114 Links)

CODE	DESCRIPTION	金額
360-0004007360	CH CHAIN K-FORCE 10S 116L w/Link CN-1002N	13,750円 (税込)

TEAM ISSUE 10SPEED


SIZES

- 5.88mm width

FINISH

- Nickel plated finish, FSA Logo

WEIGHT

- 264 grams (114 Links)

CODE	DESCRIPTION	金額
360-0003007360	CH CHAIN TEAM ISSUE 10S 116L w/Link CN-910N	8,140円 (税込)
360-0018000070	CH LINK Connector 9/10S NOT reusable CN018N 5pcs	5,390円 (税込)

TEAM ISSUE 9SPEED


SIZES

- 6.4mm width

FINISH

- Nickel plated finish

WEIGHT

- 284 grams (114 Links)

CODE	DESCRIPTION	金額
360-0005007360	CH CHAIN TEAM ISSUE 9S 116L w/Link CN-906	6,600円 (税込)
360-0018000070	CH LINK Connector 9/10S NOT reusable CN018N 5pcs	5,390円 (税込)

FSA CHAINRING BOLTS

CHAINRINGS SPARES



5.7/TOOLS

CODE	DESCRIPTION	金額
390-1000	CRSP Bolts+Nuts Silver double (5+5pcs) T30 E0024	0円 (税込)
390-1005	CRSP Bolts+Nuts Black double (5+5pcs) T30 E0024	
390-1010	CRSP Bolt Kit + wrench Silver 12pcs(triple) MTB	
390-1015	CRSP Bolt Kit+ wrench Black 12pcs (triple) MTB	
390-2097	CRSP Bolt K-FORCE ABS ML450x4 ML227/MW058K1	
390-0035000260	CRSP Kit Tab+Bolt Black SL-K ABS 4h E0084+ML021	
390-0073000150	CRSP Bolt GOSSM ABS ML023+Spacers 5.5 MW426 4pcs	
390-1044	CRSP bolt KIT K-Force 386 ML227/228/MW058	
390-1046	CRSP bolt KIT SLK & AFT 386 ML138/144/ML227/MW058	
390-2096	CRSP bolt 386 1x ML138/ML003x2-ML450x1	

MEGAEVO / T47 CUP TOOL



- Economical spanner style wrench necessary to install MegaEvo bottom brackets
- Stamped steel

CODE	DESCRIPTION	金額
230-2101	TOOL M/EVO Cup Tool E0373	6,050円 (税込)

MEGAEVO / T47 CUP TOOL



- Professional level socket necessary to install MegaEvo bottom brackets
- Fits on a 1/2" socket or clicker style torque wrench

CODE	DESCRIPTION	金額
230-3046	TOOL BB386EVO Socket E0410	10,010円 (税込)

BB86 / M3/ MEGAEXO BEARING INSTALLATION TOOL



- Tool that allows easy removal/installation of the bearings in MegaExo, M3, BB86 and BB92 bottom brackets
- Necessary for proper cleaning and re-greasing of ceramic cartridge bearings

CODE	DESCRIPTION	金額
800-0105	TOOL M/EXO Bearing Removal/Installation EE073	15,400円 (税込)

MEGAEXO CUP TOOL


- Inexpensive spanner wrench for removing and installing MegaExo bottom bracket cups
- Stamped steel
- FSA logo

CODE	DESCRIPTION	金額
230-2100	TOOL M/EXO Cup E0102	7,150円 (税込)

MEGAEXO SOCKET TOOL


- Professional level tool for removal and installation of MegaExo bottom bracket cups
- Use with 1/2" socket or clicker style torque wrench

CODE	DESCRIPTION	金額
230-2210	TOOL M/EXO Socket E0139	12,210円 (税込)

MEGAEXO CRANK BOLT EXTRACTOR


- Socket that allows easy installation and removal of MegaExo extractor caps. Works better than traditional pin spanners
- Pin tool for QR-16/ QR-17/ QR-18/ QR-19/ QR-20/ QR-21

CODE	DESCRIPTION	金額
390-2099	TOOL MegaExo NBD Extractor PIN EE023A	18,370円 (税込)

ISIS BB CUP TOOL


- Forged for strength and durability
- Extra depth for long spindle lengths
- Shimano cartridge BB compatible

CODE	DESCRIPTION	金額
230-2000	TOOL ISIS BB Cup E0021	5,390円 (税込)

BB86/92 INSTALLATION PRESS


- Professional level bearing press installs BB86/92 bearings straight and in proper alignment
- Hardened tool steel is durable for extended periods of use

CODE	DESCRIPTION	金額
23000049000010	TOOL BB86/92 BB SHELL ID ALIGNMENT EL315	72,270円 (税込)

GO/NO GO GAUGE



- Go / no go gauge to quickly check inner diameter (ID) of BB30 bottom bracket shells.
- Hardened tool steel with plated machine ground ends for accuracy and durability

CODE	DESCRIPTION	金額
800-0008	TOOL BB30 Bearing ID Go/NoGo Gauge E0171	90,860円 (税込)
800-0023	TOOL PF30 Shell ID Go/NoGo Gauge E0382	88,220円 (税込)

BEARING ALIGNMENT GAUGE



- Checks that the bearing seats of the BB30 bottom bracket shell are in alignment and concentric to each other. Bearing seats that are not in alignment will cause poor bearing performance and premature wear.

CODE	DESCRIPTION	金額
800-0009	TOOL BB30 Alignment Gauge EE036	115,170円 (税込)
800-0024	TOOL PF30 Alignment Gauge EE106	137,500円 (税込)

BEARING INSTALLATION PRESS



- Professional level bearing press installs BB30 bearings straight and in proper alignment
- Hardened tool steel is durable for extended periods of use

CODE	DESCRIPTION	金額
800-0011	TOOL BB30 Bearing Installation Press EE037	38,720円 (税込)

BEARING REMOVAL TOOL



- Professional level bearing removal tool takes out BB30 bearings easily without damaging the bearing or frame
- Hardened tool steel is durable for extended periods of use

CODE	DESCRIPTION	金額
800-0012	TOOL BB30 Bearing Removal EE038	62,040円 (税込)

BB30 BEARING INSTALLATION TOOL



- Economical tool that fits on traditional bearing presses in order to install BB30 bearings in proper alignment into BB30 shells

CODE	DESCRIPTION	金額
230-5010	TOOL BB30 Bearing Installation EE041	3,300円 (税込)

BB30 BEARING REMOVAL TOOL



- Economical tool that helps remove BB30 bearings from frames. Use with a hammer and punch (not included)

CODE	DESCRIPTION	金額
230-5011	TOOL BB30 Bearing removal E0019	2,530円 (税込)

BB30 THREADED ADAPTER 68MM



- Presses into a BB30 bottom bracket shell with 42mm Inner Diameter (ID) and 68mm width to allow a threaded bottom bracket to be installed; BC-1.37" x 24T threading
- With Loctite 609

CODE	DESCRIPTION	金額
230-5005A	BBSP Shell adapter BB30 to BSA68mm B3119	6,050円 (税込)
230-5006A	BBSP Shell adapter BB30 to BSA73mm B3122	

PF30 THREADED ADAPTER 68MM



- Presses into a PF30 bottom bracket shell with 46mm inner diameter (ID) and 68mm width to allow a threaded bottom bracket to be installed; BC-1.37" x 24T threading.
- With Loctite 609

CODE	DESCRIPTION	金額
230-5024	BBSP Shell adapter PF30 to BSA68mm B3167	8,140円 (税込)
230-5025	BBSP Shell adapter PF30 to BSA73mm B3176	8,140円 (税込)

BB30 MTB PRELOAD ADJUSTER WRENCH



- Wrench to adjust the bearing preload nut on the non-drive arm of FSA and Gravity BB30 MTB cranksets. Not necessary for road cranksets

CODE	DESCRIPTION	金額
230-5012	TOOL BB30 MTB Preload Adjuster Wrench E0210	3,740円 (税込)

ADJUSTABLE SPACER



- There are instances where despite proper installation of BB30 cranksets into BB30 or PF30 bottom bracket shells, there is "side play." MS188 shims will remove the side play. Place the necessary shims between the non-drive bearing cover and wave spring washer (road) adjustment collar (for ATB).

CODE	DESCRIPTION
------	-------------

MODULAR TOOL



- Modular crank lock ring removal and installation tool
- For both MegaExo and BB392EVO modular cranks
- For both BB386EVO and BB392EVO PowerBox power meter cranks
- Also fits Cannondale Hollowgram cranks

CODE	DESCRIPTION	金額
230-0043000520	TOOL ck Modular RD/PBOX removal/installation E0667	7,700円 (税込)
23000023000520	TOOL ck Modular MTB removal/installation E0611	8,470円 (税込)

CERAMIC BEARING GREASE



FSA Ceramic Grease is a silicon based high quality grease, designed specifically to maintain the silicon nitride ceramic balls used in our top level bottom brackets. Available in a unique 3cc injector syringe, which allows fine control of application.

CODE	DESCRIPTION	金額
230-5016	BBSP Grease Syringe for Ceramic Bearings ME179	1,980円 (税込)

5.8 / WHEELS SPARE PARTS

KFX i28

WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
710-0177111030 710-0177116030	SH 11/12s XD	FRONT HUB	75201031002751	U1180 Power Ratchet System Front Hub Assembly - 24H	6-Bolt,TA15 Configuration
			75201114003050	U1186 Power Ratchet System Front Hub Assembly - 28H	6-Bolt,TA15 Configuration
			752-1139000000	MR271 Steel Bearing	For Drive side/Non-drive side
			752-0934000000	MW455 Front Hub Spacer	
			752-0931000750	EL407 Front Hub End Caps p axle 15mm	TA15 Configuration
		REAR HUB	75201033002752	U2180 Power Ratchet System Rear Hub Assembly - 24H Shimano MS 12S	6-Bolt,X12 Configuration
			75201158002050	U5180 Power Ratchet System Rear Hub Assembly - 24H SRAM XDR 12S C	6-Bolt,X12 Configuration
			75201069003750	U2186 Power Ratchet System Rear Hub Assembly - 28H Shimano MS 12S	6-Bolt,X12 Configuration
			75201111003050	U5186 Power Ratchet System Rear Hub Assembly - 28H SRAM XDR 12S C	6-Bolt,X12 Configuration
			752-1140000010	ME453 Axle for Rear Hub Assembly	
			752-1103000000	MR258 Steel Bearings	For Drive side/Non-drive side
			75201073000000	MW100 Press fit Hub Spacer	
			752-1141000010	EL469 Rear Hub End Cap Kit	
			5201137000AM0	MW786 Helical Clutch Ratchet Inner Ring	
			75201136000AM0	MW785 Helical Clutch Ratchet Outer Ring	
			75201028000011	EL433 Freehub Assembly - Shimano MS Compatible	
			75201133000010	EL467 Freehub Assembly - SRAM XDR 12S Compatible	

GRADIENT i30

WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
720-0092061030 720-0092066030	SH 11/12s XD	FRONT HUB	75201031002751	U1180 Power Ratchet System Front Hub Assembly - 24H	6-Bolt,TA15 Configuration
			75201114003050	U1186 Power Ratchet System Front Hub Assembly - 28H	6-Bolt,TA15 Configuration
			752-1139000000	MR271 Steel Bearing	For Drive side/Non-drive side
			752-0934000000	MW455 Front Hub Spacer	
		REAR HUB	752-0931000750	EL407 Front Hub End Caps p axle 15mm	TA15 Configuration
			75201033002752	U2180 Power Ratchet System Rear Hub Assembly - 24H Shimano MS 12S	6-Bolt,X12 Configuration
			75201158002050	U5180 Power Ratchet System Rear Hub Assembly - 24H SRAM XDR 12S C	6-Bolt,X12 Configuration
			75201069003750	U2186 Power Ratchet System Rear Hub Assembly - 24H Shimano MS 12S	6-Bolt,X12 Configuration
			75201111003050	U5186 Power Ratchet System Rear Hub Assembly - 24H SRAM XDR 12S C	6-Bolt,X12 Configuration
			752-1140000010	ME453 Axle for Rear Hub Assembly	
			752-1103000000	MR258 Steel Bearings	For Drive side/Non-drive side
			75201073000000	MW100 Press fit Hub Spacer	
			752-1141000010	EL469 Rear Hub End Cap Kit	
			5201137000AM0	MW786 Helical Clutch Ratchet Inner Ring	
			75201136000AM0	MW785 Helical Clutch Ratchet Outer Ring	
			75201028000011	EL433 Freehub Assembly - Shimano MS Compatible	
			75201133000010	EL467 Freehub Assembly - SRAM XDR 12S Compatible	

NS SC i30

WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
720-0092061030 720-0092066030	SH 11/12s XD	FRONT HUB	75200974003011	U1177 Front Hub Assembly -28H	6-Bolt,TA15 Configuration
			752-0279000000	MR200 Steel Bearing	For Drive side/Non-drive side
			752-0523000010	MW634 Front Hub End Cap axle 15mm	TA15 Configuration
		REAR HUB	75201131003011	U2198 Rear Hub Assembly - 28H Shimano MS 12S Compatible	6-Bolt, X12, Alloy Axle + Alloy Freehub
			75200975003011	U2177 Rear Hub Assembly - 28H Shimano MS 12S Compatible	6-Bolt, X12, Steel Axle + Steel Freehub
			752-1023000010	ME450 Rear Hub Axle	Alloy
			752-1153000AG0	ME464 Rear Hub Axle	Steel
			752-0956000000	MR251 Steel Bearings	For Drive side
			752-0955000000	MR250 Steel Bearings	For Non-drive side
			752-1156000AG0	MW055 Rear Hub Spacer	For Steel Freehub
			752-0959000AG0	MW757 Rear Hub Spacer	For Alloy Freehub
			752-1022000010	EL437 Rear Hub End Caps - Shimano MS Compatible	X12 Configuration
			75201019000AG0	Freehub EMTB Steel SH12 w/DSCap w/o Spn U2177/U2202 EL431	with Drive side end caps and axle
			75201068000AG0	Freehub EMTB Steel XD w/DSCap w/o Spn U5177/U5202 EL451	with Drive side end caps and axle
			752-1024000011	Freehub EMTB Alloy SH12 w/DSCap w/o Spn U2198/U2164/27 EL432	with Drive side end caps and axle
			752-0958000AG0	Freehub EMTB Alloy XD w/DSCap w/o Spn U5198/U5164/27 EL399	with Drive side end caps and axle

E-MTB 29 CARBON

WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
720-0053211030 720-0090221030 720-0053216030	SH 11/12s XD	FRONT HUB	752-0827002011D72	U1154 Front Hub Assembly	TA-15 axle compatible, 6-B
			752-0931000010	EL407 Front Hub End Cap Kit	TA-15 axle compatible, 6-B
			752-0934000000	MW455 Front Hub Spacer	TA-15 axle compatible, 6-B
			752-0123000001	MR183 Steel Bearing x2 pc	
		REAR HUB	752-0828002012	U2154 Rear Hub Assembly-Shimano compatible	X12 axle compatible , 6-B
			752-0983002015	U2150 Rear Hub Assembly-Shimano compatible	X12 axle compatible, Centerlock, Non-Microspline
			752-0983002013	U2150 Rear Hub Assembly-Shimano compatible	X12 axle compatible, Centerlock, Microspline
			752-0985002012	U5154 Rear Hub Assembly-SRAM XD compatible	X12 axle compatible, 6-B
			752-0984002011	U5150 Rear Hub Assembly-SRAM XD compatible	X12 axle compatible, Centerlock
			752-0928000010	EL404 Rear Hub End Cap Kit	Non-Micro Spline, 6-B
			752-0850000010	EL393 Rear Hub End Cap Kit	Non-Microspline, Centerlock
			752-1013000010	EL428 Rear Hub End Cap Kit	Microspline, 6-B
			752-1014000010	EL429 Rear Hub End Cap Kit	Microspline, Centerlock
			752-1015000010	ME385 Rear Hub Axle	Non-Micro Spline, 6-B, Centerlock
			752-1011000010	ME414 Rear Hub Axle	Microspline ,6-B, Centerlock
			752-0495000003	MR028 + MR017 Steel Bearing x1 pc	For Centerlock
			752-0077000001	MR028 Steel Bearing x2 pc	For 6-B configuration
			752-0424000000	EL291 Freehub Assembly- Shimano compatible	Include Bearing, Non-Micro Spline
			752-0937000000	EL409 Freehub Assembly – Microspline 12S w/Spindle,	Include Bearing, DS End Cap
			752-0425000000	EL292 Freehub Assembly – SRAM XD compatible	Include Bearings

AFTERBURNER i27

WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
720-0025181053 720-0025181052	SH 11/12s XD	FRONT HUB	752-0827002010	U1154 Front Hub Assembly	TA-15 axle compatible, 6-B
			752-0931000010	EL407 Front Hub End Cap Kit	TA-15 axle compatible, 6-B
			752-0934000000	MW455 Front Hub Spacer	TA-15 axle compatible, 6-B
			752-0123000001	MR183 Steel Bearing x2 pc	
		REAR HUB	752-0827002010	U1154 Front Hub Assembly	TA-15 axle compatible, 6-B
			752-0931000010	EL407 Front Hub End Cap Kit	TA-15 axle compatible, 6-B
			752-0934000000	MW455 Front Hub Spacer	TA-15 axle compatible, 6-B
			752-0123000001	MR183 Steel Bearing x2 pc	
			752-0424000000	EL291 Freehub Assembly- Shimano compatible	Include Bearing, Non-Micro Spline
			752-0828002014	U2154 Rear Hub Assembly-Shimano compatible	X12 axle compatible , 6-B Micro Spline
			752-0985002011	U5154 Rear Hub Assembly-SRAMXD compatible	X12 axle compatible, 6-B SRAM XD

1 - OFF ROAD

2 - GRAVEL

3 - ROAD

4 - OUTLET

5 - WORKSHOP

6 - ACCESSORIES

SL-K AGX i25					
WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
720-0063181032	SH 11/12s XD	FRONT HUB	752-0827002011	U1154 Front Hub Assembly	TA-15 axle compatible, 6-B
			752-0931000010	EL407 Front Hub End Cap Kit	TA-15 axle compatible, 6-B
			752-0934000000	MW455 Front Hub Spacer	TA-15 axle compatible, 6-B
			752-0123000001	MR183 Steel Bearing x2 pc	
		REAR HUB	752-0828002012	U2154 Rear Hub Assembly-Shimano compatible	X12 axle compatible , 6-B
			752-0983002015	U2150 Rear Hub Assembly-Shimano compatible	X12 axle compatible, Centerlock, Non-Microspline
			752-0983002013	U2150 Rear Hub Assembly-Shimano compatible	X12 axle compatible, Centerlock, Microspline
			752-0985002012	U5154 Rear Hub Assembly-SRAM XD compatible	X12 axle compatible, 6-B
			752-0984002011	U5150 Rear Hub Assembly-SRAM XD compatible	X12 axle compatible, Centerlock
			752-0928000010	EL404 Rear Hub End Cap Kit	Non-Micro Spline, 6-B
			752-0850000010	EL393 Rear Hub End Cap Kit	Non-Microspline, Centerlock
			752-1013000010	EL428 Rear Hub End Cap Kit	Microspline, 6-B
			752-1014000010	EL429 Rear Hub End Cap Kit	Microspline, Centerlock
			752-1015000010	ME385 Rear Hub Axle	Non-Micro Spline, 6-B, Centerlock
			752-1011000010	ME414 Rear Hub Axle	Microspline ,6-B, Centerlock
			752-0495000003	MR028 + MR017 Steel Bearing x1 pc	For Centerlock
			752-0077000001	MR028 Steel Bearing x2 pc	For 6-B configuration
			752-0424000000	EL291 Freehub Assembly- Shimano compatible	Include Bearing, Non-Micro Spline
			752-0937000000	EL409 Freehub Assembly – Microspline 12S w/Spindle,	Include Bearing, DS End Cap
			752-0425000000	EL292 Freehub Assembly – SRAM XD compatible	Include Bearings

NS AGX i25					
WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
720-0060181050 720-0060181050	SH 11/12s XD	FRONT HUB	752-0948002010D135	U1163 Front Hub Assembly - 6-Bolts	TA12 axle compatible
			752-0949000000	MR249 Steel Bearing	
			752-0262000010	MW501 Front Hub End Cap Kit	TA-12 axle compatible
			752-0947002010	U1162 Front Hub Assembly - Centerlock	TA12 axle compatible
			752-0263000010	MW502 Front Hub End Cap Kit	TA15 axle compatible
		REAR HUB	752-0951002010	U2163 Rear Hub Assembly - 6-Bolts	X12 axle compatible
			752-0954000020	ME429 Rear Hub Axle	
			752-0955000000	MR250 Steel Bearing - Non-drive side	
			752-0956000000	MR251 Steel Bearing - Drive side	
			752-0957000AG0	EL410 Freehub Assembly – Shimano compatible	Include Chromoly Steel Bearing
			752-0961000010	MW760 Rear Hub End Cap Kit – Shimano compatible	X12 axle compatible
			752-0950002010	U2162 Rear Hub Assembly - Centerlock	X12 axle compatible
			752-0952002010	U5162 Rear Hub Assembly - Centerlock	Sram XD/XDR compatible
			752-0953002010	U5163 Rear Hub Assembly - 6-Bolts	Sram XD /XDR compatible
			752-0958000AG0	EL399 Freehub Assembly – SRAM XD compatible	Include Bearing, Drive side end cap
			752-0962000010	MW761 Rear Hub End Cap Kit –SRAM XD compatible	X12 axle compatible
			752-0495000003	MR028 + MR017 Steel Bearing x1 pc	For Centerlock
			752-0077000001	MR028 Steel Bearing x2 pc	For 6-B configuration
			752-0424000000	EL291 Freehub Assembly- Shimano compatible	Include Bearing, Non-Micro Spline
			752-0937000000	EL409 Freehub Assembly – Microspline 12S w/Spindle,	Include Bearing, DS End Cap
			752-0425000000	EL292 Freehub Assembly – SRAM XD compatible	Include Bearings

COCKPIT**ACR - 0-FORK**
COMPATIBILITY CHART**5.9/ COMPATIBILITY
CHART**

STEM	HANDLEBAR		HEADSET
ASTM 2 ST-OS-174/SMR-II-10° 	ASTM 2 K-FORCE LIGHT COMPACT 	ASTM 2 METRON 4D FLAT 	N0.55R 1.5"/ACR-HBS-180 N0.94-HBS-146/CR N0.94-HBS-146/CR/1.8" N0.55R 1.5"/ACR/STD N0.55R 1-1/4"/ACR-FSA N0.55R 1.5"/CR/B N0.55R 1.8"/CR N0.72/CR N0.55R 1.5"/CR/LS N0.80 1.5"/CR II Middle N0.80 1.5"/CR II Dual
	SL-K COMPACT 	METRON 4D COMPACT 	
	ENERGY 	METRON AERO 	
	ENERGY SUPER COMPACT 	TRIMAX AERO 	
	K-FORCE AGX 	TRIMAX COMPACT 	
	A-WING AGX 		
INTEGRATED HANDLEBARS			
ASTM 2	METRON 5D ACR EVO 	METRON 5D ACR 3K 	

1 - OFF ROAD

2 - GRAVEL

3 - ROAD

4 - OUTLET

5 - WORKSHOP

6 - ACCESSORIES

COCKPIT

KFX SIC



COMPATIBILITY CHART

STEM	HANDLEBAR	HEADSET
ASTM 3 NS STEM SMR 	ASTM 3 KFX FLAT  KFX LOW RISER  AFTERBURNER FLAT  AFTERBURNER LOW RISER 	NO.SSR 1.5"/CR/B NO.55R 1.8"/CR NO.55R 1.8"/CUP/ICR NO.13/12B/44/ICR NO.13/57E/ICR NO.72/CR NO.55R 1.5"/CR/LS NO.80 1.5"/CR II Middle NO.80 1.5"/CR II Dual
INTEGRATED HANDLEBARS		
ASTM 3 KFX SIC 	NS SIC 	

COCKPIT

SMR II- O-FORK - FULLY HIDDEN

COMPATIBILITY CHART

STEM	HANDLEBAR		HEADSET
ASTM 2 O-FORK FSA SMR II  VISION SMR II  D-FORK FSA SMR II  VISION SMR II 	ASTM 2 K-FORCE COMPACT  SL-K COMPACT  ENERGY COMPACT  ENERGY SUPER COMPACT  K-FORCE AGX  K-WING AGX  A-WING AGX 	ASTM 2 METRON 4D FLAT  METRON 4D COMPACT  METRON AERO  TRIMAX AERO  TRIMAX COMPACT 	NO.SSR 1.5"/ACR-HBS-180 NO.94-HBS-146/CR NO.94-HBS-146/CR/1.8" NO.55R 1.5"/ACR/STD NO.55R 1-1/4"/ACR-FSA NO.55R 1.5"/CR/B NO.55R 1.8"/CR NO.55R 1.8"/CUP/ICR NO.13/12B/44/ICR NO.13/57E/ICR NO.72/CR

1 - OFF ROAD

2 - GRAVEL

3 - ROAD

4 - OUTLET

5 - WORKSHOP

6 - ACCESSORIES


COCKPIT

SMR II - O-FORK - SEMI HIDDEN

COMPATIBILITY CHART

STEM	HANDLEBAR		HEADSET
<u>ASTM 2</u> O-FORK FSA SMR II  VISION SMR II  O-FORK FSA SMR II  VISION SMR II 	<u>ASTM 2</u> GOSSAMER COMPACT  OMEGA COMPACT  OMEGA SUPER-COMPACT  VERO COMPACT 	<u>ASTM 2</u> PRO-WING AGX  ADVENTURE AGX  ADVENTURE AGX 	NO.SSR 1.5"/ACR-HBS-180 NO.94-HBS-146/CR NO.94-HBS-146/CR/1.8" NO.55R 1.5"/ACR/STD NO.55R 1-1/4"/ACR-FSA NO.55R 1.5"/CR/B NO.55R 1.8"/CR NO.55R 1.8"/CUP/ICR NO.13/12B/44/ICR NO.13/57E/ICR NO.72/CR

*ALL ACR HANDLEBARS ARE ALSO COMPATIBLE WITH SEMI-HIDDEN INTEGRATION

STEM	HANDLEBAR		HEADSET
<u>ASTM 2</u> NS FSA STEM 2.0  FSA OS-99 CSI  ST-OS-121-6° ST-OS-121-17°  ST-OS-93/PSH  GOSSAMER STEM  OMEGA STEM  METRON CARBON STEM  TRIMAX CARBON STEM  TRIMAX STEM 	<u>ASTM 2</u> K-FORCE COMPACT  SL-K COMPACT  ENERGY COMPACT  ENERGY SUPER COMPACT  GOSSAMER COMPACT  OMEGA COMPACT  OMEGA SUPER COMPACT  VERO 	<u>ASTM 2</u> METRON 4D FLAT  METRON 4D COMPACT  METRON AERO  TRIMAX CARBON AERO  TRIMAX COMPACT  K-FORCE AGX  K-WING AGX  A-WING AGX  PRO-WING AGX 	 SRS Center N0.69/56/SRS/ Center-HBS-129 N0.69/56/SRS/ Center-HBS-190-1 N0.69/56/SRS/ Center-HBS-180 N0.69/56/SRS/Center N0.69/62/SRS/ Center/CUP N0.69/56/SRS/ Center/57E N0.13/57E/SRS/Center

COCKPIT


SRS DUAL - 0-FORK

CHARTS

STEM	HANDLEBAR		HEADSET
ASTM 2	ASTM 2	ASTM 2	 N0.69/56/SRS/ Center-HBS-129 N0.69/56/SRS/ Center-HBS-190-1 N0.69/56/SRS/ Center-HBS-180 N0.69/56/SRS/Center N0.69/62/SRS/ Center/CUP N0.69/56/SRS/ Center/57E N0.13/57E/SRS/Center
NS FSA STEM 2.0	K-FORCE COMPACT	METRON 4D FLAT	
FSA OS-99 CSI	SL-K COMPACT	METRON 4D COMPACT	
ST-OS-121-6° ST-OS-121-17°	ENERGY COMPACT	METRON AERO	
ST-OS-93/PSH	ENERGY SUPER COMPACT	TRIMAX CARBON AERO	
GOSSAMER STEM	GOSSAMER COMPACT	TRIMAX COMPACT	
OMEGA STEM	OMEGA COMPACT	K-WING AGX	
METRON CARBON STEM	OMEGA SUPER COMPACT	A-WING AGX	
TRIMAX CARBON STEM	VERO	PRO-WING AGX	
TRIMAX STEM			

COCKPIT

SRS CENTER - O-FORK
CHARTS

STEM	HANDLEBAR	HEADSET
<u>ASTM 5</u> GRADIENT OIL SILCK  GRADIENT DIRECT MOUNT OIL SILCK  <u>ASTM 4</u> GRADIENT STEM Ø 31.8 / 35 mm  GRADIENT STEM Ø 31.8 / 35 mm  COMET STEM  <u>ASTM 3</u> KFX DROP -20°  KFX CSI  AFTERBURNER STEM  COMET STEM -17° / -6° 	<u>ASTM 5</u> GRADIENT CARBON RISER 20/30 (35)  GRADIENT RISER 25/40 AL  GRADIENT CARBON RISER 20/30 (31.8)  GRADIENT ALLOY RISER 25/40 (31.8)  <u>ASTM 4</u> COMET FLAT  <u>ASTM 3</u> KFX FLAT  KFX LOW RISER  HB-XC-495-0S780/CCH HB-XC-515A-0S780/CCH  AFTERBURNER LOW RISER  COMET LOW RISER 	 N0.69/56/SRS/ Center-HBS-129 N0.69/56/SRS/ Center-HBS-190-1 N0.69/56/SRS/ Center-HBS-180 N0.69/56/SRS/Center N0.69/62/SRS/ Center/CUP N0.69/56/SRS/ Center/57E N0.13/57E/SRS/Center

1 - OFF ROAD

2 - GRAVEL

3 - ROAD

4 - OUTLET

5 - WORKSHOP

6 - ACCESSORIES

COCKPIT

SRS
CHARTS

DUAL - O-FORK

STEM	HANDLEBAR	HEADSET
ASTM 5 GRADIENT OIL SILCK  GRADIENT DIRECT MOUNT OIL SILCK  ASTM 4 GRADIENT STEM Ø 31.8 / 35 mm  GRADIENT DM Ø 31.8 / 35 mm  COMET STEM  ASTM 3 KFX DROP -20°  KFX CSI  AFTERBURNER STEM  COMET STEM -17° / -6° 	ASTM 5 GRADIENT CARBON RISER 20/30 (35)   GRADIENT CARBON RISER 20/30 (31.8)  GRADIENT ALLOY RISER 25/40 (31.8)  ASTM 4 COMET FLAT  ASTM 3 KFX FLAT  KFX LOW RISER  HB-XC-495-0S780/CCH HB-XC-515A-0S780/CCH  AFTERBURNER LOW RISER  COMET LOW RISER 	 NO.69/56/SRS/ Center-HBS-129 NO.69/56/SRS/ Center-HBS-190-1 NO.69/56/SRS/ Center-HBS-180 NO.69/56/SRS/Center NO.69/62/SRS/ Center/CUP NO.69/56/SRS/ Center/57E NO.13/57E/SRS/Center

FSA SPACERS



CARBON SPACERS





CODE	DESCRIPTION	金額
160-4324	HSSP Carb Spacer 1-1/8 x5mm black FSA logo H2373	1,540円 (税込)
160-4325	HSSP Carb Spacer 1-1/8 x10mm black FSA logo H2373	1,540円 (税込)
160-4326	HSSP Carb Spacer 1-1/8 x 20mm black FSA logo H2373	1,540円 (税込)



ALLOY SPACERS

CODE	DESCRIPTION	金額
160-4103	HSSP Alloy Spacer 1-1/8 x3mm black	770円 (税込)
160-4105	HSSP Alloy Spacer 1-1/8 x5mm black FSA LOGO	880円 (税込)
160-4120	HSSP Alloy Spacer - 1-1/8 x 20mm black FSA LOGO	770円 (税込)

FSA COMPRESSIONS DEVICES




CODE	DESCRIPTION	金額
160-2999	HSSP Star nut Carbon 1-1/8 TH-875c-1	4,840円 (税込)
160-2002	HSSP Star nut Alloy FLAT 1-1/8 TH-874-1	1,430円 (税込)
160-3023	HSSP Compres 23mm Carb Steerer alloy cap TH-881-1	3,850円 (税込)
160-3012	HSSP Compres 1-1/8 Carb Steerer carb cap TH-884-1	8,360円 (税込)
160-3010	HSSP Compres 1-1/8 Carb Steerer alloy cap TH-883-1	2,970円 (税込)
160-0011000010	HSSP Compres 1-1/8 Carb Steerer alloy cap TH-896-1	6,930円 (税込)
160-3028	HSSP Compres 1-1/8 Carb Steerer alloy cap TH-896-1	5,390円 (税込)

FSA

HANDLEBAR MEASURES


SPARES

ROAD



MODEL	BAR WIDTH	SHIFTER WIDTH	OUTWARD BEND	REACH	DROP
K-Force Compact	400,420,440 mm	381.1,400.8,421.1 mm	4°	78mm	124.7mm
SL-K Compact	360,380,400,420,440 mm	341,361,381,401,421 mm	4°	78mm	125mm
Energy Compact	380,400,420,440mm	361.5,381.5,401.5,421.5mm	4°	78mm	125mm
Energy Super Compact	360,380mm	349.9,369.9mm	4°	70mm	120mm
Gossamer Compact	380,400,420,440mm	361.5,381.5,401.5,421.5mm	4°	78mm	125mm
Omega Compact	380,400,420,440mm	361.5,381.5,401.5,421.5mm	4°	74mm	118mm
Vero Compact	380,400,420,440mm	380,400,420,440mm	0°	70mm	125mm

GRAVEL



MODEL	BAR WIDTH	SHIFTER WIDTH	FLARE	REACH	DROP
K-Force AGX	420+100, 440+100, 460+100 mm	420, 440, 460 mm	50mm	70mm	100mm
K-Wing AGX ACR	400+49,420+49,440+49,460+49 mm	403.5,423.5,443.5,463.5 mm	25mm	76mm	115mm
A-Wing Pro AGX	420+49, 440+49, 460+49 mm	420,440,460 mm	25mm	88mm	120mm
NS Pro-Wing AGX	420+100, 440+100, 460+100 mm	420, 440, 460 mm	50mm	88mm	108mm
NS Adventure Compact	380+49, 400+49, 420+49,440+49, 460 +49 mm	388,408,428,448,468mm	25mm	78mm	125mm



6/ACCESSORIES



FSA POWERTOUCH

TAPE

- New design for comfort and feel, in multiple color options to coordinate with all bikes.
- Nanotechnology textured surface for superior grip, dust proof, and antibacterial properties
- Abrasion/water proof surface
- Gel padding for comfort and shock absorption
- Extra fiber layer for enhanced structural integrity
- Made from eco-friendly biodegradable polyurethane
- No residual glue on handle bar after removal
- Thickness: 2mm

COLORS


- White, Black, Red, Blue
- Neon Green, Neon Yellow, Neon Orange, Neon Pink

WEIGHT

- 61 grams

TAPE

CODE	COLOR	金額
187-0002000110	BLACK	6,930円 (税込)
187-0002000470	RED	
187-0002000580	BLUE	
187-0002000590	WHITE	6,930円 (税込)
187-0002000650	NEON YELLOW	
187-0002000670	NEON ORANGE	
187-0002000560	NEON GREEN	
187-0002000660	NEON PINK	



FSA ULTRACORK

TAPE

Cork tape for comfort and feel. Multiple color options available to compliment any bike.

- Anti-slip surface for grip in all weather conditions
- Classic cork feel for grip
- Ultra light weight

COLORS

- Colors - Black, White

WEIGHT

- 59 grams

TAPE

CODE	COLOR	金額
187-0005	BLACK	3,300円 (税込)
187-0007	WHITE	3,300円 (税込)



BOTTLE CAGE

CARBON / PLASTIC

SPECS

- Ultralight carbon bottle cage in a minimalist design
- M5 Alloy hardware
- Securely holds water bottle
- Universal fitting
- 10mm of adjustment

FINISH

- UD carbon finish
- Color graphics - gray

WEIGHT

- 21 grams

- Stainless steel hardware
- Securely holds water bottle
- Universal fitting
- 10mm of adjustment

FINISH

- Black
- Color graphics

WEIGHT

- 30.6 grams



CARBON



ALLOY

BOTTLE CAGE

CODE	DESCRIPTION	金額
190-0002000031	BTCG K-FORCE bottle cage E0546 V18	11,770円 (税込)

CODE	DESCRIPTION	金額
190-0003000110	BTCG SL-K bottle cage E0100 V18	3,520円 (税込)

TRIMAX

HYDRATION SYSTEM

ACCESSORIES

SPECS

- Modular saddle drink system universally fits both traditional and snub-nose saddles
- Multiple mounting and lashing points can be customized for water bottle, CO2 pump, accessory bag, and tie-strap combinations
- 3-Position (40 degrees) saddle rail mounting options.
- Bottle cages are mounted for optimized accessibility and ideal aerodynamics
- 5-Position (40 degrees) bottle cage tilt adjustability.
- Precision-made alloy frame with corrosion-resistant hardware
- Includes Saddle Mount and two High Grip Cages (V0135)

FINISH

- Saddle Mount - bead blasted anodized black
- Neutral graphics

WEIGHT

- 191 grams (420mm)
- 48 grams (bottle cage)

BOTTLE CAGE

CODE	LENGTH	金額
670-0076000230	VISION BTCG TRIMAX Rear Hydration System V17	15,400円 (税込)
670-0079000680	VISION BTCG TRIMAX bottlecage highgrip	5,170円 (税込)



REAR HYDRATION SYSTEM



BOTTLE-CAGE



VISION

W I N T H E W I N D

Since our birth in Kona in the '90s, VISION has been synonymous with a no-expense spared assault on wind resistance. Recent years have seen the innovative application of carbon fiber and the creation of dreamlike shapes to enhance performance.

We are the brand to beat, leading the way in time trials and triathlon by creating slippery-fast aero products with proper fit adjustment that allow riders to push their limits in race conditions.


We continually refine, test and innovate in the quest for speed, with industry leading products throughout the range.

Expert use of wind tunnel technology is a regular part of our research and development, and Computational Fluid Dynamics – CFD – is used to interpret data and refine product design for ultimate aerodynamic performance.

BENCHMARK

SHIMANO™	ZIPP road	ZIPP Gravel	VISION	ENVE	DT SWISS	FULCRUM
DURACE	303 / 353	101 XPLR	metron	SES	ARC 1100	SHARQ
GRX	404 / 454	303 XPLR	TEAMMAX SC	-	ARC 1400	SPEED / WIND
RS 750					ERC 1400	
					CRC 1400	
					GRC 1400	
RS 500	808 / 858	303 firecrest/S	TEAMMAX TC	-	TRC 1400	ZERO RACING
RS 300					PR 1400	
					ER 1400	
RS 100	SUPER-9	-	TEAM	-	CR 1400	RACING
					PR 1600	
					ER 1600	
CR 1600						
GR 1600						
P 1800						
RS 501	E 1800					
		C 1800				

WHEEL RANGE



1 - METRON

2 - SC

3 - TRIMAX

4 - TEAM

5 - OUTLET

6 - WORKSHOP

7 - MERCHANDISING
DISPLAY

metron



METRON 60 RS

WHEELSET



SPECS


- Full carbon rim
- Tubeless ready - clincher rim
- Ratchet system V-1000 hub (P.R.S.)
- Direct Pull flanged hub
- Aero Carbon spokes with steel head
- Centerlock rotor mount
- Ceramic bearings (F-R)
- 6 sealed bearings (2F + 4R)
- Artisan built, entirely by hand
- 100 gr. Lighter than the Metron 45 SL.

FINISH

- Molded dark grey, black and silver graphics

WEIGHT FROM

- 1390 grams/pair



WHEELSET

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
710-0179231050	CLINCHER/TLR	700	60 mm	23 mm	33 mm	HG 11-12s	Center-Lock	612,040円 (税込)
710-0179236050	CLINCHER/TLR	700	60 mm	23 mm	33 mm	SRAM XDR	Center-Lock	612,040円 (税込)



FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
75201226000050	SH HG	EL479	30,690円 (税込)
75201133000051	SRAM XDR	EL467	18,370円 (税込)

*Find the right compatible spare parts in 3 clicks!

EASYHUB



DISCOVER MORE*

METRON 45 RS

WHEELSET



SPECS


- Full carbon rim
- Tubeless ready - clincher rim
- Ratchet system V-1000 hub (P.R.S.)
- Direct Pull flanged hub
- Aero Carbon spokes with steel head
- Centerlock rotor mount
- Ceramic bearings (F-R)
- 6 sealed bearings (2F + 4R)
- Artisan built, entirely by hand
- 100 gr. Lighter than the Metron 45 SL

FINISH

- Molded dark grey, black and silver graphics

WEIGHT FROM

- 1290 grams/pair



WHEELSET

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
710-0180231050	CLINCHER/TLR	700	45 mm	23 mm	31,8 mm	HG 11-12s	Center-Lock	598,510円 (税込)
710-0180236050	CLINCHER/TLR	700	45 mm	23 mm	31,8 mm	SRAM XDR	Center-Lock	598,510円 (税込)

FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
75201226000050	SH HG	EL479	30,690円 (税込)
75201133000051	SRAM XDR	EL467	18,370円 (税込)

*Find the right compatible spare parts in 3 clicks!


EASYHUB



DISCOVER MORE*

METRON 37 RS

WHEELSET



SPECS


- Full carbon rim
- Tubeless ready - clincher rim
- Ratchet system V-1000 hub (P.R.S.)
- Direct Pull flanged hub
- Aero Carbon spokes with steel head
- Centerlock rotor mount
- Ceramic bearings (F-R)
- 6 sealed bearings (2F + 4R)
- Artisan built, entirely by hand
- 100 gr. Lighter than the Metron 45 SL

FINISH

- Molded dark grey, black and silver graphics

WEIGHT FROM

- TLR/CLINCHER - 1,220 gr./ pair



WHEELSET

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
710-0181231050	CLINCHER/TLR	700	37 mm	21 mm	27,3 mm	HG 11-12s	Center-Lock	598,510円 (税込)
710-0181236050	CLINCHER/TLR	700	37 mm	21 mm	27,3 mm	SRAM XDR	Center-Lock	598,510円 (税込)

FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
75201226000050	SH HG	EL479	30,690円 (税込)
75201133000051	SRAM XDR	EL467	18,370円 (税込)

*Find the right compatible spare parts in 3 clicks!

EASYHUB



DISCOVER MORE*

METRON

91 SL
FRONT WHEEL



SPECS


- Full carbon 90mm depth clincher rim
- PRS Hubs on rear wheel
- 2:1 Aero bladed spokes
- Direct-pull hub
- 2 sealed cartridge bearings (2F + 2R)
- TA-12 compatible
- ABS self locking nipples
- Artisan built, entirely by hand

FINISH

- Black water decal
- Matt black carbon

WEIGHT FROM

950 gr. / front wheel
1,850 gr. / wheelset



FRONT WHEEL

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
710-0173163030	CLINCHER/TLR	700	90 mm	21 mm	33.6 mm		Center-Lock	286,880円 (税込)



REAR WHEEL

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
710-0173054030	CLINCHER/TLR	700	90 mm	21 mm	33.6 mm	HG 11-12s	Center-Lock	381,150円 (税込)



FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
752-0921000020	SHIMANO 10-12s	EL401	18,370円 (税込)
752-0938000010	SRAM XDR	EL402	18,370円 (税込)
752-0918000520	TOOL Ratchet Ring Removal for Rear Hub PRS E0791		12,210円 (税込)

*Find the right compatible spare parts in 3 clicks!

EASYHUB



DISCOVER MORE*

METRON

60 SL
WHEELSET



SPECS

- Full carbon rim
- 60mm depth rim
- Tubeless ready - clincher rim
- P.R.S. hubs with DP spokes
- Centerlock rotor mount
- TA-12 and X-12
- 6 sealed cartridge bearings (2F + 4R)
- 2:1 aero bladed spokes 21F / 24R
- ABS self locking nipples
- Artisan built, entirely by hand

FREEHUB

- Alloy freehub
- Shimano 10-12s
- SRAM XDR
- Front - TA-12
- Rear - X-12


FINISH

- Black water decal
- Matt black carbon

WEIGHT FROM

- 1590 grams / pair (w/o QR)

TL/CLINCHER



WHEELSET

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
710-0152231030	CLINCHER/TLR	700	60 mm	21 mm	33 mm	SH 10-12s	Center-Lock	425,260円 (税込)
710-0152236030	CLINCHER/TLR	700	60 mm	21 mm	33 mm	SRAM XDR	Center-Lock	425,260円 (税込)



FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
752-0921000020	SHIMANO 10-12s	EL401	18,370円 (税込)
752-0938000010	SRAM XDR	EL402	18,370円 (税込)
752-0918000520	TOOL Ratchet Ring Removal for Rear Hub PRS E0791		12,210円 (税込)

*Find the right compatible spare parts in 3 clicks!

EASYHUB



DISCOVER MORE*

1 - METRON

2 - SC

3 - TRIMAX

4 - TEAM

5 - OUTLET

6 - WORKSHOP

7 - MERCHANDISING |
DISPLAY

METRON 45 SL

WHEELSET



SPECS

- Full carbon rim
- 45mm depth rim
- Tubeless ready - clincher rim
- P.R.S. hubs with DP spokes
- Centerlock rotor mount
- TA-12 and X-12
- 6 sealed cartridge bearings (2F + 4R)
- 2:1 aero bladed spokes 21F / 24R
- Aero bladed spokes
- ABS self locking nipples
- Artisan built, entirely by hand

FREEHUB

- Alloy freehub
- Shimano 10-12s
- SRAM XDR
- Front - TA-12
- Rear - X-12


FINISH

- Black water decal
- Matt black carbon

WEIGHT FROM

- 1490 grams / pair (w/o QR)

TL/CLINCHER



WHEELSET

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
710-0156231030	CLINCHER/TLR	700	45 mm	21 mm	31.1 mm	SH 10-12s	Center-Lock	413,710円 (税込)
710-0156236030	CLINCHER/TLR	700	45 mm	21 mm	31.1 mm	SRAM XDR	Center-Lock	413,710円 (税込)



FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
752-0921000020	SHIMANO 10-12s	EL401	18,370円 (税込)
752-0938000010	SRAM XDR	EL402	18,370円 (税込)
752-0918000520	TOOL Ratchet Ring Removal for Rear Hub PRS E0791		12,210円 (税込)

*Find the right compatible spare parts in 3 clicks!

EASYHUB



DISCOVER MORE*

METRON 37 SL

WHEELSET



SPECS

- Full carbon rim
- 37mm depth rim
- Tubeless ready - clincher rim
- P.R.S. hubs with DP spokes
- Centerlock rotor mount
- TA-12 and X-12
- 6 sealed cartridge bearings (2F + 4R)
- 2:1 aero bladed spokes 21F / 24R
- Aero bladed spokes
- ABS self locking nipples
- Artisan built, entirely by hand

FREEHUB

- Alloy freehub
- Shimano 10-12s
- Front - TA-12
- Rear - X-12


FINISH

- Black water decal
- Matt black carbon

WEIGHT FROM

- 1,290 grams / pair (w/o QR)

TL/CLINCHER



WHEELSET

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
710-0175231030	CLINCHER/TLR	700	37 mm	21 mm	31.1 mm	SH 10-12s	Center-Lock	
710-0175236030	CLINCHER/TLR	700	37 mm	21 mm	31.1 mm	SRAM XDR	Center-Lock	



FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
752-0921000020	SHIMANO HG 10-12s	EL401	18,370円 (税込)
752-0938000010	SRAM XDR	EL402	18,370円 (税込)
752-0918000520	TOOL Ratchet Ring Removal for Rear Hub PRS E0791		12,210円 (税込)

*Find the right compatible spare parts in 3 clicks!

EASYHUB



DISCOVER MORE*

METRON**TTW**
REAR WHEEL**SPECS**

- Tubeless ready - clincher rim
- Ø 17mm axle hub
- 21mm inner channel width
- 72T Ratchet System Hub (P.R.S.)
- 4 sealed chromoly steel cartridge bearings
- Centerlock rotor mount

FREEHUB


- SRAM XDR
- Shimano 10-12s

FINISH

- Black and silver stickers

WEIGHT FROM

- 1.008 grams (wheel)

**REAR WHEEL**

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
710-0178004030	CLINCHER/TLR	700	-	21 mm	31,1 mm	SH 10-12s	Center-Lock	323,290円 (税込)
710-0178008030	CLINCHER/TLR	700	-	21 mm	31,1 mm	SRAM XDR	Center-Lock	323,290円 (税込)

**FREEHUBS**

CODE	COMPATIBILITY	MODEL	金額
752-0921000020	SHIMANO HG 10-12s	EL401	18,370円 (税込)
752-0938000010	SRAM XDR	EL402	18,370円 (税込)
752-0918000520	TOOL Ratchet Ring Removal for Rear Hub PRS E0791		12,210円 (税込)

**Find the right compatible spare parts in 3 clicks!*

EASYHUB**DISCOVER MORE***



SPECS

- Full Carbon 1-piece construction
- Tubeless ready - clincher rim
- Ø 17mm axle hub
- 21mm inner channel width
- 4 sealed chromoly steel cartridge bearings
- Centerlock rotor mount

FREEHUB


- SRAM XDR
- Shimano 10-12s

FINISH

- Black and silver stickers

WEIGHT FROM

- TUBULAR DISC - 970 grams / wheel
- TLR/CLINCHER DISC - 934 grams



REAR WHEEL

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
710-0118004040	CLINCHER/TLR	700	-	21 mm	31,1 mm	SH 10-12s	Center-Lock	992,750円 (税込)



FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
75201226000050	SH HG	EL467	30,690 円 (税込)
75201133000051	SRAM XDR	EL467	18,370円 (税込)

*Find the right compatible spare parts in 3 clicks!

EASYHUB



DISCOVER MORE*

METRON 5D ACR EVO *ACR*

INTEGRATED

SPECS

- Aerodynamic integrated Cable Routing (ACR)
- All carbon construction
- Di2 compatible with integrated junction box compartment and wiring conduits
- 5mm offset drops

SIZES


- 2 Different grip depth for improved comfort:
- L: 45mm
XL: 50mm

FINISH

- 3K carbon finish
- Color graphics - black

WEIGHT

- 320 grams (110 x 420mm)



HANDLEBAR

	CODE	STEM	WIDTH	SIZES	DROP	REACH	FORWARD ANGLE	OUT-BEND	FLARE	RISE	金額
	670-0455017030	80 mm	360 mm	L	125 mm	80 mm	10°	5 mm	0 mm	0 mm	134,420円 (税込)
	670-0455026030	80 mm	380 mm	L	125 mm	80 mm	10°	5 mm	0 mm	0 mm	134,420円 (税込)
	670-0455016030	90 mm	380 mm	L	125 mm	80 mm	10°	5 mm	0 mm	0 mm	134,420円 (税込)
	670-0455010030	90 mm	400 mm	L	125 mm	80 mm	10°	5 mm	0 mm	0 mm	134,420円 (税込)
NEW	670-0455032030	100 mm	360 mm	L	125 mm	80 mm	10°	5 mm	0 mm	0 mm	134,420円 (税込)
	670-0455027030	100 mm	380 mm	L	125 mm	80 mm	10°	5 mm	0mm	0 mm	134,420円 (税込)
	670-0455028030	110 mm	380 mm	L	125 mm	80 mm	10°	5 mm	0 mm	0 mm	134,420円 (税込)
	670-0455001030	100 mm	400 mm	L	125 mm	80 mm	10°	5 mm	0 mm	0 mm	134,420円 (税込)
	670-0455002030	100 mm	420 mm	L	125 mm	80 mm	10°	5 mm	0 mm	0 mm	134,420円 (税込)
	670-0455015030	110 mm	400 mm	L	125 mm	80 mm	10°	5 mm	0 mm	0 mm	134,420円 (税込)
	670-0455003030	110 mm	420 mm	L	125 mm	80 mm	10°	5 mm	0 mm	0 mm	134,420円 (税込)
	670-0465008030	110 mm	440 mm	XL	125 mm	80 mm	10°	5 mm	0 mm	0 mm	134,420円 (税込)
	670-0455029030	120 mm	380 mm	L	125 mm	80 mm	10°	5 mm	0 mm	0 mm	134,420円 (税込)
	670-0455007030	120 mm	400 mm	L	125 mm	80 mm	10°	5 mm	0 mm	0 mm	134,420円 (税込)
	670-0465004030	120 mm	420 mm	XL	125 mm	80 mm	10°	5 mm	0 mm	0 mm	134,420円 (税込)
	670-0465005030	120 mm	440 mm	XL	125 mm	80 mm	10°	5 mm	0 mm	0 mm	134,420円 (税込)
	670-0455030030	130 mm	380 mm	L	125 mm	80 mm	10°	5 mm	0 mm	0 mm	134,420円 (税込)
	670-0455014030	130 mm	400 mm	L	125 mm	80 mm	10°	5 mm	0 mm	0 mm	134,420円 (税込)
	670-0465009030	130 mm	420 mm	XL	125 mm	80 mm	10°	5 mm	0 mm	0 mm	134,420円 (税込)
	670-0465006030	130 mm	440 mm	XL	125 mm	80 mm	10°	5 mm	0 mm	0 mm	134,420円 (税込)
NEW	670-0455031030	140 mm	380 mm	XL	125 mm	80 mm	10°	5 mm	0 mm	0 mm	134,420円 (税込)
NEW	670-0455020030	140 mm	400 mm	XL	125 mm	80 mm	10°	5 mm	0 mm	0 mm	134,420円 (税込)
NEW	670-0465021030	140 mm	420 mm	L	125 mm	80 mm	10°	5 mm	0 mm	0 mm	134,420円 (税込)

Complete measure and comparison charts at page 267

CONE SPACERS

ACR
SPACERS

BIKE	FRAME	CONE SPACER	ITEM NO.	14 CODE	5D ACR	5D ACR ^{EVO}
RIBBLE CGR SL			H2006	160-0219000110 10,340円 (税込)	●	●
WILIER TRIESTINA			H2054	160-0231000110 10,340円 (税込)	●	●
TREK MADONE GEN 7			H2083	160-0232000110 10,340円 (税込)	●	●
SCOTT ADDICT			H2099	160-0218000110 10,340円 (税込)	●	●
TREK MADONE (GEN 8)			H2101	160-0253000110 NEW 10,340円 (税込)	●	●
BIANCHI SPECIALISSIMA RC IMPULSO / ARCADEX			H2121	160-0240000110 10,340円 (税込)	●	●
GIANT TCR ADVANCED SL GEN 10			H2170	160-0261000110 10,340円 (税込)	●	●
COLNAGO V4RS & C68			H2190	160-0220000110 10,340円 (税込)	●	●
FACTOR O2 V.A.M.			H2195	160-0212000110 10,340円 (税込)	●	●

1 - METRON

2 - SC

3 - TRIMAX

4 - TEAM

5 - OUTLET

6 - WORKSHOP
DISPLAY7 - MERCHANDISING |
DISPLAY

BIKE	FRAME	CONE SPACER	ITEM NO.	14 CODE	5D ACR	5D ACREVO
SCOTT FOIL			H2196 + MW482	160-0213000110 10,340円 (税込)	●	●
SPECIALIZED TARMAC SL8			H2197	160-0214000110 10,340円 (税込)	●	●
GIANT PROPEL			H2198	160-0215000110 10,340円 (税込)		●
FACTOR OSTRO V.A.M 2.0			H2299	160-0271000110 NEW 10,340円 (税込)	●	●
SCOTT ADDICT RC 2025			H2321 + MW421	160-0278000110 NEW 10,340円 (税込)		●
TREK EMONDA / MADONE (GEN 6)			H2593A	160-0153000870 10,340円 (税込)	●	●
BMC TEAMMACHINE SLR01			H2612A	160-0167000110 10,340円 (税込)	●	●
SPECIALIZED TARMAC SL7			H2613A	160-0168000110 10,340円 (税込)	●	●
PINARELLO DOGMA F12 / PRINCE			H2614A	160-0169000110 10,340円 (税込)	●	●

BIKE	FRAME	CONE SPACER	ITEM NO.	14 CODE	5D ACR	5D ACR ^{EVO}
CERVELO CALEDONIA 2025			H2616A + H2358	160-0173000110 UPDATE 10,340円 (税込)	●	●
CANNONDALE SUPER SIX EVO3			H2632A	160-0187000110 10,340円 (税込)	●	●
CERVELO R5 / SOLOIST			H2648A	160-0188000110 10,340円 (税込)	●	●
SPECIALIZED ALLEZ SPRINT			H2650A	160-0189000110 10,340円 (税込)	●	●
CANNONDALE SYSTEM SIX			H2651A	160-0190000110 10,340円 (税込)	●	●
TIME ADH			H2661 + MW024 x2	160-0201000681 UPDATE 10,340円 (税込)	●	●
DIZO ACTUS			H2681	160-0206000110 10,340円 (税込)	●	●
CANNONDALE SUPER SIX EVO4			ML713 + H2692 + MW417A	160-0205000110 13,310円 (税込)	●	
			ML118 + T2141 + MW417A	175-0109000110 16,500円 (税込)		●

METRON AERO ACR

HANDLEBAR

SPECS

- Aerodynamic integrated Cable Routing (ACR)
- 10° Forward angle
- Cable groove compatible with new Di2 systems w/larger internal cable tunnel

SIZES

- 2° outward bend

FINISH

- UD carbon finish

WEIGHT

- 219 gr. (420mm)



HANDLEBAR

CODE	WIDTH	DROP	REACH	OUT-BEND	FLARE	RISE	STEM	金額
670-0307035030	380 mm	125 mm	78 mm	5 mm	0 mm	0 mm	31.8 mm	84,370円 (税込)
670-0307012030	400 mm	125 mm	78 mm	5 mm	0 mm	0 mm	31.8 mm	84,370円 (税込)
670-0307013030	420 mm	125 mm	78 mm	5 mm	0 mm	0 mm	31.8 mm	84,370円 (税込)
670-0307014030	440 mm	125 mm	78 mm	5 mm	0 mm	0 mm	31.8 mm	84,370円 (税込)

METRON TRACK

HANDLEBAR

SPECS

The “wingtips” of the aerofoil meet the upper part of the round section drops, that are slightly tilted up, allowing the rider to hook his wrists inside the bend.

The vertical section of the bend flattens into an erofoil section, and then joins the bottoms providing a conventional round section handhold fr the sprints

SPECS

- Variety of hand positions
- Airfoil wing sections to optimize aerodynamics
- Ergonomic drops for secure sprinting
- Versatile «hoods» position
- Carbon fiber composite construction
- Reinforced brake lever zones

SIZES

- Ø31.8mm x W365mm
- 130mm drop, 90mm reach

FINISH

- UD carbon finish

WEIGHT

- 310 grams



HANDLEBAR WITH WHITE DECALS

CODE	WIDTH	DROP	REACH	OUT-BEND	FLARE	RISE	STEM	金額
670004710AL030	365 mm	130 mm	90 mm	0 mm	25 mm	-10 mm	31.8 mm	90,310円 (税込)

Complete measure and comparison charts at page 267

METRON TFE EVO

SPECS

- Full carbon construction
- Ergonomic and aerodynamic design
- Suitable for Metron TFA EVO, TriMax Carbon Si032
- Underside bolts assembling
- Computer mount included (Garmin compatible)
- Multi brand frame adapters available (not included)

COMPATIBILITY

- Specialized Shiv MY22
- Specialized UCI-Shiv TT
- Cervelo P5
- Canyon SpeedMax V0248
- Canyon Speedmax CFR
- VISION handlebar 4D Flat MAS V0234
- VISION handlebar Clip-On V0225
- ARGON18 Electron Pro
- Colnago TT1
- Merida Time Warp TT
- Trek Speed Concept SLR

FINISH

- White water decal glossy graphics
- Black matt carbon fiber

WEIGHT FROM:

396 gr. (pair - L size)



CODE	BASE LENGTH	ANGLE	REACH	ARMREST WIDTH	SIZE	金額
670-0530023030	280 mm	20°	-8 to 98 mm	216 to 322 mm	XS	130,790円 (税込)
670-0530010030	300 mm	20°	-8 to 98 mm	216 to 322 mm	S	130,790円 (税込)
670-0530024030	320 mm	20°	-8 to 98 mm	216 to 322 mm	M	130,790円 (税込)
670-0530025030	340 mm	20°	-8 to 98 mm	216 to 322 mm	L	130,790円 (税込)

CODE	DESCRIPTION	金額
670-0543000681	VISION HBTT Metron TFE EVO Computer Mount V0275	19,250円 (税込)

01. REACH



-8 to -98mm (Center of Base bar to rear edge of armrest - 7.5mm Increments)

02. ARMREST WIDTH

216 to 322mm (outside-to-outside - 15mm Increments)



03. ARMREST ROTATION

0° to 13°



TFE

TFE / TFE Pro / TFE EVO / TFE Team Edition | Aerobar compatibility

BIKE	FRAME	BRIDGE	VERSION	ITEM CODE
Argon18 Electron Pro			V3156	670-0545000970 31,240円 (税込)
Canyon Speedmax CFR			V3166	670-0546000970 31,240円 (税込)
Cervelo P5			V3142	670-0421000870 38,500円 (税込)
Colnago TT1			V3169	670-0540000870 42,240円 (税込)
Merida Time Warp TT			V3146	670-0444000050 10,670円 (税込)
TREK Speed Concept SLR			V3157	670-0544000970 34,650円 (税込)
Specialized Shiv			V3139	670-0360000870 38,500円 (税込)
Specialized UCI-Shiv TT			V3160	670-0493000050 38,500円 (税込)

METRON

TFE TEAM SHIV
EXTENSIONS

SPECS


- Full carbon construction provide a great strength-to-weight ratio
- Ergonomic and aerodynamic design for the highest performance
- Full carbon construction
- Suitable only to FOR SPECIALIZED SHIV MY2021
- PRODUCT MADE IN ITALY
- HAND MADE LAMINATION AND PRODUCTION
- SMALL SIZE AVAILABLE ONLY

FINISH

- 3K Carbon fiber

WEIGHT FROM

250 gr. (pair)



CODE	SIZE	ARM LENGTH	ARMREST WIDTH	HEIGHT	ANGLE	金額
67000429000070		304 mm	187 mm	194 mm	22°	673,750円 (税込)

METRON

SPEED
EXTENSIONS

SPECS

- Full carbon construction. A great strength-to-weight ratio.
- Ergonomic and aerodynamic design for the highest performance.
- Full carbon construction
- Compatible with Metron TFA, TriMax Carbon Si032, TriMax clip on

FINISH

- UD carbon finish

WEIGHT

- 140 grams / pair

CODE	EXTENSIONS	LENGTH	金額
670-0343000030	S-BEND	429 mm	55,440円 (税込)
670-0335000030	J-BEND	383 mm	55,440円 (税込)

CODE	DESCRIPTION	金額
670-0399000110	SPEED PADS V4071	4,290円 (税込)



S-BEND



J-BEND

VISION TFA EVO

INTEGRATED

SPECS

- Full carbon wing and ergonomic extensions
- Normalized fit increments in every dimension
- Easy adjustability with no occluded bolts
- 3:1 UCI compliant
- Stem length: 90mm
- Base bar width: 400mm (c-c)
- Stem allows for internal Di2 junction box positioning and internal cable routing.

EXTENSION


- Speed Extension
- J-Bend: 379mm
- S-Bend: 350mm
- JS-Bend: 412mm
- J-Bend: 385.5mm

FINISH

- Carbon forged finish
- Black and grey glossy decal

WEIGHT FROM

- 1,130 gr. (JS bend extension)



01. STACK

72 to 168mm (Bottom of stem at center to top of uncompressed pad - 5mm Increments)

02. REACH

-41 to 79.2mm (Center of Base bar to rear edge of armrest - 7.5mm Increments)

03. ARMREST WIDTH

216.6 to 351.6mm (outside-to-outside - 15mm Increments)

04. EXTENSION ADJUSTMENT

245 to 385mm (Center of Base bar to Tip)

05. EXTENSION Length

412mm

06. EXTENSION HEIGHT

60mm (c-c)

07. EXTENSION ANGLE

35° (12° at extension tip)

08. EXTENSION WIDTH

80mm (c-c)

09. BASE BAR WIDTH

400mm (c-c)

10. BASE BAR DROP


-0/+0mm (c-c)

11. ARMREST ROTATION

0° to 13°

12. BRACKET ADJUSTMENT

0° to 30°



BASEBAR

CODE	STEM	WIDTH	DROP	STACK	REACH	金額
670-0508000030	90 mm	400 mm (c-c)	+/- 0 mm (C-C)	72 to 168 mm	-41 to 79,2 mm	139,590円 (税込)

TT EXTENSIONS

CODE	STEM	WIDTH	LENGTH	HEIGHT	ANGLE	金額
670-0502000030	700	80 mm (c-c)	412 mm	60 mm (c-c)	35°	42,240円 (税込)

METRON

DS2
HYDRATION SYSTEM

SPECS

- CFD-design head unit gives aerodynamic frontal profile
- Head unit with anti-splash, quick-fill port, and adjustable straw
- Ergonomically positioned computer mount
- Universal "V-cage" mounts on any extensions

SIZES

- 818ml

FINISH

- Color graphics, Red straw

WEIGHT

- 480 grams



Multiple mounting position options: Inverting bracket provides 15mm height adjustment, and rotating bracket provides 156mm of length adjustment.



Underside bottle mount provides flexible positioning options, and fits extension width from 80 to 130mm (c-c).

CODE	DESCRIPTION	金額
670-0430000110	VISION BTCG METRON DS2 Drinking System V0245 B2	30,690円 (税込)



METRON

SPEED / TRIMAX / TEAM extensions
HYDRATION SYSTEM

SPECS

- CFD refined integrated bottle with bento box and computer mount
- Patented and removable labyrinth water fill-spout for rapid refills without splashing
- Forward computer mount
- Included Vision Drop Bottle System and Extension Mount
- Metron TFE compatible with adaptor

SIZES

- Capacity: 700ml

FINISH

- Matte black
- Red straw

WEIGHT

- 335 gr.



CODE	DESCRIPTION	金額
670-0251000680	VISION BTCG METRON Front Hydration System V0189 A9	18,480円 (税込)

EXTENSIONS MOUNT

CODE	DESCRIPTION	金額
670-0081000680	VISION BTCG METRON Hydration extension mount V17	3,300円 (税込)

METRON TFA ADAPTERS

CODE	DESCRIPTION	金額
670-0339000680	VISION BTCG Hydration System adaptor TFA V0208	8,140円 (税込)



1 - METRON

2 - SC

3 - TRIMAX

4 - TEAM

5 - OUTLET

6 - WORKSHOP

7 - MERCHANDISING |
DISPLAY





SPECS


- Full carbon rim
- Tubeless ready - clincher rim
- V-600 direct pull hubs
- 54T ratchet system hub (P.R.S.)
- Direct pull bladed spokes
- Centerlock rotor mount
- TA-12 and X-12
- 6 sealed cartridge bearings (2F + 4R)
- 2:1 aero bladed spokes 21F/24R
- Artisan built, entirely by hand

FINISH

- Black water decal
- Matt black carbon

WEIGHT FROM

- TLR/CLINCHER - 1,642 grams / pair



WHEELSET

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
710-0182231050	CLINCHER/TLR	700	60 mm	23 mm	33 mm	HG 11-12s	Center-Lock	336,710円 (税込)
710-0182231051	CLINCHER/TLR	700	60 mm	23 mm	33 mm	Microspline	Center-Lock	336,710円 (税込)
710-0182236050	CLINCHER/TLR	700	60 mm	23 mm	33 mm	XDR	Center-Lock	336,710円 (税込)



FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
752-1161000051	SHIMANO HG 10-11s	EL474	17,160円 (税込)
752-1162000051	MS 12s W/o Spn w/DSCap	EL475	17,160円 (税込)
752-1163000051	SRAM XDR	EL476	17,160円 (税込)

*Find the right compatible spare parts in 3 clicks!

EASYHUB

DISCOVER MORE*



SPECS


- Full carbon rim
- Tubeless ready - clincher rim
- V-600 direct pull hubs
- 54T ratchet system hub (P.R.S.)
- Direct pull bladed spokes
- Centerlock rotor mount
- TA-12 and X-12
- 6 sealed cartridge bearings (2F + 4R)
- 2:1 aero bladed spokes 21F/24R
- Artisan built, entirely by hand

FINISH

- Black water decal
- Matt black carbon

WEIGHT FROM

- TLR/CLINCHER - 1,542 grams / pair



WHEELSET

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
710-0183231050	CLINCHER/TLR	700	45 mm	23 mm	31.1 mm	HG 11-12s	Center-Lock	317,460円 (税込)
710-0183231051	CLINCHER/TLR	700	45 mm	23 mm	31.1 mm	Microspline	Center-Lock	317,460円 (税込)
710-0183236050	CLINCHER/TLR	700	45 mm	23 mm	31.1 mm	XDR	Center-Lock	317,460円 (税込)



FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
752-1161000051	SHIMANO HG 10-11s	EL474	17,160円 (税込)
752-1162000051	MS 12s W/o Spn	EL475	17,160円 (税込)
752-1163000051	SRAM XDR	EL476	17,160円 (税込)

EASYHUB

DISCOVER MORE*

*Find the right compatible spare parts in 3 clicks!



SPECS

- Full carbon rim
- Tubeless ready - clincher rim
- V-200 direct pull hubs
- Direct pull bladed spokes
- Centerlock rotor mount
- TA-12 and X-12
- 6 sealed cartridge bearings (2F + 4R)
- 2:1 aero bladed spokes 21F/24R
- Artisan built, entirely by hand

FREEHUB

- Alloy freehub
- Shimano 10-12s
- SRAM XDR
- Front - TA-12
- Rear - X-12


FINISH

- Black water decal
- Matt black carbon

WEIGHT FROM

- TLR/CLINCHER - 1.690 gr / pair

TL/CLINCHER



WHEELSET

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
710-0177111030	CLINCHER/TLR	700	60 mm	21 mm	33 mm	SH 10-12s	Center-Lock	259,710円 (税込)
710-0177116030	CLINCHER/TLR	700	60 mm	21 mm	33 mm	SRAM XDR	Center-Lock	259,710円 (税込)



FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
752-0832000060	SHIMANO 10-12s	EL381	17,380円 (税込)
752-0833000060	SRAM XD	EL382	17,380円 (税込)
752-1125000051	SHIMANO MS 12s	EL459	17,380円 (税込)

*Find the right compatible spare parts in 3 clicks!

EASYHUB

DISCOVER MORE*

SC 45

WHEELSET



SPECS

- Full carbon rim
- Tubeless ready - clincher rim
- V-200 direct pull hubs
- Direct pull bladed spokes
- Centerlock rotor mount
- TA-12 and X-12
- 6 sealed cartridge bearings (2F + 4R)
- 2:1 aero bladed spokes 21F/24R
- Artisan built, entirely by hand


FINISH

- Black water decal
- Matt black carbon

WEIGHT FROM

- TLR/CLINCHER - 1,590 grams / pair

TLR/CLINCHER



WHEELSET

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
710-0176111030	CLINCHER/TLR	700	45 mm	21 mm	31.1 mm	SH 10-12s	Center-Lock	240,460円 (税込)
710-0176116030	CLINCHER/TLR	700	45 mm	21 mm	31.1 mm	SRAM XDR	Center-Lock	240,460円 (税込)



FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
752-0832000060	SHIMANO 10-12s	EL381	17,380円 (税込)
752-0833000060	SRAM XD	EL382	17,380円 (税込)
752-1125000051	SHIMANO MS 12s	EL459	17,380円 (税込)

EASYHUB



DISCOVER MORE*

*Find the right compatible spare parts in 3 clicks!

SC 48 i25

WHEELSET



SPECS


- Full carbon rim
- Tubeless ready - clincher rim
- V-200 hubs
- Direct pull flanged spokes
- Centerlock rotor mount
- TA-12 and X-12
- 6 sealed cartridge bearings (2F + 4R)
- 2:1 aero bladed spokes 24F / 24R
- Artisan built, entirely by hand

FINISH

- Black water decal
- Matt black carbon

WEIGHT FROM

- 1,594 gr. / pair



WHEELSET

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
710-0187231031	CLINCHER/TLR	700	48 mm	25 mm	31,1 mm	HG 11S	Center-Lock	259,710円 (税込)
710-0187231032	CLINCHER/TLR	700	48 mm	25 mm	31,1 mm	MS 12s	Center-Lock	259,710円 (税込)
710-0187236031	CLINCHER/TLR	700	48 mm	25 mm	31,1 mm	SRAM XDR	Center-Lock	259,710円 (税込)



FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
752-0832000060	HG 11-12s	EL381	17,380円 (税込)
752-0833000060	SRAM XDR	EL382	17,380円 (税込)
752-1125000051	SHIMANO MS 12s	EL459	17,380円 (税込)

EASYHUB



DISCOVER MORE*

*Find the right compatible spare parts in 3 clicks!



SPECS

- Full carbon rim
- Tubeless ready - clincher
- Centerlock rotor mount
- TA-12 and X-12
- 6 sealed cartridge bearings (2F + 4R)
- Aero bladed spokes 24F / 24R
- Artisan built, entirely by hand

FREEHUB

- Alloy freehub
- Shimano 10-12s
- SRAM XDR


FINISH

- Black sticker
- Matt black carbon

WEIGHT FROM

- 1,540 grams / pair

CLINCHER/TLR



WHEELSET

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
710-0092111033	CLINCHER/TLR	700	40 mm	19 mm	26 mm	HG 11S	Center-Lock	230,670円 (税込)
710-0092116033	CLINCHER/TLR	700	40 mm	19 mm	26 mm	SRAM XDR	Center-Lock	230,670円 (税込)



FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
752-0965000060	HG 11-12s	EL413	
752-0966000020	SRAM XDR	EL414	

EASYHUB

DISCOVER MORE*

*Find the right compatible spare parts in 3 clicks!

SC 40 RIM BRAKE

WHEELSET



SPECS

- Full carbon rim
- Tubeless ready - clincher
- Centerlock rotor mount
- TA-12 and X-12
- 6 sealed cartridge bearings (2F + 4R)
- Aero bladed spokes 24F / 24R
- Artisan built, entirely by hand

FINISH

- Black sticker
- Matt black carbon

WEIGHT FROM

- 1,540 gr. / pair



WHEELSET

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
710-0089191030	CLINCHER/TLR	700	40 mm	19 mm	26 mm	HG 11S	Center-Lock	230,670円 (税込)



FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
752-0304000061	HG 11-12s	EL272	
752-0722000020	SRAM XDR	EL347	16,390円 (税込)
752-0317000063	CAMPA 11s	EL276	11,990円 (税込)

*Find the right compatible spare parts in 3 clicks!

EASYHUB



DISCOVER MORE*

1 - METRON

2 - SC

4 - TRIMAX

5 - TEAM

6 - OUTLET

7 - WORKSHOP

7 - MERCHANDISING |
DISPLAY

VISION STEM SMR II

The SMR II System – Smart Cable Routing – is designed around a versatile stem and headset combination that allows for a variety of both integrated and semi-integrated cable routing. Utilizing FSA's core knowledge base of both headset and cockpit components, the SMR system provides a “plug-in” solution for bike brands looking to internally route cables, wires and hoses from the cockpit into the frame. Compatible with electronic and mechanical shifting plus hydraulic and mechanical braking the SMR system truly is the most versatile and adaptable cable routing solution available on the market.

SPECS

- Smart Cable Routing (SMR)
- 3D forged and CNC machined from AL6061
- AL6061 cold forged front clamp

SIZES


- 34mm fork clamp stack height

FINISH

- Bead blasted anodized black
- Laser graphics

WEIGHT

- 190 grams (-10° x 100mm)



CODE	LENGTH	ANGLE	CLAMP	HEADSET	金額
175-0102033870	70 mm	-10°	31.8 mm	1.1/8	14,520円 (税込)
175-0102108870	80 mm	-10°	31.8 mm	1.1/8	14,520円 (税込)
175-0102034870	90 mm	-10°	31.8 mm	1.1/8	14,520円 (税込)
175-0102035870	100 mm	-10°	31.8 mm	1.1/8	14,520円 (税込)
175-0102036870	110 mm	-10°	31.8 mm	1.1/8	14,520円 (税込)
175-0102115870	120 mm	-10°	31.8 mm	1.1/8	14,520円 (税込)
175-0102109870	130 mm	-10°	31.8 mm	1.1/8	14,520円 (税込)



TRIMAX



1 - METRON

2 - SC

3 - TRIMAX

4 - TEAM

5 - OUTLET

6 - WORKSHOP

7 - MERCHANDISING |
DISPLAY

TRIMAX

30 i23
WHEELSET



SPECS

- Alloy rim
- 30mm depth rim
- Tubeless ready - clincher
- Centerlock rotor mount
- ISO 6-Bolts rotor mount
- TA-12 and X-12
- CNC machined aluminum hubs
- 6 sealed cartridge bearings (2F+4R)
- Aero bladed DP spokes 21F / 24R
- ABS self-locking nipples
- Artisan built, entirely by hand

FREEHUB


- Alloy freehub
- Shimano 10-12s
- SRAM XDR

FINISH

- Front & rear hubs – black anodized
- Spokes – black

WEIGHT FROM

- 1,640 grams / pair



WHEELSET

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
710-0160111050	CLINCHER/TLR	700	30 mm	23 mm	27 mm	SH 10-12s	Center-Lock	
710-0160116050	CLINCHER/TLR	700	30 mm	23 mm	27 mm	SRAM XDR	Center-Lock	
710-0160117050	CLINCHER/TLR	700	30 mm	23 mm	27 mm	MS	Center-Lock	118,800円 (税込)



FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
752-0832000060	SHIMANO HG 10-12s	EL381	17,380円 (税込)
752-0833000060	SRAM XDR	EL382	17,380円 (税込)
752-1125000051	SHIMANO MS 12s	EL459	17,380円 (税込)

*Find the right compatible spare parts in 3 clicks!

EASYHUB



DISCOVER MORE*

TRIMAX CARBON AERO ACR

SPECS

- Aerodynamic integrated Cable Routing (ACR)
- Continuous carbon composite construction
- Aero-ergo flat-top riser central section follows the natural arc of the arms with a 10° forward bend for more ergonomic climbing position and easier breathing
- Cable groove compatible with new Di2 systems w/larger internal cable tunnel
- Reinforced and textured lever and stem clamping areas

SIZES

- Ø31.8mm stem clamp
- 2° outward bend

FINISH

- UD carbon finish
- Color graphics - gray

WEIGHT

- 215 grams (420mm)



HANDLEBAR

CODE	WIDTH	DROP	REACH	OUT-BEND	FLARE	RISE	STEM	金額
670-0308035030	380 mm	125 mm	76 mm	5 mm	0 mm	0 mm	31.8 mm	73,370円 (税込)
670-0308012030	400 mm	125 mm	76 mm	5 mm	0 mm	0 mm	31.8 mm	73,370円 (税込)
670-0308013030	420 mm	125 mm	76 mm	5 mm	0 mm	0 mm	31.8 mm	73,370円 (税込)
670-0308014030	440 mm	125 mm	76 mm	5 mm	0 mm	0 mm	31.8 mm	73,370円 (税込)

Complete measure and comparison charts at page 267

TRIMAX CARBON OS

SPECS

- 4 bolt sculpted AL2014 alloy
- New alloy faceplate
- UD carbon skin applied through CSI process
- 3D forged and CNC machined from AL2014
- Chromoly hardware
- -6° stem angle
- Ø31.8mm stem clamp
- 35mm fork clamp stack height

FINISH

- UD carbon finish
- Faceplate - Fine blasted anodized black

WEIGHT

- 157 grams (100mm)



CODE	LENGTH	ANGLE	CLAMP	HEADSET	金額
670-0338016030	80 mm	-6°	31.8 mm	1.1/8	28,490円 (税込)
670-0338017030	90 mm	-6°	31.8 mm	1.1/8	28,490円 (税込)
670-0338018030	100 mm	-6°	31.8 mm	1.1/8	28,490円 (税込)
670-0338019030	110 mm	-6°	31.8 mm	1.1/8	28,490円 (税込)
670-0338020030	120 mm	-6°	31.8 mm	1.1/8	28,490円 (税込)
670-0338021030	130 mm	-6°	31.8 mm	1.1/8	28,490円 (税込)

TRIMAX CARBON Si **9CR** INTEGRATED

SPECS

- Highly adjustable and customizable semi-integrated design
- Lightweight carbon wing and extension
- Internal cable routing and Di2 compatible
- Forged AL6061/T6 brackets and hardware
- Composite armrests with low profile ergonomic pads
- JS-Bend extension

FINISH





- UD carbon finish

WEIGHT

- 1,130 grams



- 01. STACK** 70 to 145mm (Bottom of stem at center to top of uncompressed pad - 5mm Increments)
- 02. REACH** 16.5 to -106.5mm (Center of Base bar to rear edge of armrest - 7.5mm Increments)
- 03. ARMREST WIDTH** 210 to 360mm (outside-to-outside - 15mm Increments)
- 04. EXTENSION ADJUSTMENT** 245 to 385mm (Center of Base bar to Tip)
- 05. EXTENSION Length** 412mm
- 06. EXTENSION HEIGHT** 60mm (c-c)
- 07. EXTENSION ANGLE** 35° (12° at extension tip)
- 08. EXTENSION WIDTH** 80mm (c-c)
- 09. BASE BAR WIDTH** 400mm (c-c)
- 10. BASE BAR DROP** -25/+25mm (c-c)
- 11. ARMREST ROTATION** 0° to 13°
- 12. BRACKET ADJUSTMENT** 0° to 16°



CODE	STEM	WIDTH	DROP	EXTENSIONS	LENGTH	金額
670-0441031030	31.8 mm	400 mm	±25 mm	JS-BEND	412 mm	146,960円 (税込)

TRIMAX CARBON

OS **ACR**
BASE BAR

SPECS

- Carbon fiber basebar
- Custom shaped for optimized aerodynamics
- Fits most standard clip-on aero extensions
- Fully internal cable routing - Di2 compatible

SIZES

- Fits Ø31.8mm stem & clip-on clamps
- Width - 410mm (c-c)
- Drop: 0mm

FINISH

- UD carbon finish
- Color graphics

WEIGHT

- 205 grams



HANDLEBAR

CODE	WIDTH	DROP	REACH	OUT-BEND	FLARE	RISE	STEM	金額
670-0306053030	410 mm	0 mm	-	-	-	-	31.8 mm	63,910円 (税込)

TRIMAX

OS **ACR**
BASE BAR

SPECS

- Aerodynamic integrated Cable Routing (ACR)
- Custom shaped for optimized aerodynamics
- Zero degree flat wing
- Fits most standard clip-on aero extensions
- AL6061/T6 triple butted
- Fully internal cable routing

FINISH

- Polished anodized black

WEIGHT

- 237 grams (420mm)



HANDLEBAR

CODE	WIDTH	DROP	REACH	OUT-BEND	FLARE	RISE	STEM	金額
670-0233012050	400 mm	0 mm	-	-	-	-	31.8 mm	17,160円 (税込)
670-0233013050	420 mm	0 mm	-	-	-	-	31.8 mm	17,160円 (税込)

TRIMAX CARBON CLIP-ON

EXTENSIONS

SPECS

- Highly adjustable and customizable Clip-on design
- Easy set-up and adjustability via open-access underside bolts
- Lightweight carbon extensions
- Low-profile armrest pads
- Internal cable routing and Di2 compatible
- 40mm armrest width adjustment
- JS Bend
- J Bend
- S Bend

SIZES

- For Ø31.8mm Basebar
- Stack: 55mm
- Reach: -9mm to -99
- Width: 210mm to 360 (15mm Increments)
- Armrest Rotation: 0-13°

FINISH

- UD carbon finish
- Color graphics - gray

WEIGHT

- J-Bend: 500 gr.

CODE	EXTENSIONS	LENGTH	金額
670-0265013030	JS-BEND	412 mm	62,590円 (税込)
670-0290013030	J-BEND	383 mm	62,590円 (税込)



JS-BEND



J-BEND

TRIMAX CLIP-ON

EXTENSIONS

SPECS

- Highly adjustable and customizable Clip-on design
- Underside bolts
- Alloy extensions
- Low-profile armrest pads
- Internal cable routing and Di2 compatible
- 40mm armrest width adjustment
- JS Bend
- J Bend
- S Bend

SIZES

- Fits Ø31.8mm stem & clip-on clamps
- Stack: 55mm
- Reach: -9mm to -99 (Center of clamp to rear edge of armrest -7.5mm Increments)
- Width: 210mm to 360 (15mm Increments)
- Armrest Rotation: 0-13°

FINISH

- Polished anodized black

WEIGHT

- 660 grams (J-Bend)

CODE	EXTENSIONS	LENGTH	金額
670-0266013010	JS-BEND	385 mm	41,030円 (税込)
670-0292013970	J-BEND	360 mm	43,120円 (税込)
670-0293014970	S-BEND	360 mm	43,120円 (税込)



J-Bend



JS-Bend



S-Bend



CLIP-ON KIT

CODE	DESCRIPTION	金額
670-0231000000	VISION HBTT SPACER KIT TEAM Clip-On V0178 A0	6,600円 (税込)

TRIMAX OS

STEM

SPECS

- 4 bolt sculpted AL2014 alloy
- New alloy faceplate
- 3D forged and CNC machined from AL2014
- Chromoly hardware

SIZES

- -6° stem angle
- Ø31.8mm stem clamp
- 34mm fork clamp stack height

FINISH

- Fine blasted anodized black

WEIGHT

- 129 grams (100mm)



STEMS

CODE	LENGTH	ANGLE	CLAMP	HEADSET	金額
670-0349016050	80 mm	-6°	31.8 mm	1.1/8	23,760円 (税込)
670-0349017050	90 mm	-6°	31.8 mm	1.1/8	23,760円 (税込)
670-0349018050	100 mm	-6°	31.8 mm	1.1/8	23,760円 (税込)
670-0349019050	110 mm	-6°	31.8 mm	1.1/8	23,760円 (税込)
670-0349020050	120 mm	-6°	31.8 mm	1.1/8	23,760円 (税込)
670-0349021050	130 mm	-6°	31.8 mm	1.1/8	23,760円 (税込)

TRIMAX SB20

SEATPOST

SPECS

- 3D forged and CNC machined AL6066 with alloy head
- Directionally butted tube (thicker wall fore and aft)
- Chromoly hardware

SIZES

- L350mm x Ø 27.2,
- Ø31.6mm diameter
- 20mm setback
- Fits Ø7mm standard rails and 7x9mm oval rails

FINISH

- Anodized black finish

WEIGHT

- 281 grams (Ø27.2x350mm)



SEATPOSTS

CODE	LENGTH	DIAMETER	SETBACK	金額
670-0179001010	350 mm	27.2 mm	20 mm	10,450円 (税込)
670-0179005010	350 mm	31.6 mm	20 mm	10,450円 (税込)



TEAM



TEAM 30 i23

WHEELSET



SPECS

- Alloy rim
- 30mm depth rim
- Tubeless ready - clincher
- Centerlock rotor mount TA-12 and X-12
- CNC machined aluminum hubs
- 6 sealed cartridge bearings (2F+4R)
- ABS self-locking nipples
- Artisan built, entirely by hand

FREEHUB

- Alloy freehub
- Shimano 10-12s
- SRAM XDR


FINISH

- Color graphics - gray

WEIGHT FROM

- 1,920 grams / pair (w/o QR)

CLINCHER/TLR



WHEELSET

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	ROTORS	金額
710-0140091010	CLINCHER/TLR	700	30 mm	23 mm	27 mm	SH 10-12s	Center-Lock	73,040円 (税込)
710-0140096010	CLINCHER/TLR	700	30 mm	23 mm	27 mm	SRAM XDR	Center-Lock	
710-0140097010	CLINCHER/TLR	700	30 mm	23 mm	27 mm	MS	Center-Lock	73,040円 (税込)



FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
752-112500051	SHIMANO MS 12s	EL459	
752-0832000060	SHIMANO 10-12s	EL381	17,380円 (税込)
752-0833000060	SRAM XDR	EL382	17,380円 (税込)

*Find the right compatible spare parts in 3 clicks!

EASYHUB



DISCOVER MORE*

1 - METRON

2 - SC

3 - TRIMAX

4 - TEAM

5 - OUTLET

6 - WORKSHOP

7 - MERCHANDISING | DISPLAY

TEAM 35 COMP SL RIM-BRAKE

WHEELSET



SPECS

- Alloy rim
- 35mm depth rim
- Clincher
- Alloy hubs for DP spokes
- Anodized black CNC braking surface
- Aero bladed spokes
- Artisan built, entirely by hand

FREEHUB

- Alloy freehub
- Shimano 10-11sp
- SRAM XDR
- Campagnolo 10-11sp (available separately)

FINISH

- Color graphics - gray

WEIGHT FROM

- 1,782 grams / pair (w/o QR)



WHEELSET

CODE	TECHNOLOGY	MEASURE	DEPTH	INNER WIDTH	OUTER WIDTH	FREEHUB	金額
710-0093191050	CLINCHER/TLR	700	35 mm	17 mm	22 mm	HG 11-12s	64,570円 (税込)
710-0093196050	CLINCHER/TLR	700	35 mm	17 mm	22 mm	XDR	64,570円 (税込)



FREEHUBS

CODE	COMPATIBILITY	MODEL	金額
752-0304000061	SHIMANO 11S	EL272	
752-0722000020	SRAM XDR	EL347	16,390円 (税込)
752-0317000063	CAMPAGNOLO 11s	EL276	11,990円 (税込)

EASYHUB



DISCOVER MORE*

WORKSHOP

WHEEL SPARE PARTS

COCKPIT SPARE PARTS



COCKPIT ACCESSORIES

COCKPIT CHART

VISION EASY HUBS.COM

FIND THE RIGHT COMPATIBLE SPARE
PARTS IN 3 CLICKS!

1. Select your VISION wheel model
2. Insert the serial number labelled on the hub (U code)
3. Get the pdf with the complete spare parts list



FIND
OUT
MORE

1 - METRON

2 - SC

3 - TRIMAX

4 - TEAM

5 - OUTLET

6 - WORKSHOP

7 - MERCHANDISING |
DISPLAY

VISION

BRAKE PADS
ACCESSORIES

CARBON RIMS

CODE	DESCRIPTION	金額
405-0016000170	VISION WHSP Brake Pads Carbon T-83 E0065 4pcs	11,550円 (税込)



ALLOY RIMS

CODE	DESCRIPTION	金額
405-0018000110	VISION WHSP Brake Pads Alloy/KB E0707 4pcs	5,390円 (税込)



VISION

QUICK RELEASES
ACCESSORIES

QR-93

CODE	DESCRIPTION	金額
750-0012305010	VISION Quick Release QR-93 Black L114/146 V17	12,540円 (税込)



QR-65

CODE	DESCRIPTION	金額
750-0004304010	VISION Alloy QR-65 Black 112+143 mm w/Logo	8,470円 (税込)



VISION

LOCK-RING
ACCESSORIES

PRA COMPATIBLE

CODE	DESCRIPTION	金額
752-0741000010	VISION Outer Lock-ring DB-CL ML656B (2pcs) U2098	5,280円 (税込)



STANDARD

CODE	DESCRIPTION	金額
752-0902000010	VISION Inner Lock-ring ML678 5mm 1pcs	



VISION

TUBELESS VALVES

ACCESSORIES

- Aluminium valve

CODE	MEASURES	金額
752-0670000000	50 mm (2pcs)	
752-0670000001	60 mm (2pcs)	
752-0670000002	70 mm (2pcs)	
752-0670000004	120 mm (2pcs)	8,910円 (税込)
752-0117000110	Asymmetric Rim Valve Adapter	



VISION

VALVE EXTENDERS

ACCESSORIES

- Aluminium valve extenders
- Anodized black with Vision laser etched logo
- Includes V-Valve installation tool

CODE	MEASURES	金額
752-5113	65 mm (2pcs)	
752-5114	30 mm (2pcs)	
752-5115	20 mm (2pcs)	
752-5126	VISION Wrench for alloy valve extender	770円 (税込)



E0310

VISION

VALVE STOP STICKER

ACCESSORIES

CODE	DESCRIPTION	金額
752-5127	VISION Valve stop sticker gray/black V18	660円 (税込)



VISION

TAPES

ACCESSORIES

TUBELESS TAPE

CODE	WIDTH	LENGTH	金額
752-0580000110	25 mm	8 mt	3,740円 (税込)
752-0997000110	28 mm	10 mt	3,740円 (税込)



TUBE TAPE

CODE	WIDTH	MEASURE	金額
75201027000170	24 mm	700	660円 (税込)



VISION

PRS CERAMIC BEARING GREASE

ACCESSORIES

SPECS

RAREMAX AF-1 is a high performance medium viscosity bearing grease created with a combination of refined mineral oil and a urea base. It has outstanding performance providing wear resistance under harsh conditions. The RAREMAX AF-1 grease is worry-free for high speed and high temperatures usage. Applications include Vehicle wheel bearings, gearboxes, any metal-to-metal contact.



CODE	DESCRIPTION	金額
752-1105000000	VISION WHSP Metron PRS Hub Grease 5ml	2,640円 (税込)

VISION

CERAMIC BEARINGS KIT

ACCESSORIES

CODE	DESCRIPTION	金額
752-0747000000	Ceramic KIT METRON SL/KB MR024x4 MR025x2	58,410円 (税込)
752-0748000000	Ceramic KIT METRON SLDB-6B MR024x2+MR025x2+MR027x2	58,410円 (税込)
752-0748000001	Ceramic KIT METRON SLDB-CL MR024x2+MR025x1+MR027x3	58,410円 (税込)





1 - METRON

2 - SC

3 - TRIMAX

4 - TEAM

5 - OUTLET

6 - WORKSHOP

7 - MERCHANDISING |
DISPLAY

WHEELS SPARE PARTS

METRON 60 RS					
WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
710-0152231030 710-0152236030	SH11/12 XDR HG	FRONT HUB	75201201006010	U1217 Front Hub Assembly - Centerlock TA12 configuration	Centerlock,TA12 Configuration
			752-0963000000	MW096 Front Hub Spacer	
			752-1108000000	MR276 Metron RS Ceramic bearing (17287) 17x28x7 (1pc)	For Drive side/Non-drive side
			752-0897000010	EL395 Front Hub End Caps - TA12 Configuration	
			752-0902000010	ML678 Centerlock Rotor Lockring Internal spline	
			752-1204000010	ML018 Carbon spoke Nipple Kit - Alloy Black (5pc)	
		REAR HUB	75201202002010	U2217 Power Ratchet System Rear Hub Assembly-72T	SMN HG Compatible, 24H (DP 2:1)
			75201203002010	U5217 Power Ratchet System Rear Hub Assembly-72T	SRAM XDR Compatible, 24H (DP 2:1)
			752-0964000010	ME384 Axle for Rear Hub Assembly	
			752-1107000000	MR275 Metron RS Ceramic bearing (6903) 17x30x7 (1pc)	For Drive side
			752-1108000000	MR276 Metron RS Ceramic bearing (17287) 17x28x7 (1pc)	For Non-drive side
			75201073000000	MW100 Rear Hub Spacer	
			752-1288000000	MP103 PRS rear hub spring	
			752-1247000000	MW369 PRS rear hub snap ring	
			752-1137000AK0	MW786 Helical Clutch Ratchet Inner Ring	
			752-1136000AK0	MW785 Helical Clutch Ratchet Outer Ring	
			752-1226000050	EL479 Freehub Assembly - PRS 72T Alloy w/o End cap	SMN HG Compatible
			752-1273000051	EL489 Freehub Assembly - PRS 72T Alloy w/o End cap	SRAM XDR Compatible
			752-1286000050	EL488 Freehub Assembly - PRS 72T Alloy w/o End cap	SMN MS Compatible
			752-0898000010	EL396 Rear Hub End Caps	X12 Configuration
			752-1290000110	MS417 PRS Rear hub gasket	
			752-0902000010	ML678 Centerlock Rotor Lockring Internal spline	
			752-0072000010	MW322 11 Speed Cassette Spacer	
			ACCESSORIES	752-0997000110	ME438 Rim Tape Vision logo 28mmx10M
		752-1105000000		ME459A PRS hub Grease(5mL)	
		752-0670000005		E0706G Aluminum Valve Extender 80mm (2pcs)	
		SPOKE KIT	SPK-MTR60RS		
METRON 45 RS					
WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
710-0180231050 710-0180236050	SH11/12 XDR HG	FRONT HUB	75201201006010	U1217 Front Hub Assembly - Centerlock TA12 configuration	Centerlock,TA12 Configuration
			752-0963000000	MW096 Front Hub Spacer	
			752-1108000000	MR276 Metron RS Ceramic bearing (17287) 17x28x7 (1pc)	For Drive side/Non-drive side
			752-0897000010	EL395 Front Hub End Caps - TA12 Configuration	
			752-0902000010	ML678 Centerlock Rotor Lockring Internal spline	
			752-1204000010	ML018 Carbon spoke Nipple Kit - Alloy Black (5pc)	
		REAR HUB	75201202002010	U2217 Power Ratchet System Rear Hub Assembly-72T	SMN HG Compatible, 24H (DP 2:1)
			75201203002010	U5217 Power Ratchet System Rear Hub Assembly-72T	SRAM XDR Compatible, 24H (DP 2:1)
			752-0964000010	ME384 Axle for Rear Hub Assembly	
			752-1107000000	MR275 Metron RS Ceramic bearing (6903) 17x30x7 (1pc)	For Drive side
			752-1108000000	MR276 Metron RS Ceramic bearing (17287) 17x28x7 (1pc)	For Non-drive side
			75201073000000	MW100 Rear Hub Spacer	
			752-1288000000	MP103 PRS rear hub spring	
			752-1247000000	MW369 PRS rear hub snap ring	
			752-1137000AK0	MW786 Helical Clutch Ratchet Inner Ring	
			752-1136000AK0	MW785 Helical Clutch Ratchet Outer Ring	
			752-1226000050	EL479 Freehub Assembly - PRS 72T Alloy w/o End cap	SMN HG Compatible
			752-1273000051	EL489 Freehub Assembly - PRS 72T Alloy w/o End cap	SRAM XDR Compatible
			752-1286000050	EL488 Freehub Assembly - PRS 72T Alloy w/o End cap	SMN MS Compatible
			752-0898000010	EL396 Rear Hub End Caps	X12 Configuration
			752-1290000110	MS417 PRS Rear hub gasket	
			752-0902000010	ML678 Centerlock Rotor Lockring Internal spline	
			752-0072000010	MW322 11 Speed Cassette Spacer	
			ACCESSORIES	752-0997000110	ME438 Rim Tape Vision logo 28mmx10M
		752-1105000000		ME459A PRS hub Grease(5mL)	
		752-0670000001		E0706B Aluminum Valve Extender-60L	
		SPOKE KIT	SPK-MTR45RS		

METRON 37 RS					
WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
710-0181231050 710-0181236050	SH11/12 XDR HG	FRONT HUB	75201201006010	U1217 Front Hub Assembly - Centerlock TA12 configuration	Centerlock,TA12 Configuration
			752-0963000000	MW096 Front Hub Spacer	
			752-1108000000	MR276 Metron RS Ceramic bearing (17287) 17x28x7 (1pc)	For Drive side/Non-drive side
			752-0897000010	EL395 Front Hub End Caps - TA12 Configuration	
			752-0902000010	ML678 Centerlock Rotor Lockring Internal spline	
			752-1204000010	ML018 Carbon spoke Nipple Kit - Alloy Black (5pc)	
		REAR HUB	75201202002010	U2217 Power Ratchet System Rear Hub Assembly-72T	SMN HG Compatible, 24H (DP 2:1)
			75201203002010	U5217 Power Ratchet System Rear Hub Assembly-72T	SRAM XDR Compatible, 24H (DP 2:1)
			752-0964000010	ME384 Axle for Rear Hub Assembly	
			752-1107000000	MR275 Metron RS Ceramic bearing (6903) 17x30x7 (1pc)	For Drive side
			752-1108000000	MR276 Metron RS Ceramic bearing (17287) 17x28x7 (1pc)	For Non-drive side
			75201073000000	MW100 Rear Hub Spacer	
			752-1288000000	MP103 PRS rear hub spring	
			752-1247000000	MW369 PRS rear hub snap ring	
			752-1137000AK0	MW786 Helical Clutch Ratchet Inner Ring	
			752-1136000AK0	MW785 Helical Clutch Ratchet Outer Ring	
			752-1226000050	EL479 Freehub Assembly - PRS 72T Alloy w/o End cap	SMN HG Compatible
			752-1273000051	EL489 Freehub Assembly - PRS 72T Alloy w/o End cap	SRAM XDR Compatible
			752-1286000050	EL488 Freehub Assembly - PRS 72T Alloy w/o End cap	SMN MS Compatible
			752-0898000010	EL396 Rear Hub End Caps	X12 Configuration
			752-1290000110	MS417 PRS Rear hub gasket	F86
			752-0902000010	ML678 Centerlock Rotor Lockring Internal spline	
		ACCESSORIES	752-0997000110	ME438 Rim Tape Vision logo 28mmx10M	
			752-1105000000	ME459A PRS hub Grease(5mL)	
			752-0670000005	E0706G Aluminum Valve Extender 80mm (2pcs)	
		SPOKE KIT	SPK-MTR37RS		

METRON 91 - FRONT					
WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
710-0173163030	FRONT	FRONT HUB	75200819006971	U1149 Power Ratchet System Front Hub Assembly - 21H	Centerlock,TA12 Configuration
			752-0963000000	MW096 Hub spacer	
			75201035000000	MR254 Steel Bearings 28x17x7	For Drive side/Non-drive side
			752-0897000010	EL395 Front Hub End Caps axle 12mm	TA12 Configuration
			752-0848000750	EL391 Front Hub End Caps axle 15mm	TA15 Configuration
		SPOKE KIT	SPK-MTR91F		

METRON 60 SL (silver edition incl.)					
WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
710-0152231030 710-0152236030	SH11/12 XDR	FRONT HUB	75200819006971	U1149 Power Ratchet System Front Hub Assembly - 21H	Centerlock,TA12 Configuration
			752-0963000000	MW096 Hub spacer	
			75201035000000	MR254 Steel Bearings 28x17x7	For Drive side/Non-drive side
			752-0897000010	EL395 Front Hub End Caps axle 12mm	TA12 Configuration
			752-0848000750	EL391 Front Hub End Caps axle 15mm	TA15 Configuration
		REAR HUB	75200820002010	U2149 Power Ratchet System Rear Hub Assembly - 24H Shimano HG Compati	Centerlock,X12 Configuration
			75200935002010	U5149 Power Ratchet System Rear Hub Assembly - 24H SRAM XDR 12S Compa	Centerlock,X12 Configuration
			752-0964000010	ME384 Rear Hub Axle	
			752-1016000000	MR252 Steel Bearings 30x17x7	For Drive side
			752-0633000000	MR039 Steel Bearings 28x17x7	For Non-drive side
			75201073000000	MW100 Rear Hub Spacer	
			752-1001000AK0	MW098 Helical Clutch Ratchet Inner Ring	
			752-1000000AK0	ML654 Helical Clutch Ratchet Outer Ring	
			752-0921000020	EL401 Freehub Assembly - Shimano HG Compatible	
			752-0938000010	EL402 Freehub Assembly - SRAM XDR 12S Compatible	
			752-0898000010	EL396 Rear Hub End Caps - SRAM XDR 12S/ Shimano HG Compatible	X12 Configuration F119
			752-0918000520	E0791 Power Ratchet System Disassembly Tool	
		SPOKE KIT	SPK-MTR60DBB1	SPOKES KIT METRON60 DB INOX 2/1.5/2 w/NIPPLE	

METRON 45 SL (silver edition incl.)					
WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
710-0156231030 710-0156236030	SH11/12 XDR	FRONT HUB	75200819006971D125	U1149 Power Ratchet System Front Hub Assembly - 21H	Centerlock,TA12 Configuration
			752-0963000000	MW096 Hub spacer	
			75201035000000	MR254 Steel Bearings 28x17x7	For Drive side/Non-drive side
			752-0897000010	EL395 Front Hub End Caps axle 12mm	TA12 Configuration
			752-0848000750	EL391 Front Hub End Caps axle 15mm	TA15 Configuration
		REAR HUB	75200820002010	U2149 Power Ratchet System Rear Hub Assembly - 24H Shimano HG Compati	Centerlock,X12 Configuration
			75200935002010	U5149 Power Ratchet System Rear Hub Assembly - 24H SRAM XDR 12S Compa	Centerlock,X12 Configuration
			752-0964000010	ME384 Rear Hub Axle	
			752-1016000000	MR252 Steel Bearings 30x17x7	For Drive side
			752-0633000000	MR039 Steel Bearings 28x17x7	For Non-drive side
			75201073000000	MW100 Rear Hub Spacer	
			752-1001000AK0	MW098 Helical Clutch Ratchet Inner Ring	
			752-1000000AK0	ML654 Helical Clutch Ratchet Outer Ring	
			752-0921000020	EL401 Freehub Assembly - Shimano HG Compatible	
			752-0938000010	EL402 Freehub Assembly - SRAM XDR 12S Compatible	
			752-0898000010	EL396 Rear Hub End Caps - SRAM XDR 12S/ Shimano HG Compatible	X12 Configuration F141
			752-0918000520	E0791 Power Ratchet System Disassembly Tool	
		SPOKE KIT	SPK-MTR45DBB1	SPOKES KIT METRON45 DB INOX 2/1.5/2 w/NIPPLE	

METRON 37 SL					
WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
710-0175231030 710-0175236030	SH11/12 XDR	FRONT HUB	75200819006971	U1149 Power Ratchet System Front Hub Assembly - 21H	Centerlock,TA12 Configuration
			752-0963000000	MW096 Hub spacer	
			75201035000000	MR254 Steel Bearings 28x17x7	For Drive side/Non-drive side
			752-0897000010	EL395 Front Hub End Caps axle 12mm	TA12 Configuration
			752-0848000750	EL391 Front Hub End Caps axle 15mm	TA15 Configuration
		REAR HUB	75200820002010	U2149 Power Ratchet System Rear Hub Assembly - 24H Shimano HG Compati	Centerlock,X12 Configuration
			75200935002010	U5149 Power Ratchet System Rear Hub Assembly - 24H SRAM XDR 12S Compa	Centerlock,X12 Configuration
			752-0964000010	ME384 Rear Hub Axle	
			752-1016000000	MR252 Steel Bearings 30x17x7	For Drive side
			752-0633000000	MR039 Steel Bearings 28x17x7	For Non-drive side
			75201073000000	MW100 Rear Hub Spacer	
			752-1001000AK0	MW098 Helical Clutch Ratchet Inner Ring	
			752-1000000AK0	ML654 Helical Clutch Ratchet Outer Ring	
			752-0921000020	EL401 Freehub Assembly - Shimano HG Compatible	
			752-0938000010	EL402 Freehub Assembly - SRAM XDR 12S Compatible	
			752-0898000010	EL396 Rear Hub End Caps - SRAM XDR 12S/ Shimano HG Compatible	X12 Configuration
			752-0918000520	E0791 Power Ratchet System Disassembly Tool	
		SPOKE KIT	SPK-MTR37DB		

METRON TTW					
WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
710-0183231051 710-0183231050 710-0183236050	SH11/12 XDR	REAR HUB	75200820002010	U2149 Power Ratchet System Rear Hub Assembly - 24H Shimano HG Compati	Centerlock,X12 Configuration
			75200935002010	U5149 Power Ratchet System Rear Hub Assembly - 24H SRAM XDR 12S Compa	Centerlock,X12 Configuration
			752-0964000010	ME384 Rear Hub Axle	
			752-1016000000	MR252 Steel Bearings 30x17x7	For Drive side
			752-0633000000	MR039 Steel Bearings 28x17x7	For Non-drive side
			75201073000000	MW100 Rear Hub Spacer	
			752-1001000AK0	MW098 Helical Clutch Ratchet Inner Ring	
			752-1000000AK0	ML654 Helical Clutch Ratchet Outer Ring	
			752-0921000020	EL401 Freehub Assembly - Shimano HG Compatible	
			752-0938000010	EL402 Freehub Assembly - SRAM XDR 12S Compatible	
			752-0898000010	EL396 Rear Hub End Caps - SRAM XDR 12S/ Shimano HG Compatible	X12 Configuration
			752-0918000520	E0791 Power Ratchet System Disassembly Tool	

SC 60 SL					
WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
		FRONT HUB	752-0963000000	MW096 Hub spacer	
			752-1192000000	MR053 Deep groove ball bearing (17287)	1 piece
			752-A6052	ML240 Nipple Black (5pcs)	
			75201187002010	U1219 Front Hub	21H (DP 2:1)
			752-0847000010	EL390 Front Hub End Caps Kit	(MW147 NDS+ MW148 DS)+ MS344)
		REAR HUB	75201188002010	Rear Hub ROAD PRS 54T V600 SP DB-CL X12 24H HG U2219 2:1	Shimano HG
			75201189002010	Rear Hub ROAD PRS 54T V600 SP DB-CL X12 24H XDR U5219 2:1	Sram XDR
			75201209002010	Rear Hub ROAD PRS 54T V600 SP DB-CL X12 24H MS U5224 2:1	Shimano MS
			752-0964000010	ME384 Axle for Rear Hub Assembly	
			752-1192000000	MR053 Deep groove ball bearing (17287)x1pc	For Non-Drive side
			752-1174000000	MR037 Deep groove ball bearing (6903) x1 pc	For Drive side
			752-0072000010	MW322 11 Speed Cassette Spacer	
			752-1288000000	MP103 PRS rear hub spring	
			75201073000000	MW100 Rear Hub Spacer	
			752-1134000AK0	MW852 Helical Clutch Ratchet Inner Ring	
			752-1135000AK0	MW853 Helical Clutch Ratchet Outer Ring	
			752-1161000050	EL474 Freehub Assembly - PRS 54T Alloy w/o End cap	Shimano HG
			752-1162000050	EL475 Freehub Assembly - PRS 54T Alloy w/o End cap	Shimano MS
			752-1163000050	EL476 Freehub Assembly - PRS 54T Alloy w/o End cap	Sram XDRF204
			752-0898000010	EL396 Rear Hub End Caps - SRAM XDR 12S/ Shimano HG Compatible	(MW749 DS + MW750 NDS)+MS301
			752-0918000520	E0791 Power Ratchet System Disassembly Tool	
		ACCESSORIES	752-0997000110	ME438 Tubeless Rim Tape Black 28mmx10M w/Vision logo	For 1 bike
			752-1105000000	ME459A PRS hub Grease (5mL),	
		SPOKE KIT	SPK-SC60SL		

SC 45 SL					
WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
		FRONT HUB	752-0963000000	MW096 Hub spacer	
			752-1192000000	MR053 Deep groove ball bearing (17287)	1 piece
			752-A6052	ML240 Nipple Black (5pcs)	
			75201187002010	U1219 Front Hub	21H (DP 2:1)
			752-0847000010	EL390 Front Hub End Caps Kit	(MW147 NDS+ MW148 DS)+ MS344)
		REAR HUB	75201188002010	Rear Hub ROAD PRS 54T V600 SP DB-CL X12 24H HG U2219 2:1	Shimano HG
			75201189002010	Rear Hub ROAD PRS 54T V600 SP DB-CL X12 24H XDR U5219 2:1	Sram XDR
			75201209002010	Rear Hub ROAD PRS 54T V600 SP DB-CL X12 24H MS U5224 2:1	Shimano MS
			752-0964000010	ME384 Axle for Rear Hub Assembly	
			752-1192000000	MR053 Deep groove ball bearing (17287)x1pc	For Non-Drive side
			752-1174000000	MR037 Deep groove ball bearing (6903) x1 pc	For Drive side
			752-0072000010	MW322 11 Speed Cassette Spacer	
			752-1288000000	MP103 PRS rear hub spring	
			75201073000000	MW100 Rear Hub Spacer	
			752-1134000AK0	MW852 Helical Clutch Ratchet Inner Ring	
			752-1135000AK0	MW853 Helical Clutch Ratchet Outer Ring	
			752-1161000050	EL474 Freehub Assembly - PRS 54T Alloy w/o End cap	Shimano HGF229
			752-1162000050	EL475 Freehub Assembly - PRS 54T Alloy w/o End cap	Shimano MS
			752-1163000050	EL476 Freehub Assembly - PRS 54T Alloy w/o End cap	Sram XDR
			752-0898000010	EL396 Rear Hub End Caps - SRAM XDR 12S/ Shimano HG Compatible	(MW749 DS + MW750 NDS)+MS301
			752-0918000520	E0791 Power Ratchet System Disassembly Tool	
		ACCESSORIES	752-0997000110	ME438 Tubeless Rim Tape Black 28mmx10M w/Vision logo	For 1 bike
			752-1105000000	ME459A PRS hub Grease (5mL),	
		SPOKE KIT	SPK-SC60SL		

SC 48 i25

WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
710-0187231031 710-0187231032 710-0187236031	SH11/12 XDR HG	FRONT HUB	75200841006011	U1161 V-200 DB-CL/TA12 Front Hub 21H w/Vision logo(DP 2:1)	Centerlock,TA12 Configuration
			752-0963000000	MW096 Hub spacer	
			752-0522000011	MW632 Front Hub End Caps	
			752-0794000000	ME377 Front Hub Axle	
			752-0323000001	MR018 Steel Bearings x2pcs	For Drive side/Non-drive side
			752-0897000010	EL395 Front Hub End Caps axle 12mm	TA12 Configuration
			752-0848000750	EL391 Front Hub End Caps axle 15mm	TA15 Configuration
		REAR HUB	75200842002011	U2161 V-200 DB-CL/X12 Rear Hub 24H 11S/12S w/Vision logo (DP 2:1)	Shimano 11s/12s
			75200843002011	U5161 V-200 DB-CL/X12 Rear Hub 24H XDR w/Vision logo (DP 2:1)	Sram XDR 12s
			752-0798000010	ME378 Rear Hub Axle	
			752-0887000000	MR244 Steel Bearings	For Drive side
			752-0888000000	MR245 Steel Bearings	For Non-drive side
			752-0072000010	MW322 10 Speed Cassette Spacer	
			752-0793000010	MW135 Rear Hub End Caps - SRAM XDR	
			752-0791000010	MW133 Rear Hub End Caps - Shimano	
			752-0832000060	EL381 Freehub Assembly - includes bearing	Shimano 11s/12s
			752-0833000060	EL402 Freehub Assembly - SRAM XDR 12S Compatible	Sram XDR 12s
			752-A6052	ML240 Nipple Black (5pcs)	F257
			752-1125000051	EL459 Freehub Assembly - Shimano MS 12s	Shimano MS 12s
			752-0855000AG0	MW717 Rear Hub Spacer	
		ACCESSORIES	752-0997000110	ME438 Road Tubeless Tape Black 28mmx10M w/Vision logo	For 1 bike
		SPOKE KIT	SPK-SC48i25		

SC 60 (i21 - i23)

WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
710-0177111030 710-0177116030	SH11/12 XDR	FRONT HUB U1161	75200841006011	U1161 Front Hub Assembly -21H	Centerlock,TA12 Configuration
			752-0794000000	ME377 Front Hub Axle	
			752-0323000001	MR018 Steel Bearings 28x18x7	For Drive side/Non-drive side
			752-0522000011	MW632 Front Hub End Caps axle 12mm	TA12 Configuration
			752-0521000010	MW630 Front Hub End Caps QR	QR Configuration
		REAR HUB U2161	75200842002011	U2161 Rear Hub Assembly - 24H Shimano HG Compatible	Centerlock,X12 Configuration
			75200843002010	U5161 Rear Hub Assembly - 24H SRAM XDR 12S Compatible	Centerlock,X12 Configuration
			752-0798000010	ME378 Rear Hub Axle	
			752-0887000000	MR244 Steel Bearings 28x15x7	For Drive side
			752-0888000000	MR245 Steel Bearings 28x15x7	For Non-drive side
			752-0855000AG0	MW717 Rear Hub Spacer	
			752-0833000060	EL382 Freehub Assembly - SRAM XDR 12S Compatible	with Drive side end caps
			752-0832000011	EL381 Freehub Assembly - Shimano HG Compatible	with Drive side end caps
			752-1125000051	EL459 Freehub Assembly - Shimano MS Compatible	with Drive side end caps
			75201164000050	EL473 Freehub Assembly - Campagnolo N3W Compatible	with Drive side end caps
			752-0791000010	MW133 Rear Hub End Caps - Shimano HG Compatible	X12 Configuration
			752-0793000010	MW135 Rear Hub End Caps - SRAM XDR 12S Compatible	X12 Configuration
		SPOKE KIT	SPK-SC60DB		

SC 45 (i21 - i23)					
WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
710-0176111030 710-0176116030	SH11/12 XDR	FRONT HUB U1161	75200841006011	U1161 Front Hub Assembly -21H	Centerlock,TA12 Configuration
			752-0794000000	ME377 Front Hub Axle	
			752-0323000001	MR018 Steel Bearings 28x18x7	For Drive side/Non-drive side
			752-0522000011	MW632 Front Hub End Caps axle 12mm	TA12 Configuration
			752-0521000010	MW630 Front Hub End Caps QR	QR Configuration
		REAR HUB U2161	75200842002011D292	U2161 Rear Hub Assembly - 24H Shimano HG Compatible	Centerlock,X12 Configuration
			75200843002010	U5161 Rear Hub Assembly - 24H SRAM XDR 12S Compatible	Centerlock,X12 Configuration
			752-0798000010	ME378 Rear Hub Axle	
			752-0887000000	MR244 Steel Bearings 28x15x7	For Drive side
			752-0888000000	MR245 Steel Bearings 28x15x7	For Non-drive side
			752-0855000AG0	MW717 Rear Hub Spacer	
			752-0833000060	EL382 Freehub Assembly - SRAM XDR 12S Compatible	with Drive side end caps
			752-0832000011	EL381 Freehub Assembly - Shimano HG Compatible	with Drive side end caps
			752-1125000051	EL459 Freehub Assembly - Shimano MS Compatible	with Drive side end caps
			75201164000050	EL473 Freehub Assembly - Campagnolo N3W Compatible	with Drive side end caps
			752-0791000010	MW133 Rear Hub End Caps - Shimano HG Compatible	X12 Configuration
			752-0793000010	MW135 Rear Hub End Caps - SRAM XDR 12S Compatible	X12 Configuration
		SPOKE KIT	SPK-SC45DB		

SC 30 i23					
WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
710-0162111031 710-0162116031	SH11/12 XDR	FRONT HUB U1160	75200865002012	U1160 Front Hub Assembly -24H	Centerlock,TA12 Configuration
			752-0963000000	MW096 Hub spacer	
			752-1104000000	MR259 Steel Bearings 28x17x7	For Drive side/Non-drive sideF311
			752-0847000010	EL390 Front Hub End Caps axle 12mm	TA12 Configuration
			752-0848000010	EL391 Front Hub End Caps axle 15mm	TA15 Configuration
		REAR HUB U2160	75200866002011	U2160 Rear Hub Assembly - 24H Shimano HG Compatible	Centerlock,X12 Configuration
			75200900002010	U5160 Rear Hub Assembly - 24H SRAM XDR 12S Compatible	Centerlock,X12 Configuration
			752-0964000010	ME384 Rear Hub Axle	
			752-0077000001	MR028 Steel Bearings 30x17x7	For Drive side
			752-0495000002	MR017 Steel Bearings 28x17x7	For Non-drive side
			752-0967000000	MW320 Rear Hub Spacer	
			752-0966000020	EL414 Freehub Assembly - SRAM XDR 12S Compatible	
			752-0965000060	EL413 Freehub Assembly - Shimano HG Compatible	
			752-1126000050	EL460 Freehub Assembly - Shimano MS Compatible	with Drive side end caps and axleF323
			752-0850000010	EL393 Rear Hub End Caps - SRAM XDR 12S/ Shimano HG Compatible	X12 Configuration
		SPOKE KIT	SPK-SC30DBi23		

TRIMAX 35 DB					
WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
710-0113231051 710-0113236051	SH11/12 XDR	FRONT HUB U1161	75200841006011	U1161 Front Hub Assembly -21H	Centerlock,TA12 Configuration
			752-0794000000	ME377 Front Hub Axle	
			752-0323000001	MR018 Steel Bearings 28x18x7	For Drive side/Non-drive side
			752-0522000011	MW632 Front Hub End Caps axle 12mm	TA12 Configuration
			752-0521000010	MW630 Front Hub End Caps QR	QR Configuration
		REAR HUB U2161	75200842002011	U2161 Rear Hub Assembly - 24H Shimano HG Compatible	Centerlock,X12 Configuration
			75200843002010	U5161 Rear Hub Assembly - 24H SRAM XDR 12S Compatible	Centerlock,X12 Configuration
			752-0798000010	ME378 Rear Hub Axle	
			752-0887000000	MR244 Steel Bearings 28x15x7	For Drive side
			752-0888000000	MR245 Steel Bearings 28x15x7	For Non-drive side
			752-0855000AG0	MW717 Rear Hub Spacer	
			752-0833000060	EL382 Freehub Assembly - SRAM XDR 12S Compatible	with Drive side end caps
			752-0832000011	EL381 Freehub Assembly - Shimano HG Compatible	with Drive side end caps
			752-1125000051	EL459 Freehub Assembly - Shimano MS Compatible	with Drive side end caps
			75201164000050	EL473 Freehub Assembly - Campagnolo N3W Compatible	with Drive side end caps
			752-0791000010	MW133 Rear Hub End Caps - Shimano HG Compatible	X12 Configuration
			752-0793000010	MW135 Rear Hub End Caps - SRAM XDR 12S Compatible	X12 Configuration
		SPOKE KIT	SPK-TRI35DBB1		

1 - METRON

2 - SC

3 - TRIMAX

4 - TEAM

5 - OUTLET

6 - WORKSHOP

7 - MERCHANDISING |
DISPLAY

TRIMAX 30 i23					
WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
710-0160111050 710-0160116050 710-0160117050	SH11/12 XDR MS12	FRONT HUB U1160	75200865002012D351	U1160 Front Hub Assembly - 24H	Centerlock,TA12 Configuration
			752-0963000000	MW096 Hub spacer	
			752-1104000000	MR259 Steel Bearings 28x17x7	For Drive side/Non-drive side
			752-0847000010	EL390 Front Hub End Caps axle 12mm	TA12 Configuration
			752-0848000010	EL391 Front Hub End Caps axle 15mm	TA15 Configuration
		REAR HUB U2160	75200866002011	U2160 Rear Hub Assembly - 24H Shimano HG Compatible	Centerlock,X12 Configuration
			75200900002010	U5160 Rear Hub Assembly - 24H SRAM XDR 12S Compatible	Centerlock,X12 Configuration
			752-0964000010	ME384 Rear Hub Axle	
			752-0077000001	MR028 Steel Bearings 30x17x7	For Drive side
			752-0495000002	MR017 Steel Bearings 28x17x7	For Non-drive side
			752-0967000000	MW320 Rear Hub Spacer	
			752-0966000020	EL414 Freehub Assembly - SRAM XDR 12S Compatible	
			752-0965000060	EL413 Freehub Assembly - Shimano HG Compatible	
			752-1126000050	EL460 Freehub Assembly - Shimano MS Compatible	with Drive side end caps and axle
			752-0850000010	EL393 Rear Hub End Caps - SRAM XDR 12S/ Shimano HG Compatible	X12 Configuration
		SPOKE KIT	SPK-TRI30DBi23		

TEAM 30 i23 AGX					
WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
710-0140091010 710-0140096010 710-0140097010	SH11/12 XDR MS12	FRONT HUB U1172	75200878002010	U1172 Front Hub Assembly - 24H	Centerlock,TA12 Configuration
			752-0794000000	ME377 Front Hub Axle	
			752-0323000001	MR018 Steel Bearings 28x18x7	For Drive side/Non-drive side
			752-0522000011	MW632 Front Hub End Caps axle 12mm	TA12 Configuration
			752-0521000010	MW630 Front Hub End Caps QR	QR Configuration
		REAR HUB U2172	75200879002010	U2172 Rear Hub Assembly - 24H Shimano HG Compatible	Centerlock,X12 Configuration
			75200880002010	U5172 Rear Hub Assembly - 24H SRAM XDR 12S Compatible	Centerlock,X12 Configuration
			752-0798000010	ME378 Rear Hub Axle	
			752-0887000000	MR244 Steel Bearings 28x15x7	For Drive side
			752-0888000000	MR245 Steel Bearings 28x15x7	For Non-drive side
			752-0855000AG0	MW717 Rear Hub Spacer	
			752-0833000060	EL382 Freehub Assembly - SRAM XDR 12S Compatible	with Drive side end caps
			752-0832000011	EL381 Freehub Assembly - Shimano HG Compatible	with Drive side end caps
			752-1125000051	EL459 Freehub Assembly - Shimano MS Compatible	with Drive side end caps
			75201164000050	EL473 Freehub Assembly - Campagnolo N3W Compatible	with Drive side end caps
			752-0791000010	MW133 Rear Hub End Caps - Shimano HG Compatible	X12 Configuration
			752-0793000010	MW135 Rear Hub End Caps - SRAM XDR 12S Compatible	X12 Configuration
		SPOKE KIT	SPK-TEAM30DBi23		

SC 55 RB					
WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
710-0090191030 710-0090196030	SH11 XDR	FRONT HUB 1081	75200819006971	U1081 Front Hub Assembly - 16H	
			752-0307000000	MR021 Steel Bearings 24x12x6	For Drive side/Non-drive side
			752-0373000190	MW575 Front Hub End Caps	
		REAR HUB U2149	752-0236006011	U2081 Rear Hub Assembly - 24H Shimano HG Compatible	
			752-0724006010	U5081 Rear Hub Assembly - 24H SRAM XDR 12S Compatible	
			752-0719000010	ME357 Rear Hub Axle	
			752-0077000000	MR028 Steel Bearings 30x17x7	For Drive side
			752-0279000000	MR200 Steel Bearings 28x17x7	For Non-drive side
			75200683000000	MW022 Rear Hub Spacer	
			752-0304000061	EL272 Freehub Assembly - Shimano HG Compatible	with Drive side end caps
			752-0722000020	EL347 Freehub Assembly - SRAM XDR 12S Compatible	with Drive side end caps
			752-0317000063	EL276 Freehub Assembly - SRAM XDR 12S Compatible	with Drive side end caps
			75200569000010	MW605 Rear Hub End Caps - Shimano HG Compatible	
		SPOKE KIT	SPK-SC55RBB1		

SC 40 RB					
WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
710-0089191030 710-0089196030	SH11 XDR	FRONT HUB 1081	75200819006971	U1081 Front Hub Assembly - 16H	
			752-0307000000	MR021 Steel Bearings 24x12x6	For Drive side/Non-drive side
			752-0373000190	MW575 Front Hub End Caps	
		REAR HUB U2149	752-0236006011	U2081 Rear Hub Assembly - 24H Shimano HG Compatible	
			752-0724006010	U5081 Rear Hub Assembly - 24H SRAM XDR 12S Compatible	
			752-0719000010	ME357 Rear Hub Axle	
			752-0077000000	MR028 Steel Bearings 30x17x7	For Drive side
			752-0279000000	MR200 Steel Bearings 28x17x7	For Non-drive side
			75200683000000	MW022 Rear Hub Spacer	
			752-0304000061	EL272 Freehub Assembly - Shimano HG Compatible	with Drive side end caps
			752-0722000020	EL347 Freehub Assembly - SRAM XDR 12S Compatible	with Drive side end caps
			752-0317000063	EL276 Freehub Assembly - SRAM XDR 12S Compatible	with Drive side end caps
			75200569000010	MW605 Rear Hub End Caps - Shimano HG Compatible	
		SPOKE KIT	SPK-SC40RBB1		

SC 30 RB					
WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
710-0122191030 710-0122196030	SH11 XDR	FRONT HUB 1081	75200819006971	U1081 Front Hub Assembly - 16H	
			752-0307000000	MR021 Steel Bearings 24x12x6	For Drive side/Non-drive side
			752-0373000190	MW575 Front Hub End Caps	
		REAR HUB U2149	752-0236006011	U2081 Rear Hub Assembly - 24H Shimano HG Compatible	
			752-0724006010	U5081 Rear Hub Assembly - 24H SRAM XDR 12S Compatible	
			752-0719000010	ME357 Rear Hub Axle	
			752-0077000000	MR028 Steel Bearings 30x17x7	For Drive side
			752-0279000000	MR200 Steel Bearings 28x17x7	For Non-drive side
			75200683000000	MW022 Rear Hub Spacer	
			752-0304000061	EL272 Freehub Assembly - Shimano HG Compatible	with Drive side end caps
			752-0722000020	EL347 Freehub Assembly - SRAM XDR 12S Compatible	with Drive side end caps
			752-0317000063	EL276 Freehub Assembly - SRAM XDR 12S Compatible	with Drive side end caps
			75200569000010	MW605 Rear Hub End Caps - Shimano HG Compatible	
		SPOKE KIT	SPK-SC30RBB1		

TEAM 35 COMP RB					
WHEEL CODE	COMPATIBILITY	COMPONENT	SPARE CODE	DESCRIPTION	NOTES
710-0093191050 710-0093196050	SH11 XDR	FRONT HUB 1081	75200819006971	U1081 Front Hub Assembly - 16H	
			752-0307000000	MR021 Steel Bearings 24x12x6	For Drive side/Non-drive side
			752-0373000190	MW575 Front Hub End Caps	
		REAR HUB U2149	752-0236006011	U2081 Rear Hub Assembly - 24H Shimano HG Compatible	
			752-0724006010	U5081 Rear Hub Assembly - 24H SRAM XDR 12S Compatible	
			752-0719000010	ME357 Rear Hub Axle	
			752-0077000000	MR028 Steel Bearings 30x17x7	For Drive side
			752-0279000000	MR200 Steel Bearings 28x17x7	For Non-drive side
			75200683000000	MW022 Rear Hub Spacer	
			752-0304000061	EL272 Freehub Assembly - Shimano HG Compatible	with Drive side end caps
			752-0722000020	EL347 Freehub Assembly - SRAM XDR 12S Compatible	with Drive side end caps
			752-0317000063	EL276 Freehub Assembly - SRAM XDR 12S Compatible	with Drive side end caps
			75200569000010	MW605 Rear Hub End Caps - Shimano HG Compatible	
		SPOKE KIT	SPK-TEAM35COMP		

1 - METRON

2 - SC

3 - TRIMAX

4 - TEAM

5 - OUTLET

6 - WORKSHOP

7 - MERCHANDISING |
DISPLAY



COCKPIT SPARE PARTS

METRON COMPUTER MOUNTS

INTEGRATED HANDLEBAR ACCESSORIES

METRON 5D ACR EVO

CODE	DESCRIPTION	金額
670-0468000752	VISION HBSP METRON 5D ACR EVO COMPUTER MOUNT ONE-PIECE ALLOY E0106 W/GOPRO MOUNT EL452	8,470円 (税込)

METRON 5D ACR

CODE	DESCRIPTION	金額
670-0258000110	VISION HBSP 5D ACR Control Center	4,290円 (税込)

METRON 5D / 6D

CODE	DESCRIPTION	金額
670-0369000110	HBSP Control Center GARMIN METRON 5D E0758 B1	4,070円 (税込)

METRON 5D / 6D: universal Control Center

CODE	DESCRIPTION	金額
187-0006000110	HBSP Control Center STANDARD METRON 5D EL259	2,310円 (税込)

GO PRO MOUNT

CODE	DESCRIPTION	金額
670-0366000010	HBSP GOPRO FIXED for Control Center 5D E0757 B1	3,740円 (税込)



METRON 5D / 6D

SPARE PARTS

TOP CAP

CODE	DESCRIPTION	金額
670-0124000030	VISION HBSP Carbon Top CAP METRON 5D V4041	3,080円 (税込)

COVER

CODE	DESCRIPTION	金額
670-0127000110	VISION HBSP Cover METRON 5D EPS-Di23P/5P E0631	990円 (税込)

SPACERS

CODE	DESCRIPTION	金額
670-0128000030	VISION HBSP SPACER KIT 5D/6D 1xMW081A/82/52+2x81B	17,160円 (税込)
670-0097000030	VISION HBSP Carbon Spacer 5D/6D 5mm MW081A 1pc	5,830円 (税込)
670-0097000031	VISION HBSP Carbon Spacer 5D/6D 10mm MW081B 1pc	5,830円 (税込)



1 - METRON

2 - SC

3 - TRIMAX

4 - TEAM

5 - OUTLET

6 - WORKSHOP

7 - MERCHANDISING |
DISPLAY


METRON

5D ACR EVO / 5D ACR

SPARE PARTS

METRON 5D ACR EVO - TOP CAP

CODE	DESCRIPTION	金額
670-0474000680	VISION HBSP 5D EVO ACR Carbon Top Cap	3,080円 (税込)



METRON 5D ACR 3K - TOP CAP

CODE	DESCRIPTION	金額
670-0287000031	VISION HBSP 5D ACR 3K Carbon Top Cap T2118 B2	11,770円 (税込)



ACR SPACERS

CODE	DESCRIPTION	金額
670-0259000110	STSP SPACER KIT ACR 1x5mm+2x10mm MW010/O11	6,380円 (税込)
67000260000110	STSP ACR Spacer 10mm w/o logo MW011	2,200円 (税込)
67000263000110	STSP ACR Spacer 5mm w/o logo MW010	1,760円 (税込)
670-0264000110	STSP ROAD NS ACR Base Stem Spacer MW672	1,540円 (税込)
17500052000110	STSP ACR SMR Spacer 5mm w/o logo 1-1/4" (1pc) MW072	660円 (税込)



670-0259000110



17500052000110



67000263000110



670-0264000110




67000260000110

METRON

4D FLAT M.A.S.
SPARE PARTS

FLAT MAS KIT

CODE	DESCRIPTION	金額
670-0230004030	VISION HBTT MAS Clip-On KIT J-Bend 290mm w/spacer	77,000円 (税込)
670-0230003030	VISION HBTT MAS Clip-On KIT J-Bend 270mm w/spacer	
670-0230002030	VISION HBTT MAS Clip-On KIT J-Bend 250mm w/spacer	
670-0229000030	VISION HBTT MAS Clip-On KIT S-Bend w/spacer	79,970円 (税込)
670-0235000110	VISION HBTT MAS Rubber Cover MS011 2pcs	1,210円 (税込)



SPACER KIT

CODE	DESCRIPTION	金額
670-0169000000	VISION HBSP SPACER KIT+Bridge METRON 4D MAS V0107	



TFE PRO ADAPTERS

CODE	DESCRIPTION	金額
670-0415000870	VISION HBTT TFE L/R adapters 4D Flat MAS V0234 B1	16,390円 (税込)



TRIMAX CARBON Si

SPARE PARTS

STACK-KIT

CODE	DESCRIPTION	金額
670-0315000750	VISION HBTT Armrest stack SPACER KIT TRX CAR V0200	12,320円 (税込)



BLIPS MOUNT

SRAM
SPARE PARTS

STACK-KIT

CODE	DESCRIPTION	金額
407-0083000110	Blips adapter Shift Button x extension (pair) Sram AXS SF034	3,300円 (税込)



1 - METRON

2 - SC

3 - TRIMAX

4 - TEAM

5 - OUTLET

6 - WORKSHOP

7 - MERCHANDISING |
DISPLAY

METRON

TFA EVO
SPARE PARTS

STEM COVER

CODE	DESCRIPTION	金額
670-0532000110	VISION HBSP Metron TFA EVO Stem Cover SLA Resin Black w/bolt,T2078	8,250円 (税込)



SPACER KIT

CODE	DESCRIPTION	金額
670-0516000680	VISION HBTT Armrest stack SPACER KIT TFA EVO MW008	11,000円 (税込)



BRIDGE (TFA EVO vs J / S / JS BEND EXTENSIONS)

CODE	DESCRIPTION	金額
670-0518000970	VISION HBTT bridge TFA EVO for JS, J and S Extensions V3162	11,440円 (税込)
670-0519000970	VISION HBTT bridge TFA EVO for TFE V3163	11,440円 (税込)



V3162



V3163

REAR PLUG

CODE	DESCRIPTION	金額
670-0282000110	MS031 Aero Extension Rear plug	440円 (税込)



SPACER

CODE	DESCRIPTION	金額
670-0533000680	VISION HBSP SPACER for TFA EVO base bar MW001	



BOTTLE CAGE BRACKET KIT

CODE	DESCRIPTION	金額
670-0520000680	V4093 Metron TFA EVO Bottle cage bracket kits	1,210円 (税込)



SPACER BOLTS KIT

CODE	DESCRIPTION	金額
670-0515000141	VISION HBSP Spacer bolt kit for TFA EVO ML002	4,510円 (税込)



METRON

TFE EVO
SPARE PARTS

THERMOPLASTIC PLUG

CODE	DESCRIPTION	金額
670-0187000110	MS133 Metron TFE EVO Thermoplastic Plug (L+R)	770円 (税込)



ELBOW PADS

CODE	DESCRIPTION	金額
670-0552000110	MS008 Metron TFE EVO Elbow pads (L+R) w/Vision Logo	



FORE-ARM PADS

CODE	DESCRIPTION	金額
670-0553000110	MS007 Metron TFE EVO Forearm pads (L+R)	



COMPUTER MOUNT

CODE	DESCRIPTION	金額
670-0525000680	EL481 Metron TFE EVO Computer Mount	2,640円 (税込)



ARM PLATE (S/J BEND)

CODE	DESCRIPTION	金額
670-0340000110	V0209 Vision R25 Race Arm Plate w/ Pad	9,900円 (税込)



1 - METRON

2 - SC

3 - TRIMAX

4 - TEAM

5 - OUTLET

6 - WORKSHOP

7 - MERCHANDISING |
DISPLAY

COCKPIT ACCESSORIES

VISION COMPUTER MOUNT

ACCESSORIES

SPECS


- 100% CNC machined
- Ø22.2mm Clamp is able fit any tubular handlebar
- Main body AL6061/T6
- 360° adjustable
- 10mm spacer x2 width adjustable

FINISH

- Anodized black finish

WEIGHT

- 36.8 grams (w/ 2 spacers)



CODE	DESCRIPTION	金額
670-0452000010	VISION HBTT Computer Mount for Extension Bar F22.2 V0246 B3	28,710円 (税込)

METRON SMR ADAPTERS

5D / 6D ACCESSORIES

SMR

SPECS

- Compatible only with METRON 5D and 6D
- Allows to use SMR system on non ACR handlebars



CODE	DESCRIPTION	金額
670-0439000110	VISION STSP adapter 5D/6D to SMR SLA Resin V0247	10,670円 (税込)

COCKPIT CHART

VISION HANDLEBAR MEASURES


SPARES

INTEGRATED COCKPIT



MODEL	BAR WIDTH	SHIFTER WIDTH	OUTWARD BEND	REACH	DROP	STEM + REACH
Metron 5D ACR EVO XL	420+10, 440+10 mm	409.5, 429.5 mm	2°	80mm	125mm	189mm (110mm) 199mm (120mm) 206mm (130mm)
Metron 5D ACR EVO L	360+10, 380+10, 400+10, 420+10 mm	349.5, 369.5, 389.5, 409.5 mm	2°	80mm	125mm	157mm (80mm) 167mm (90mm) 177mm (100mm) 187mm (110mm) 197mm (120mm) 207mm (130mm) 217mm (140mm)
METRON 5D SuperCompact	360+10, 380+10 mm	348.7, 368.6 mm	2°	70mm	120mm	151mm (80mm) 161mm (90mm)
METRON 5D	400+10, 420+10, 440+10 mm	389, 409.5, 429.5 mm	2°	80mm	125mm	179mm (100mm) 189mm (110mm) 199mm (120mm) 209mm (130mm)
METRON 6D	400+10, 420+10, 440+10 mm	387.5, 407.5, 427.5 mm	2°	80mm	125mm	166mm (90mm) 176mm (100mm) 186mm (110mm) 196mm (120mm) 206mm (130mm)

NON-INTEGRATED COCKPIT



MODEL	BAR WIDTH	SHIFTER WIDTH	OUTWARD BEND	REACH	DROP
Metron 4D Flat	400,420,440mm	389.5,409.5,429.5mm	2°	78mm	125mm
Metron Aero	380+10,400+10,420+10,440+10mm	368,388,410,428mm	2°	78mm	125mm
Metron 4D Compact	400,420,440mm	390,410,430mm	2°	76mm	125mm
TriMax Carbon Aero	380+10,400+10,420+10,440+10 mm	368,388,410,428mm	2°	78mm	125mm
TriMax Carbon 4D Ergo Compact	400,420,440mm	390,410,430mm	2°	76mm	125mm
TriMax Carbon 4D Compact	400+10,420+10,440+10 mm	389,409,430mm	2°	78mm	125mm
TriMax Aero	400,420,440mm	379,399,419mm	4°	88.8,90,91.2mm	125mm
TriMax Compact	380,400,420,440mm	392,412,432,452mm	4°	79.3mm	120.9mm

1 - METRON

2 - SC

3 - TRIMAX

4 - TEAM

5 - OUTLET

6 - WORKSHOP

7 - MERCHANDISING |
DISPLAY

MERCHANDISING | DISPLAY



VISION

HANDLEBAR DISPLAY

DISPLAY

SPECS

- Plexiglas
- Made in Italy
- fits 1.1/8" stem



CODE	DESCRIPTION
999-DISPLEX5V	VISION DISPLAY BARSTEM FOREX WHITE

FSA

HANDLEBAR DISPLAY

DISPLAY

SPECS

- Plexiglas
- Made in Italy
- fits 1.1/8" stem



CODE	DESCRIPTION
999-DISPLEX5F	FSA DISPLAY BARSTEM FOREX WHITE

FSA

CRANK DISPLAY

DISPLAY

SPECS

- Plexiglas
- Made in Italy
- fits all FSA cranksets



CODE	DESCRIPTION
999-DISPLEX8	FSA DISPLAY CK FOREX FUME'

1 - METRON

2 - SC

3 - TRIMAX

4 - TEAM

5 - OUTLET

6 - WORKSHOP

7 - MERCHANDISING |
DISPLAY

FSA - VISION

WHEEL DISPLAY

DISPLAY

SPECS

- Fits 3 road/ gravel wheels
- Easy to mount

SIZES

- 220x75x40 cm

CODE	DESCRIPTION
999-VISDISP3WH	Show Display VISION 3 Wheels B5
999-FSADISP3WH	Show Display FSA 3 Wheels B5



FSA - VISION

MULTI TOOL KIT

CODE	DESCRIPTION
999-MULTIT00L	FSA VISION Multi tool kit



FSA - VISION

SAMPLE KIT BAG

AGENTS KIT

SPECS

SAMPLE KIT BAG for Agents

- Made in Italy
- fits complete kit of FSA and VISION components

CODE	DESCRIPTION
999-FSAVISAMPBAG	FSA VISION sample Bag B5



VISION

SOCKS
MERCHANDISING

SPECS

- 100% Cotton
- Made in Italy
- length: 19cm

SIZES

- 1 size: 40-44



CODE	DESCRIPTION	金額
863-0091	VISION socks 40-44 (V24)	3,080円 (税込)

FSA

SOCKS
MERCHANDISING

SPECS

- 100% Cotton
- Made in Italy
- length: 19cm

SIZES

- 1 size: 40-44



CODE	DESCRIPTION	金額
863-0090	FSA socks 40-44 (V24)	3,080円 (税込)

FSA - VISION

SCARF
MERCHANDISING



CODE	DESCRIPTION
999-BandanaFSA	Bandana FSA (Scarf for Rider)

1 - METRON

2 - SC

3 - TRIMAX

4 - TEAM

5 - OUTLET

6 - WORKSHOP

7 - MERCHANDISING |
DISPLAY

VISION

CAP
MERCHANDISING

CODE	DESCRIPTION	金額
999-CAPVISION	VISION Cap	2,970円 (税込)

FSA

CAP
MERCHANDISING

CODE	DESCRIPTION	金額
999-CAPFSA	FSA Cap	2,970円 (税込)

FSA

MTB MUDGUARD
MERCHANDISING

SPECS

- Ideal for MTB/ E-MTB

SIZES

27x22 cm



CODE	DESCRIPTION	金額
999-Mudguard	FSA MTB Front Mudguard 27x22cm	2,200円 (税込)

FSA - VISION

APRON
MERCHANDISING



CODE	DESCRIPTION	金額
863-0046	Mechanic Apron Black with Pocket B2	7,920円 (税込)

VISION WHEEL BAG

ACCESSORIES

SPECS

- Durable nylon and heavy duty zips
- Includes reinforced pads to prevent axle protruding
- Internal pocket for QR and accessories

SIZES

- Holds 2 road wheels

WEIGHT

- 857 grams



CODE	DESCRIPTION	金額
752-90030E	VISION WHEEL BAG B1	16,390円 (税込)

FSA MTB WHEEL BAG

MERCHANDISING

SPECS

- Durable nylon and heavy duty zips
- Includes reinforced pads to prevent axle protruding
- Internal pocket for accessories

SIZES

- Holds 2 MTB wheels with tyres

WEIGHT

- 930 grams



CODE	DESCRIPTION	金額
999-MTBWHEELBAG	FSA MTB 2x WHEELS BAG	19,140円 (税込)

1 - METRON

2 - SC

3 - TRIMAX

4 - TEAM

5 - OUTLET

6 - WORKSHOP

7 - MERCHANDISING |
DISPLAY

FULL SPEED AHEAD EUROPE

VIA DEL LAVORO, 56
20874 BUSNAGO, (MB), ITALY
PH. +39 039 688 52 65

FULL SPEED AHEAD USA

12212 CYRUS WAY
MUKILTEO, WA 98275-5702
PH. +1 425 488 8653

FULL SPEED AHEAD ASIA

NO.6, WUGONG 8TH RD.,
WUFENG DIST., TAICHUNG CITY 41353
PH. +886 4 2331 9134

FULL SPEED AHEAD CHINA

ROOM A405, BUILDING 2, NO.88, BAIFU ROAD.,
KUNSHAN DEVELOPMENT ZONE
PH. +86 512 5702 2458



FULLSPEEDAHEAD.COM
FULL SPEED AHEAD, EVERYWHERE



VISIONTECHUSA.COM
WIN THE WIND

